

標準集計表

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	4,902	3,725	8,628	100.0	100.0	100.0	1,114.1	752.5	922.8	476.9	349.3	402.7	336.6	261.6	292.8	39.0	28.5	33.3
口腔・咽頭	C00-C14	154	56	210	3.1	1.5	2.4	35.0	11.3	22.5	17.1	5.0	10.6	12.3	3.8	7.8	1.5	0.4	0.9
食道	C15	193	43	236	3.9	1.2	2.7	43.9	8.7	25.2	21.3	3.7	11.9	15.7	2.7	8.7	2.0	0.3	1.1
胃	C16	853	447	1,300	17.4	12.0	15.1	193.9	90.3	139.0	78.8	31.2	52.6	54.2	21.6	36.3	6.4	2.6	4.4
大腸（結腸・直腸）	C18-C20	679	584	1,263	13.9	15.7	14.6	154.3	118.0	135.1	70.2	44.9	56.5	49.8	31.9	40.1	5.9	3.5	4.7
結腸	C18	429	417	846	8.8	11.2	9.8	97.5	84.2	90.5	43.3	30.0	36.1	30.4	21.1	25.4	3.6	2.3	2.9
直腸	C19-C20	250	167	417	5.1	4.5	4.8	56.8	33.7	44.6	27.0	14.9	20.4	19.3	10.8	14.7	2.3	1.2	1.7
肝および肝内胆管	C22	313	142	455	6.4	3.8	5.3	71.1	28.7	48.7	28.7	7.4	17.1	19.7	5.0	11.7	2.3	0.6	1.4
胆のう・胆管	C23-C24	96	91	187	2.0	2.4	2.2	21.8	18.4	20.0	8.4	4.9	6.5	5.9	3.4	4.5	0.6	0.4	0.5
膵臓	C25	172	191	363	3.5	5.1	4.2	39.1	38.6	38.8	16.2	11.6	13.8	11.5	8.0	9.7	1.4	0.9	1.1
喉頭	C32	42	6	48	0.9	0.2	0.6	9.5	1.2	5.1	4.4	0.4	2.2	3.2	0.2	1.6	0.4	0.0	0.2
肺	C33-C34	781	390	1,171	15.9	10.5	13.6	177.5	78.8	125.2	71.5	27.3	47.1	49.1	18.9	32.5	6.1	2.2	4.0
皮膚	C43-C44	131	104	235	2.7	2.8	2.7	29.8	21.0	25.1	10.8	6.3	8.2	7.1	4.6	5.6	0.6	0.4	0.5
乳房	C50	5	741	746	0.1	19.9	8.6	1.1	149.7	79.8	0.4	97.2	51.0	0.2	74.8	39.1	0.0	8.2	4.3
子宮	C53-C55	-	213	213	-	5.7	2.5	-	43.0	-	-	29.8	-	-	22.8	-	-	2.4	-
子宮頸部	C53	-	68	68	-	1.8	0.8	-	13.7	-	-	9.7	-	-	7.4	-	-	0.7	-
子宮体部	C54	-	136	136	-	3.7	1.6	-	27.5	-	-	19.6	-	-	15.1	-	-	1.6	-
卵巣	C56	-	98	98	-	2.6	1.1	-	19.8	-	-	14.5	-	-	11.6	-	-	1.2	-
前立腺	C61	656	-	656	13.4	-	7.6	149.1	-	-	57.5	-	-	38.8	-	-	4.8	-	-
膀胱	C67	171	51	222	3.5	1.4	2.6	38.9	10.3	23.7	15.1	3.1	8.4	10.3	2.3	5.9	1.1	0.2	0.6
腎・尿路（膀胱除く）	C64-C66 C68	161	63	224	3.3	1.7	2.6	36.6	12.7	24.0	16.7	6.1	10.9	12.2	4.9	8.2	1.5	0.5	1.0
脳・中枢神経系	C70-C72	34	26	60	0.7	0.7	0.7	7.7	5.3	6.4	4.3	4.3	4.2	3.5	3.8	3.6	0.3	0.3	0.3
甲状腺	C73	38	125	163	0.8	3.4	1.9	8.6	25.3	17.4	4.7	18.4	11.7	3.6	15.0	9.4	0.4	1.5	1.0
悪性リンパ腫	C81-C85 C96	165	139	305	3.4	3.7	3.5	37.5	28.1	32.6	18.4	13.2	15.5	14.1	10.3	12.0	1.4	1.1	1.3
多発性骨髄腫	C88-C90	31	28	59	0.6	0.8	0.7	7.0	5.7	6.3	3.1	2.4	2.7	2.1	1.8	1.9	0.2	0.2	0.2
白血病	C91-C95	64	27	91	1.3	0.7	1.1	14.5	5.5	9.7	8.3	3.5	5.7	7.0	3.4	5.1	0.6	0.3	0.4

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

B. 上皮内がんを含む

和歌山県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	5,349	4,167	9,517	100.0	100.0	100.0	1,215.7	841.8	1,017.9	521.7	418.9	459.1	368.0	317.3	335.9	43.0	33.9	38.0
食道	C15 D001	209	49	258	3.9	1.2	2.7	47.5	9.9	27.6	23.1	4.5	13.1	16.9	3.3	9.6	2.1	0.4	1.2
大腸(結腸・直腸) *2	C18-C20 D010-D012	902	695	1,597	16.9	16.7	16.8	205.0	140.4	170.8	93.8	56.1	73.3	66.4	40.1	52.2	8.1	4.6	6.2
結腸 *2	C18 D010	590	496	1,086	11.0	11.9	11.4	134.1	100.2	116.1	59.5	37.8	47.7	41.8	26.8	33.7	5.1	3.1	4.0
直腸 *2	C19-C20 D011-D012	312	199	511	5.8	4.8	5.4	70.9	40.2	54.7	34.2	18.4	25.6	24.6	13.4	18.5	2.9	1.5	2.2
肺	C33-C34 D021-D022	782	393	1,175	14.6	9.4	12.3	177.7	79.4	125.7	71.6	27.5	47.3	49.2	19.1	32.6	6.1	2.2	4.0
皮膚	C43-C44 D030-D049	157	131	288	2.9	3.1	3.0	35.7	26.5	30.8	12.9	7.4	9.7	8.4	5.3	6.6	0.7	0.5	0.6
乳房	C50 D05	6	819	825	0.1	19.7	8.7	1.4	165.5	88.2	0.4	108.4	56.8	0.3	83.5	43.6	0.0	9.2	4.8
子宮	C53-C55 D06	-	361	361	-	8.7	3.8	-	72.9	-	-	69.3	-	-	56.1	-	-	5.1	-
子宮頸部	C53 D06	-	216	216	-	5.2	2.3	-	43.6	-	-	49.2	-	-	40.7	-	-	3.4	-
膀胱	C67 D090	307	87	394	5.7	2.1	4.1	69.8	17.6	42.1	27.7	5.9	15.6	19.1	4.3	10.9	2.3	0.5	1.3

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	4,902	4	2	2	6	3	9	12	16	43	66	126	214	386	732	868	957	786	454	187	28	1	0
	口腔・咽頭	C00-C14	154	0	0	0	0	0	0	2	3	3	5	4	7	12	28	32	28	15	8	7	0	0	0
	食道	C15	193	0	0	0	0	0	1	0	0	2	4	10	8	25	43	33	38	18	8	3	0	0	0
	胃	C16	853	0	0	0	0	0	0	0	3	4	5	17	31	79	126	145	179	148	79	33	3	1	0
	大腸（結腸・直腸）	C18-C20	679	0	0	0	0	1	0	0	3	8	15	23	54	55	97	121	124	91	59	22	6	0	0
	結腸	C18	429	0	0	0	0	1	0	0	2	5	7	14	33	31	54	82	78	61	40	15	6	0	0
	直腸	C19-C20	250	0	0	0	0	0	0	0	1	3	8	9	21	24	43	39	46	30	19	7	0	0	0
	肝および肝内胆管	C22	313	0	0	0	1	0	0	0	0	1	2	5	18	21	47	51	69	51	36	10	1	0	0
	胆のう・胆管	C23-C24	96	0	0	0	0	0	1	0	0	0	2	1	1	5	15	17	20	14	9	7	4	0	0
	膵臓	C25	172	0	0	0	1	0	0	0	1	2	1	3	3	17	26	37	32	24	21	3	1	0	0
	喉頭	C32	42	0	0	0	0	0	0	0	0	0	2	2	2	6	2	10	6	6	5	1	0	0	0
	肺	C33-C34	781	0	0	0	0	0	0	0	0	3	6	21	27	57	115	163	157	123	70	34	5	0	0
	皮膚	C43-C44	131	0	0	0	0	0	0	0	0	1	2	2	8	4	12	12	23	35	19	11	2	0	0
	乳房	C50	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3	0	1	0	0	0
	前立腺	C61	656	0	0	0	0	0	1	0	0	0	0	5	14	54	105	132	154	114	56	19	2	0	0
	膀胱	C67	171	0	0	0	0	0	0	0	0	3	1	4	7	8	25	25	30	34	22	9	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	161	1	0	0	0	0	0	0	1	2	3	8	7	13	22	35	23	29	11	6	0	0	0
	脳・中枢神経系	C70-C72	34	0	0	0	0	1	1	1	0	2	2	1	1	2	4	3	3	3	8	2	0	0	0
	甲状腺	C73	38	0	0	1	0	0	0	0	0	3	2	1	2	2	7	5	10	3	2	0	0	0	0
	悪性リンパ腫	C81-C85 C96	165	1	0	0	2	0	2	1	1	5	3	3	14	10	27	19	25	26	18	8	0	0	0
	多発性骨髄腫	C88-C90	31	0	0	0	0	0	0	1	0	0	1	1	1	2	4	3	7	7	3	0	1	0	0
	白血病	C91-C95	64	1	1	1	1	0	0	1	1	2	1	6	3	3	10	3	10	9	6	5	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	3,725	5	0	2	3	6	13	28	46	88	176	172	224	249	446	480	512	525	413	244	86	7	0
	口腔・咽頭	C00-C14	56	0	0	0	1	0	0	0	0	0	3	2	4	4	8	9	4	11	7	1	1	1	0
	食道	C15	43	0	0	0	0	0	0	0	1	0	3	1	2	3	4	6	8	9	2	2	2	0	0
	胃	C16	447	0	0	0	0	0	0	0	2	4	7	4	14	29	52	73	80	87	47	37	11	0	0
	大腸（結腸・直腸）	C18-C20	584	0	0	0	0	0	0	1	4	6	16	20	30	36	64	72	101	92	76	57	8	1	0
	結腸	C18	417	0	0	0	0	0	0	1	4	4	10	8	16	23	46	53	72	69	62	43	5	1	0
	直腸	C19-C20	167	0	0	0	0	0	0	0	0	2	6	12	14	13	18	19	29	23	14	14	3	0	0
	肝および肝内胆管	C22	142	0	0	0	0	0	0	0	0	1	1	2	3	1	12	23	13	29	34	20	3	0	0
	胆のう・胆管	C23-C24	91	0	0	0	0	0	0	0	0	0	0	1	4	3	9	12	8	15	22	10	6	1	0
	膵臓	C25	191	0	0	0	0	0	0	0	0	1	1	4	4	8	26	22	35	27	37	16	10	0	0
	喉頭	C32	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	0	0	0	0	0
	肺	C33-C34	390	0	0	0	0	0	0	0	3	2	6	3	10	30	46	59	74	73	45	27	11	1	0
	皮膚	C43-C44	104	0	0	0	0	0	1	0	2	0	1	4	1	3	10	7	9	20	20	16	9	1	0
	乳房	C50	741	0	0	0	0	1	2	9	19	35	84	67	85	63	94	87	64	59	40	24	7	1	0
	子宮	C53-C55	213	0	0	0	0	0	0	5	6	15	26	21	26	17	22	18	22	14	12	4	4	1	0
	子宮頸部	C53	68	0	0	0	0	0	0	3	4	6	10	4	5	3	5	5	7	6	7	2	1	0	0
	子宮体部	C54	136	0	0	0	0	0	0	2	2	9	16	17	21	14	16	12	12	7	5	1	2	0	0
	卵巣	C56	98	0	0	2	0	0	0	3	3	5	9	15	9	11	9	10	9	5	4	3	1	0	0
	膀胱	C67	51	0	0	0	1	0	0	0	0	0	0	0	1	3	8	3	10	6	11	5	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	63	1	0	0	0	0	0	0	0	0	2	6	3	6	9	10	8	12	5	1	0	0	0
	脳・中枢神経系	C70-C72	26	1	0	0	0	1	0	3	2	2	0	1	0	3	2	2	1	7	1	0	0	0	0
	甲状腺	C73	125	0	0	0	0	4	3	5	2	8	10	9	9	8	21	18	12	8	5	2	1	0	0
	悪性リンパ腫	C81-C85 C96	139	1	0	0	0	0	3	0	0	2	5	4	8	8	24	21	27	18	11	5	2	0	0
	多発性骨髄腫	C88-C90	28	0	0	0	0	0	0	0	0	1	0	2	2	3	3	2	4	6	5	0	0	0	0
	白血病	C91-C95	27	1	0	0	1	0	2	0	0	1	1	1	1	2	0	5	3	3	4	2	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	8,628	9	2	4	9	9	22	40	62	131	242	298	438	635	1,178	1,348	1,469	1,311	868	431	114	8	0
	口腔・咽頭	C00-C14	210	0	0	0	1	0	0	2	3	3	8	6	11	16	36	41	32	26	15	8	1	1	0
	食道	C15	236	0	0	0	0	0	1	0	1	2	7	11	10	28	47	39	46	27	10	5	2	0	0
	胃	C16	1,300	0	0	0	0	0	0	0	5	8	12	21	45	108	178	218	259	235	126	70	14	1	0
	大腸（結腸・直腸）	C18-C20	1,263	0	0	0	0	1	0	1	7	14	31	43	84	91	161	193	225	183	135	79	14	1	0
	結腸	C18	846	0	0	0	0	1	0	1	6	9	17	22	49	54	100	135	150	130	102	58	11	1	0
	直腸	C19-C20	417	0	0	0	0	0	0	0	1	5	14	21	35	37	61	58	75	53	33	21	3	0	0
	肝および肝内胆管	C22	455	0	0	0	1	0	0	0	0	2	3	7	21	22	59	74	82	80	70	30	4	0	0
	胆のう・胆管	C23-C24	187	0	0	0	0	0	1	0	0	0	2	2	5	8	24	29	28	29	31	17	10	1	0
	膵臓	C25	363	0	0	0	1	0	0	0	1	3	2	7	7	25	52	59	67	51	58	19	11	0	0
	喉頭	C32	48	0	0	0	0	0	0	0	0	0	2	2	2	6	3	11	8	8	5	1	0	0	0
	肺	C33-C34	1,171	0	0	0	0	0	0	0	3	5	12	24	37	87	161	222	231	196	115	61	16	1	0
	皮膚	C43-C44	235	0	0	0	0	0	1	0	2	1	3	6	9	7	22	19	32	55	39	27	11	1	0
	乳房	C50	746	0	0	0	0	1	2	9	19	35	84	67	85	64	94	87	64	62	40	25	7	1	0
	子宮	C53-C55	213	0	0	0	0	0	0	5	6	15	26	21	26	17	22	18	22	14	12	4	4	1	0
	子宮頸部	C53	68	0	0	0	0	0	0	3	4	6	10	4	5	3	5	5	7	6	7	2	1	0	0
	子宮体部	C54	136	0	0	0	0	0	0	2	2	9	16	17	21	14	16	12	12	7	5	1	2	0	0
	卵巣	C56	98	0	0	2	0	0	0	3	3	5	9	15	9	11	9	10	9	5	4	3	1	0	0
	前立腺	C61	656	0	0	0	0	0	1	0	0	0	0	5	14	54	105	132	154	114	56	19	2	0	0
	膀胱	C67	222	0	0	0	1	0	0	0	0	3	1	4	8	11	33	28	40	40	33	14	6	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	224	2	0	0	0	0	0	0	1	2	5	14	10	19	31	45	31	41	16	7	0	0	0
	脳・中枢神経系	C70-C72	60	1	0	0	0	2	1	4	2	4	2	2	1	5	6	5	4	10	9	2	0	0	0
	甲状腺	C73	163	0	0	1	0	4	3	5	2	11	12	10	11	10	28	23	22	11	7	2	1	0	0
	悪性リンパ腫	C81-C85 C96	305	2	0	0	2	0	5	1	1	7	8	7	22	18	51	40	52	44	30	13	2	0	0
	多発性骨髄腫	C88-C90	59	0	0	0	0	0	0	1	0	1	1	3	3	5	7	5	11	13	8	0	1	0	0
	白血病	C91-C95	91	2	1	1	2	0	2	1	1	3	2	7	4	5	10	8	13	12	10	7	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	5,349	4	2	2	6	3	9	12	17	51	71	142	234	425	793	972	1,041	850	488	196	30	1	0	
	食道	C15 D001	209	0	0	0	0	0	1	0	0	2	5	12	9	26	44	36	40	22	9	3	0	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	902	0	0	0	0	1	0	0	3	13	17	33	65	77	131	174	173	115	70	24	6	0	0	
	結腸 *2	C18 D010	590	0	0	0	0	1	0	0	2	9	8	19	39	45	78	125	112	80	49	17	6	0	0	
	直腸 *2	C19-C20 D011-D012	312	0	0	0	0	0	0	0	1	4	9	14	26	32	53	49	61	35	21	7	0	0	0	
	肺	C33-C34 D021-D022	782	0	0	0	0	0	0	0	0	3	6	21	27	57	115	164	157	123	70	34	5	0	0	0
	皮膚	C43-C44 D030-D049	157	0	0	0	0	0	0	0	0	1	3	2	9	6	12	13	27	45	23	13	3	0	0	
	乳房	C50 D05	6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	4	0	1	0	0	0	
	膀胱	C67 D090	307	0	0	0	0	0	0	0	0	5	2	7	12	16	47	60	50	52	40	13	3	0	0	
	女	全部位	C00-C96 D00-D09	4,167	5	0	2	3	10	25	59	68	119	225	198	248	287	491	530	552	557	441	251	89	7	0
食道		C15 D001	49	0	0	0	0	0	0	0	1	0	3	2	2	6	4	7	9	9	2	2	2	0	0	
大腸（結腸・直腸）*2		C18-C20 D010-D012	695	0	0	0	0	0	0	2	4	11	18	27	39	45	78	98	118	99	89	58	8	1	0	
結腸 *2		C18 D010	496	0	0	0	0	0	0	2	4	5	11	14	22	30	57	72	86	72	72	43	5	1	0	
直腸 *2		C19-C20 D011-D012	199	0	0	0	0	0	0	0	0	6	7	13	17	15	21	26	32	27	17	15	3	0	0	
肺		C33-C34 D021-D022	393	0	0	0	0	0	0	0	3	2	6	3	10	31	46	59	76	73	45	27	11	1	0	
皮膚		C43-C44 D030-D049	131	0	0	0	0	0	1	0	2	0	1	4	1	3	12	9	13	27	28	18	11	1	0	
乳房		C50 D05	819	0	0	0	0	1	2	9	21	40	96	74	92	75	106	95	73	62	40	25	7	1	0	
子宮		C53-C55 D06	361	0	0	0	0	4	12	35	26	36	60	31	29	22	26	21	22	15	12	4	5	1	0	
子宮頸部		C53 D06	216	0	0	0	0	4	12	33	24	27	44	14	8	8	9	8	7	7	7	2	2	0	0	
膀胱	C67 D090	87	0	0	0	1	0	0	0	0	0	0	0	5	6	14	9	14	13	15	7	3	0	0		
総数 *3	全部位	C00-C96 D00-D09	9,517	9	2	4	9	13	34	71	85	170	296	340	482	712	1,284	1,502	1,593	1,407	930	447	119	8	0	
	食道	C15 D001	258	0	0	0	0	0	1	0	1	2	8	14	11	32	48	43	49	31	11	5	2	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,597	0	0	0	0	1	0	2	7	24	35	60	104	122	209	272	291	214	159	82	14	1	0	
	結腸 *2	C18 D010	1,086	0	0	0	0	1	0	2	6	14	19	33	61	75	135	197	198	152	121	60	11	1	0	
	直腸 *2	C19-C20 D011-D012	511	0	0	0	0	0	0	0	1	10	16	27	43	47	74	75	93	62	38	22	3	0	0	
	肺	C33-C34 D021-D022	1,175	0	0	0	0	0	0	0	3	5	12	24	37	88	161	223	233	196	115	61	16	1	0	
	皮膚	C43-C44 D030-D049	288	0	0	0	0	0	1	0	2	1	4	6	10	9	24	22	40	72	51	31	14	1	0	
	乳房	C50 D05	825	0	0	0	0	1	2	9	21	40	96	74	92	76	106	95	73	66	40	26	7	1	0	
	子宮	C53-C55 D06	361	0	0	0	0	4	12	35	26	36	60	31	29	22	26	21	22	15	12	4	5	1	0	
	子宮頸部	C53 D06	216	0	0	0	0	4	12	33	24	27	44	14	8	8	9	8	7	7	7	2	2	0	0	
	膀胱	C67 D090	394	0	0	0	1	0	0	0	0	5	2	7	17	22	61	69	64	65	55	20	6	0	0	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	1,114.1	23.5	10.5	10.0	26.1	15.8	50.0	54.5	66.7	143.3	200.0	434.5	737.9	1,286.7	2,033.3	2,712.5	3,680.8	4,136.8	2,837.5
	口腔・咽頭	C00-C14	35.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	12.5	10.0	15.2	13.8	24.1	40.0	77.8	100.0	107.7	78.9	50.0
	食道	C15	43.9	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	6.7	12.1	34.5	27.6	83.3	119.4	103.1	146.2	94.7	50.0
	胃	C16	193.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	13.3	15.2	58.6	106.9	263.3	350.0	453.1	688.5	778.9	493.8
	大腸（結腸・直腸）	C18-C20	154.3	0.0	0.0	0.0	0.0	5.3	0.0	0.0	12.5	26.7	45.5	79.3	186.2	183.3	269.4	378.1	476.9	478.9	368.8
	結腸	C18	97.5	0.0	0.0	0.0	0.0	5.3	0.0	0.0	8.3	16.7	21.2	48.3	113.8	103.3	150.0	256.3	300.0	321.1	250.0
	直腸	C19-C20	56.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	10.0	24.2	31.0	72.4	80.0	119.4	121.9	176.9	157.9	118.8
	肝および肝内胆管	C22	71.1	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0	3.3	6.1	17.2	62.1	70.0	130.6	159.4	265.4	268.4	225.0
	胆のう・胆管	C23-C24	21.8	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	6.1	3.4	3.4	16.7	41.7	53.1	76.9	73.7	56.3
	膵臓	C25	39.1	0.0	0.0	0.0	4.3	0.0	0.0	0.0	4.2	6.7	3.0	10.3	10.3	56.7	72.2	115.6	123.1	126.3	131.3
	喉頭	C32	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	6.9	6.9	20.0	5.6	31.3	23.1	31.6	31.3
	肺	C33-C34	177.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	18.2	72.4	93.1	190.0	319.4	509.4	603.8	647.4	437.5
	皮膚	C43-C44	29.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	6.1	6.9	27.6	13.3	33.3	37.5	88.5	184.2	118.8
	乳房	C50	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	15.8	0.0
	前立腺	C61	149.1	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	17.2	48.3	180.0	291.7	412.5	592.3	600.0	350.0
	膀胱	C67	38.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	3.0	13.8	24.1	26.7	69.4	78.1	115.4	178.9	137.5
	腎・尿路（膀胱除く）	C64-C66 C68	36.6	5.9	0.0	0.0	0.0	0.0	0.0	0.0	4.2	6.7	9.1	27.6	24.1	43.3	61.1	109.4	88.5	152.6	68.8
	脳・中枢神経系	C70-C72	7.7	0.0	0.0	0.0	0.0	5.3	5.6	4.5	0.0	6.7	6.1	3.4	3.4	6.7	11.1	9.4	11.5	15.8	50.0
	甲状腺	C73	8.6	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	10.0	6.1	3.4	6.9	6.7	19.4	15.6	38.5	15.8	12.5
	悪性リンパ腫	C81-C85 C96	37.5	5.9	0.0	0.0	8.7	0.0	11.1	4.5	4.2	16.7	9.1	10.3	48.3	33.3	75.0	59.4	96.2	136.8	112.5
	多発性骨髄腫	C88-C90	7.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	3.0	3.4	3.4	6.7	11.1	9.4	26.9	36.8	18.8
	白血病	C91-C95	14.5	5.9	5.3	5.0	4.3	0.0	0.0	4.5	4.2	6.7	3.0	20.7	10.3	10.0	27.8	9.4	38.5	47.4	37.5

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	752.5	31.3	0.0	10.5	13.6	33.3	72.2	127.3	184.0	283.9	517.6	537.5	722.6	778.1	1,087.8	1,297.3	1,551.5	1,875.0	1,116.2
	口腔・咽頭	C00-C14	11.3	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	8.8	6.3	12.9	12.5	19.5	24.3	12.1	39.3	18.9
	食道	C15	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	8.8	3.1	6.5	9.4	9.8	16.2	24.2	32.1	5.4
	胃	C16	90.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	12.9	20.6	12.5	45.2	90.6	126.8	197.3	242.4	310.7	127.0
	大腸（結腸・直腸）	C18-C20	118.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	16.0	19.4	47.1	62.5	96.8	112.5	156.1	194.6	306.1	328.6	205.4
	結腸	C18	84.2	0.0	0.0	0.0	0.0	0.0	0.0	4.5	16.0	12.9	29.4	25.0	51.6	71.9	112.2	143.2	218.2	246.4	167.6
	直腸	C19-C20	33.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	17.6	37.5	45.2	40.6	43.9	51.4	87.9	82.1	37.8
	肝および肝内胆管	C22	28.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.9	6.3	9.7	3.1	29.3	62.2	39.4	103.6	91.9
	胆のう・胆管	C23-C24	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	12.9	9.4	22.0	32.4	24.2	53.6	59.5
	膵臓	C25	38.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.9	12.5	12.9	25.0	63.4	59.5	106.1	96.4	100.0
	喉頭	C32	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.7	6.1	7.1	0.0
	肺	C33-C34	78.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	6.5	17.6	9.4	32.3	93.8	112.2	159.5	224.2	260.7	121.6
	皮膚	C43-C44	21.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	8.0	0.0	2.9	12.5	3.2	9.4	24.4	18.9	27.3	71.4	54.1
	乳房	C50	149.7	0.0	0.0	0.0	0.0	5.6	11.1	40.9	76.0	112.9	247.1	209.4	274.2	196.9	229.3	235.1	193.9	210.7	108.1
	子宮	C53-C55	43.0	0.0	0.0	0.0	0.0	0.0	0.0	22.7	24.0	48.4	76.5	65.6	83.9	53.1	53.7	48.6	66.7	50.0	32.4
	子宮頸部	C53	13.7	0.0	0.0	0.0	0.0	0.0	0.0	13.6	16.0	19.4	29.4	12.5	16.1	9.4	12.2	13.5	21.2	21.4	18.9
	子宮体部	C54	27.5	0.0	0.0	0.0	0.0	0.0	0.0	9.1	8.0	29.0	47.1	53.1	67.7	43.8	39.0	32.4	36.4	25.0	13.5
	卵巣	C56	19.8	0.0	0.0	10.5	0.0	0.0	0.0	13.6	12.0	16.1	26.5	46.9	29.0	34.4	22.0	27.0	27.3	17.9	10.8
	膀胱	C67	10.3	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9.4	19.5	8.1	30.3	21.4	29.7
	腎・尿路（膀胱除く）	C64-C66 C68	12.7	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	18.8	9.7	18.8	22.0	27.0	24.2	42.9	13.5
	脳・中枢神経系	C70-C72	5.3	6.3	0.0	0.0	0.0	5.6	0.0	13.6	8.0	6.5	0.0	3.1	0.0	9.4	4.9	5.4	3.0	25.0	2.7
	甲状腺	C73	25.3	0.0	0.0	0.0	0.0	22.2	16.7	22.7	8.0	25.8	29.4	28.1	29.0	25.0	51.2	48.6	36.4	28.6	13.5
	悪性リンパ腫	C81-C85 C96	28.1	6.3	0.0	0.0	0.0	0.0	16.7	0.0	0.0	6.5	14.7	12.5	25.8	25.0	58.5	56.8	81.8	64.3	29.7
	多発性骨髄腫	C88-C90	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	6.3	6.5	9.4	7.3	5.4	12.1	21.4	13.5
	白血病	C91-C95	5.5	6.3	0.0	0.0	4.5	0.0	11.1	0.0	0.0	3.2	2.9	3.1	3.2	6.3	0.0	13.5	9.1	10.7	10.8

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	922.8	27.3	5.4	10.3	20.0	24.3	61.1	90.9	126.5	214.8	361.2	488.5	730.0	1,024.2	1,529.9	1,953.6	2,489.8	2,789.4	1,637.7
	口腔・咽頭	C00-C14	22.5	0.0	0.0	0.0	2.2	0.0	0.0	4.5	6.1	4.9	11.9	9.8	18.3	25.8	46.8	59.4	54.2	55.3	28.3
	食道	C15	25.2	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.0	3.3	10.4	18.0	16.7	45.2	61.0	56.5	78.0	57.4	18.9
	胃	C16	139.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	13.1	17.9	34.4	75.0	174.2	231.2	315.9	439.0	500.0	237.7
	大腸（結腸・直腸）	C18-C20	135.1	0.0	0.0	0.0	0.0	2.7	0.0	2.3	14.3	23.0	46.3	70.5	140.0	146.8	209.1	279.7	381.4	389.4	254.7
	結腸	C18	90.5	0.0	0.0	0.0	0.0	2.7	0.0	2.3	12.2	14.8	25.4	36.1	81.7	87.1	129.9	195.7	254.2	276.6	192.5
	直腸	C19-C20	44.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	8.2	20.9	34.4	58.3	59.7	79.2	84.1	127.1	112.8	62.3
	肝および肝内胆管	C22	48.7	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	3.3	4.5	11.5	35.0	35.5	76.6	107.2	139.0	170.2	132.1
	胆のう・胆管	C23-C24	20.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	3.0	3.3	8.3	12.9	31.2	42.0	47.5	61.7	58.5
	膵臓	C25	38.8	0.0	0.0	0.0	2.2	0.0	0.0	0.0	2.0	4.9	3.0	11.5	11.7	40.3	67.5	85.5	113.6	108.5	109.4
	喉頭	C32	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.3	3.3	9.7	3.9	15.9	13.6	17.0	9.4
	肺	C33-C34	125.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	8.2	17.9	39.3	61.7	140.3	209.1	321.7	391.5	417.0	217.0
	皮膚	C43-C44	25.1	0.0	0.0	0.0	0.0	0.0	2.8	0.0	4.1	1.6	4.5	9.8	15.0	11.3	28.6	27.5	54.2	117.0	73.6
	乳房	C50	79.8	0.0	0.0	0.0	0.0	2.7	5.6	20.5	38.8	57.4	125.4	109.8	141.7	103.2	122.1	126.1	108.5	131.9	75.5
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	23.7	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	4.9	1.5	6.6	13.3	17.7	42.9	40.6	67.8	85.1	62.3
	腎・尿路（膀胱除く）	C64-C66 C68	24.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.3	7.5	23.0	16.7	30.6	40.3	65.2	52.5	87.2	30.2
	脳・中枢神経系	C70-C72	6.4	3.0	0.0	0.0	0.0	5.4	2.8	9.1	4.1	6.6	3.0	3.3	1.7	8.1	7.8	7.2	6.8	21.3	17.0
	甲状腺	C73	17.4	0.0	0.0	2.6	0.0	10.8	8.3	11.4	4.1	18.0	17.9	16.4	18.3	16.1	36.4	33.3	37.3	23.4	13.2
	悪性リンパ腫	C81-C85 C96	32.6	6.1	0.0	0.0	4.4	0.0	13.9	2.3	2.0	11.5	11.9	11.5	36.7	29.0	66.2	58.0	88.1	93.6	56.6
	多発性骨髄腫	C88-C90	6.3	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.6	1.5	4.9	5.0	8.1	9.1	7.2	18.6	27.7	15.1
	白血病	C91-C95	9.7	6.1	2.7	2.6	4.4	0.0	5.6	2.3	2.0	4.9	3.0	11.5	6.7	8.1	13.0	11.6	22.0	25.5	18.9

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,215.7	23.5	10.5	10.0	26.1	15.8	50.0	54.5	70.8	170.0	215.2	489.7	806.9	1,416.7	2,202.8	3,037.5	4,003.8	4,473.7	3,050.0	-	-	-	-	
	食道	C15 D001	47.5	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	6.7	15.2	41.4	31.0	86.7	122.2	112.5	153.8	115.8	56.3	-	-	-	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	205.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	12.5	43.3	51.5	113.8	224.1	256.7	363.9	543.8	665.4	605.3	437.5	-	-	-	-	
	結腸 *2	C18 D010	134.1	0.0	0.0	0.0	0.0	5.3	0.0	0.0	8.3	30.0	24.2	65.5	134.5	150.0	216.7	390.6	430.8	421.1	306.3	-	-	-	-	
	直腸 *2	C19-C20 D011-D012	70.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	13.3	27.3	48.3	89.7	106.7	147.2	153.1	234.6	184.2	131.3	-	-	-	-	
	肺	C33-C34 D021-D022	177.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	18.2	72.4	93.1	190.0	319.4	512.5	603.8	647.4	437.5	-	-	-	-
	皮膚	C43-C44 D030-D049	35.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	9.1	6.9	31.0	20.0	33.3	40.6	103.8	236.8	143.8	-	-	-	-
	乳房	C50 D05	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	21.1	0.0	-	-	-	-
	膀胱	C67 D090	69.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.7	6.1	24.1	41.4	53.3	130.6	187.5	192.3	273.7	250.0	-	-	-	-
女	全部位	C00-C96 D00-D09	841.8	31.3	0.0	10.5	13.6	55.6	138.9	268.2	272.0	383.9	661.8	618.8	800.0	896.9	1,197.6	1,432.4	1,672.7	1,989.3	1,191.9	-	-	-	-	
	食道	C15 D001	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	8.8	6.3	6.5	18.8	9.8	18.9	27.3	32.1	5.4	-	-	-	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	140.4	0.0	0.0	0.0	0.0	0.0	0.0	9.1	16.0	35.5	52.9	84.4	125.8	140.6	190.2	264.9	357.6	353.6	240.5	-	-	-	-	
	結腸 *2	C18 D010	100.2	0.0	0.0	0.0	0.0	0.0	0.0	9.1	16.0	16.1	32.4	43.8	71.0	93.8	139.0	194.6	260.6	257.1	194.6	-	-	-	-	
	直腸 *2	C19-C20 D011-D012	40.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.4	20.6	40.6	54.8	46.9	51.2	70.3	97.0	96.4	45.9	-	-	-	-	
	肺	C33-C34 D021-D022	79.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	6.5	17.6	9.4	32.3	96.9	112.2	159.5	230.3	260.7	121.6	-	-	-	-	
	皮膚	C43-C44 D030-D049	26.5	0.0	0.0	0.0	0.0	0.0	5.6	0.0	8.0	0.0	2.9	12.5	3.2	9.4	29.3	24.3	39.4	96.4	75.7	-	-	-	-	
	乳房	C50 D05	165.5	0.0	0.0	0.0	0.0	5.6	11.1	40.9	84.0	129.0	282.4	231.3	296.8	234.4	258.5	256.8	221.2	221.4	108.1	-	-	-	-	
	子宮	C53-C55 D06	72.9	0.0	0.0	0.0	0.0	22.2	66.7	159.1	104.0	116.1	176.5	96.9	93.5	68.8	63.4	56.8	66.7	53.6	32.4	-	-	-	-	
子宮頸部	C53 D06	43.6	0.0	0.0	0.0	0.0	22.2	66.7	150.0	96.0	87.1	129.4	43.8	25.8	25.0	22.0	21.6	21.2	25.0	18.9	-	-	-	-		
膀胱	C67 D090	17.6	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.1	18.8	34.1	24.3	42.4	46.4	40.5	-	-	-	-	
総数 *3	全部位	C00-C96 D00-D09	1,017.9	27.3	5.4	10.3	20.0	35.1	94.4	161.4	173.5	278.7	441.8	557.4	803.3	1,148.4	1,667.5	2,176.8	2,700.0	2,993.6	1,754.7	-	-	-	-	
	食道	C15 D001	27.6	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.0	3.3	11.9	23.0	18.3	51.6	62.3	62.3	83.1	66.0	20.8	-	-	-	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	170.8	0.0	0.0	0.0	0.0	2.7	0.0	4.5	14.3	39.3	52.2	98.4	173.3	196.8	271.4	394.2	493.2	455.3	300.0	-	-	-	-	
	結腸 *2	C18 D010	116.1	0.0	0.0	0.0	0.0	2.7	0.0	4.5	12.2	23.0	28.4	54.1	101.7	121.0	175.3	285.5	335.6	323.4	228.3	-	-	-	-	
	直腸 *2	C19-C20 D011-D012	54.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	16.4	23.9	44.3	71.7	75.8	96.1	108.7	157.6	131.9	71.7	-	-	-	-	
	肺	C33-C34 D021-D022	125.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	8.2	17.9	39.3	61.7	141.9	209.1	323.2	394.9	417.0	217.0	-	-	-	-	
	皮膚	C43-C44 D030-D049	30.8	0.0	0.0	0.0	0.0	0.0	2.8	0.0	4.1	1.6	6.0	9.8	16.7	14.5	31.2	31.9	67.8	153.2	96.2	-	-	-	-	
	乳房	C50 D05	88.2	0.0	0.0	0.0	0.0	2.7	5.6	20.5	42.9	65.6	143.3	121.3	153.3	122.6	137.7	137.7	123.7	140.4	75.5	-	-	-	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	42.1	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	8.2	3.0	11.5	28.3	35.5	79.2	100.0	108.5	138.3	103.8	-	-	-	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,114.1	23.5	10.5	10.0	26.1	15.8	50.0	54.5	66.7	143.3	200.0	434.5	737.9	1,286.7	2,033.3	2,712.5	3,680.8	4,136.8	4,187.5	-
	口腔・咽頭	C00-C14	35.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	12.5	10.0	15.2	13.8	24.1	40.0	77.8	100.0	107.7	78.9	93.8	-
	食道	C15	43.9	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	6.7	12.1	34.5	27.6	83.3	119.4	103.1	146.2	94.7	68.8	-
	胃	C16	193.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	13.3	15.2	58.6	106.9	263.3	350.0	453.1	688.5	778.9	725.0	-
	大腸（結腸・直腸）	C18-C20	154.3	0.0	0.0	0.0	0.0	5.3	0.0	0.0	12.5	26.7	45.5	79.3	186.2	183.3	269.4	378.1	476.9	478.9	543.8	-
	結腸	C18	97.5	0.0	0.0	0.0	0.0	5.3	0.0	0.0	8.3	16.7	21.2	48.3	113.8	103.3	150.0	256.3	300.0	321.1	381.3	-
	直腸	C19-C20	56.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	10.0	24.2	31.0	72.4	80.0	119.4	121.9	176.9	157.9	162.5	-
	肝および肝内胆管	C22	71.1	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0	3.3	6.1	17.2	62.1	70.0	130.6	159.4	265.4	268.4	293.8	-
	胆のう・胆管	C23-C24	21.8	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	6.1	3.4	3.4	16.7	41.7	53.1	76.9	73.7	125.0	-
	膵臓	C25	39.1	0.0	0.0	0.0	4.3	0.0	0.0	0.0	4.2	6.7	3.0	10.3	10.3	56.7	72.2	115.6	123.1	126.3	156.3	-
	喉頭	C32	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	6.9	6.9	20.0	5.6	31.3	23.1	31.6	37.5	-
	肺	C33-C34	177.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	18.2	72.4	93.1	190.0	319.4	509.4	603.8	647.4	681.3	-
	皮膚	C43-C44	29.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	6.1	6.9	27.6	13.3	33.3	37.5	88.5	184.2	200.0	-
	乳房	C50	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	15.8	6.3	-
	前立腺	C61	149.1	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	17.2	48.3	180.0	291.7	412.5	592.3	600.0	481.3	-
	膀胱	C67	38.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	3.0	13.8	24.1	26.7	69.4	78.1	115.4	178.9	212.5	-
	腎・尿路（膀胱除く）	C64-C66 C68	36.6	5.9	0.0	0.0	0.0	0.0	0.0	0.0	4.2	6.7	9.1	27.6	24.1	43.3	61.1	109.4	88.5	152.6	106.3	-
	脳・中枢神経系	C70-C72	7.7	0.0	0.0	0.0	0.0	5.3	5.6	4.5	0.0	6.7	6.1	3.4	3.4	6.7	11.1	9.4	11.5	15.8	62.5	-
	甲状腺	C73	8.6	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	10.0	6.1	3.4	6.9	6.7	19.4	15.6	38.5	15.8	12.5	-
	悪性リンパ腫	C81-C85 C96	37.5	5.9	0.0	0.0	8.7	0.0	11.1	4.5	4.2	16.7	9.1	10.3	48.3	33.3	75.0	59.4	96.2	136.8	162.5	-
	多発性骨髄腫	C88-C90	7.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	3.0	3.4	3.4	6.7	11.1	9.4	26.9	36.8	25.0	-
	白血病	C91-C95	14.5	5.9	5.3	5.0	4.3	0.0	0.0	4.5	4.2	6.7	3.0	20.7	10.3	10.0	27.8	9.4	38.5	47.4	68.8	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	752.5	31.3	0.0	10.5	13.6	33.3	72.2	127.3	184.0	283.9	517.6	537.5	722.6	778.1	1,087.8	1,297.3	1,551.5	1,875.0	2,027.0	-
	口腔・咽頭	C00-C14	11.3	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	8.8	6.3	12.9	12.5	19.5	24.3	12.1	39.3	27.0	-
	食道	C15	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	8.8	3.1	6.5	9.4	9.8	16.2	24.2	32.1	16.2	-
	胃	C16	90.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	12.9	20.6	12.5	45.2	90.6	126.8	197.3	242.4	310.7	256.8	-
	大腸（結腸・直腸）	C18-C20	118.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	16.0	19.4	47.1	62.5	96.8	112.5	156.1	194.6	306.1	328.6	383.8	-
	結腸	C18	84.2	0.0	0.0	0.0	0.0	0.0	0.0	4.5	16.0	12.9	29.4	25.0	51.6	71.9	112.2	143.2	218.2	246.4	300.0	-
	直腸	C19-C20	33.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	17.6	37.5	45.2	40.6	43.9	51.4	87.9	82.1	83.8	-
	肝および肝内胆管	C22	28.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.9	6.3	9.7	3.1	29.3	62.2	39.4	103.6	154.1	-
	胆のう・胆管	C23-C24	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	12.9	9.4	22.0	32.4	24.2	53.6	105.4	-
	膵臓	C25	38.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.9	12.5	12.9	25.0	63.4	59.5	106.1	96.4	170.3	-
	喉頭	C32	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.7	6.1	7.1	0.0	-
	肺	C33-C34	78.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	6.5	17.6	9.4	32.3	93.8	112.2	159.5	224.2	260.7	227.0	-
	皮膚	C43-C44	21.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	8.0	0.0	2.9	12.5	3.2	9.4	24.4	18.9	27.3	71.4	124.3	-
	乳房	C50	149.7	0.0	0.0	0.0	0.0	5.6	11.1	40.9	76.0	112.9	247.1	209.4	274.2	196.9	229.3	235.1	193.9	210.7	194.6	-
	子宮	C53-C55	43.0	0.0	0.0	0.0	0.0	0.0	0.0	22.7	24.0	48.4	76.5	65.6	83.9	53.1	53.7	48.6	66.7	50.0	56.8	-
	子宮頸部	C53	13.7	0.0	0.0	0.0	0.0	0.0	0.0	13.6	16.0	19.4	29.4	12.5	16.1	9.4	12.2	13.5	21.2	21.4	27.0	-
	子宮体部	C54	27.5	0.0	0.0	0.0	0.0	0.0	0.0	9.1	8.0	29.0	47.1	53.1	67.7	43.8	39.0	32.4	36.4	25.0	21.6	-
	卵巣	C56	19.8	0.0	0.0	10.5	0.0	0.0	0.0	13.6	12.0	16.1	26.5	46.9	29.0	34.4	22.0	27.0	27.3	17.9	21.6	-
	膀胱	C67	10.3	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9.4	19.5	8.1	30.3	21.4	51.4	-
	腎・尿路（膀胱除く）	C64-C66 C68	12.7	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	18.8	9.7	18.8	22.0	27.0	24.2	42.9	16.2	-
	脳・中枢神経系	C70-C72	5.3	6.3	0.0	0.0	0.0	5.6	0.0	13.6	8.0	6.5	0.0	3.1	0.0	9.4	4.9	5.4	3.0	25.0	2.7	-
	甲状腺	C73	25.3	0.0	0.0	0.0	0.0	22.2	16.7	22.7	8.0	25.8	29.4	28.1	29.0	25.0	51.2	48.6	36.4	28.6	21.6	-
	悪性リンパ腫	C81-C85 C96	28.1	6.3	0.0	0.0	0.0	0.0	16.7	0.0	0.0	6.5	14.7	12.5	25.8	25.0	58.5	56.8	81.8	64.3	48.6	-
	多発性骨髄腫	C88-C90	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	6.3	6.5	9.4	7.3	5.4	12.1	21.4	13.5	-
	白血病	C91-C95	5.5	6.3	0.0	0.0	4.5	0.0	11.1	0.0	0.0	3.2	2.9	3.1	3.2	6.3	0.0	13.5	9.1	10.7	16.2	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	922.8	27.3	5.4	10.3	20.0	24.3	61.1	90.9	126.5	214.8	361.2	488.5	730.0	1,024.2	1,529.9	1,953.6	2,489.8	2,789.4	2,681.1	-
	口腔・咽頭	C00-C14	22.5	0.0	0.0	0.0	2.2	0.0	0.0	4.5	6.1	4.9	11.9	9.8	18.3	25.8	46.8	59.4	54.2	55.3	47.2	-
	食道	C15	25.2	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.0	3.3	10.4	18.0	16.7	45.2	61.0	56.5	78.0	57.4	32.1	-
	胃	C16	139.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	13.1	17.9	34.4	75.0	174.2	231.2	315.9	439.0	500.0	398.1	-
	大腸（結腸・直腸）	C18-C20	135.1	0.0	0.0	0.0	0.0	2.7	0.0	2.3	14.3	23.0	46.3	70.5	140.0	146.8	209.1	279.7	381.4	389.4	432.1	-
	結腸	C18	90.5	0.0	0.0	0.0	0.0	2.7	0.0	2.3	12.2	14.8	25.4	36.1	81.7	87.1	129.9	195.7	254.2	276.6	324.5	-
	直腸	C19-C20	44.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	8.2	20.9	34.4	58.3	59.7	79.2	84.1	127.1	112.8	107.5	-
	肝および肝内胆管	C22	48.7	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	3.3	4.5	11.5	35.0	35.5	76.6	107.2	139.0	170.2	196.2	-
	胆のう・胆管	C23-C24	20.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	3.0	3.3	8.3	12.9	31.2	42.0	47.5	61.7	111.3	-
	膵臓	C25	38.8	0.0	0.0	0.0	2.2	0.0	0.0	0.0	2.0	4.9	3.0	11.5	11.7	40.3	67.5	85.5	113.6	108.5	166.0	-
	喉頭	C32	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.3	3.3	9.7	3.9	15.9	13.6	17.0	11.3	-
	肺	C33-C34	125.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	8.2	17.9	39.3	61.7	140.3	209.1	321.7	391.5	417.0	364.2	-
	皮膚	C43-C44	25.1	0.0	0.0	0.0	0.0	0.0	2.8	0.0	4.1	1.6	4.5	9.8	15.0	11.3	28.6	27.5	54.2	117.0	147.2	-
	乳房	C50	79.8	0.0	0.0	0.0	0.0	2.7	5.6	20.5	38.8	57.4	125.4	109.8	141.7	103.2	122.1	126.1	108.5	131.9	137.7	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	23.7	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	4.9	1.5	6.6	13.3	17.7	42.9	40.6	67.8	85.1	100.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	24.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.3	7.5	23.0	16.7	30.6	40.3	65.2	52.5	87.2	43.4	-
	脳・中枢神経系	C70-C72	6.4	3.0	0.0	0.0	0.0	5.4	2.8	9.1	4.1	6.6	3.0	3.3	1.7	8.1	7.8	7.2	6.8	21.3	20.8	-
	甲状腺	C73	17.4	0.0	0.0	2.6	0.0	10.8	8.3	11.4	4.1	18.0	17.9	16.4	18.3	16.1	36.4	33.3	37.3	23.4	18.9	-
	悪性リンパ腫	C81-C85 C96	32.6	6.1	0.0	0.0	4.4	0.0	13.9	2.3	2.0	11.5	11.9	11.5	36.7	29.0	66.2	58.0	88.1	93.6	84.9	-
	多発性骨髄腫	C88-C90	6.3	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.6	1.5	4.9	5.0	8.1	9.1	7.2	18.6	27.7	17.0	-
	白血病	C91-C95	9.7	6.1	2.7	2.6	4.4	0.0	5.6	2.3	2.0	4.9	3.0	11.5	6.7	8.1	13.0	11.6	22.0	25.5	32.1	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,215.7	23.5	10.5	10.0	26.1	15.8	50.0	54.5	70.8	170.0	215.2	489.7	806.9	1,416.7	2,202.8	3,037.5	4,003.8	4,473.7	4,468.8	-	
	食道	C15 D001	47.5	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	6.7	15.2	41.4	31.0	86.7	122.2	112.5	153.8	115.8	75.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	205.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	12.5	43.3	51.5	113.8	224.1	256.7	363.9	543.8	665.4	605.3	625.0	-	
	結腸 *2	C18 D010	134.1	0.0	0.0	0.0	0.0	5.3	0.0	0.0	8.3	30.0	24.2	65.5	134.5	150.0	216.7	390.6	430.8	421.1	450.0	-	
	直腸 *2	C19-C20 D011-D012	70.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	13.3	27.3	48.3	89.7	106.7	147.2	153.1	234.6	184.2	175.0	-	
	肺	C33-C34 D021-D022	177.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	18.2	72.4	93.1	190.0	319.4	512.5	603.8	647.4	681.3	-
	皮膚	C43-C44 D030-D049	35.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	9.1	6.9	31.0	20.0	33.3	40.6	103.8	236.8	243.8	-
	乳房	C50 D05	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	21.1	6.3	-
	膀胱	C67 D090	69.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.7	6.1	24.1	41.4	53.3	130.6	187.5	192.3	273.7	350.0	-
女	全部位	C00-C96 D00-D09	841.8	31.3	0.0	10.5	13.6	55.6	138.9	268.2	272.0	383.9	661.8	618.8	800.0	896.9	1,197.6	1,432.4	1,672.7	1,989.3	2,129.7	-	
	食道	C15 D001	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	8.8	6.3	6.5	18.8	9.8	18.9	27.3	32.1	16.2	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	140.4	0.0	0.0	0.0	0.0	0.0	0.0	9.1	16.0	35.5	52.9	84.4	125.8	140.6	190.2	264.9	357.6	353.6	421.6	-	
	結腸 *2	C18 D010	100.2	0.0	0.0	0.0	0.0	0.0	0.0	9.1	16.0	16.1	32.4	43.8	71.0	93.8	139.0	194.6	260.6	257.1	327.0	-	
	直腸 *2	C19-C20 D011-D012	40.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.4	20.6	40.6	54.8	46.9	51.2	70.3	97.0	96.4	94.6	-	
	肺	C33-C34 D021-D022	79.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	6.5	17.6	9.4	32.3	96.9	112.2	159.5	230.3	260.7	227.0	-
	皮膚	C43-C44 D030-D049	26.5	0.0	0.0	0.0	0.0	0.0	5.6	0.0	8.0	0.0	2.9	12.5	3.2	9.4	29.3	24.3	39.4	96.4	156.8	-	
	乳房	C50 D05	165.5	0.0	0.0	0.0	0.0	5.6	11.1	40.9	84.0	129.0	282.4	231.3	296.8	234.4	258.5	256.8	221.2	221.4	197.3	-	
	子宮	C53-C55 D06	72.9	0.0	0.0	0.0	0.0	22.2	66.7	159.1	104.0	116.1	176.5	96.9	93.5	68.8	63.4	56.8	66.7	53.6	59.5	-	
子宮頸部	C53 D06	43.6	0.0	0.0	0.0	0.0	22.2	66.7	150.0	96.0	87.1	129.4	43.8	25.8	25.0	22.0	21.6	21.2	25.0	29.7	-		
膀胱	C67 D090	17.6	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.1	18.8	34.1	24.3	42.4	46.4	67.6	-		
総数 *3	全部位	C00-C96 D00-D09	1,017.9	27.3	5.4	10.3	20.0	35.1	94.4	161.4	173.5	278.7	441.8	557.4	803.3	1,148.4	1,667.5	2,176.8	2,700.0	2,993.6	2,837.7	-	
	食道	C15 D001	27.6	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.0	3.3	11.9	23.0	18.3	51.6	62.3	62.3	83.1	66.0	34.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	170.8	0.0	0.0	0.0	0.0	2.7	0.0	4.5	14.3	39.3	52.2	98.4	173.3	196.8	271.4	394.2	493.2	455.3	483.0	-	
	結腸 *2	C18 D010	116.1	0.0	0.0	0.0	0.0	2.7	0.0	4.5	12.2	23.0	28.4	54.1	101.7	121.0	175.3	285.5	335.6	323.4	364.2	-	
	直腸 *2	C19-C20 D011-D012	54.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	16.4	23.9	44.3	71.7	75.8	96.1	108.7	157.6	131.9	118.9	-	
	肺	C33-C34 D021-D022	125.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	8.2	17.9	39.3	61.7	141.9	209.1	323.2	394.9	417.0	364.2	-	
	皮膚	C43-C44 D030-D049	30.8	0.0	0.0	0.0	0.0	0.0	2.8	0.0	4.1	1.6	6.0	9.8	16.7	14.5	31.2	31.9	67.8	153.2	183.0	-	
	乳房	C50 D05	88.2	0.0	0.0	0.0	0.0	2.7	5.6	20.5	42.9	65.6	143.3	121.3	153.3	122.6	137.7	137.7	123.7	140.4	139.6	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	42.1	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	8.2	3.0	11.5	28.3	35.5	79.2	100.0	108.5	138.3	152.8	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2018年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	8,446	10.3	37.4	0.0	47.9	4.3
口腔・咽頭	C00-C14	206	0.0	26.2	0.0	67.5	6.3
食道	C15	235	17.9	26.8	0.0	53.6	1.7
胃	C16	1,286	16.6	40.0	0.0	41.2	2.2
大腸（結腸・直腸）	C18-C20	1,238	12.0	34.8	0.1	49.8	3.4
結腸	C18	826	11.9	37.8	0.0	47.2	3.1
直腸	C19-C20	412	12.1	28.9	0.2	54.9	3.9
肝および肝内胆管	C22	437	2.7	62.7	0.2	27.7	6.6
胆のう・胆管	C23-C24	176	1.1	35.8	0.0	60.2	2.8
膵臓	C25	347	2.6	32.6	0.0	62.8	2.0
喉頭	C32	48	0.0	18.8	0.0	79.2	2.1
肺	C33-C34	1,130	11.7	43.9	0.0	41.4	3.0
皮膚	C43-C44	235	0.4	14.9	0.0	80.4	4.3
乳房	C50	735	21.0	12.7	0.0	57.3	9.1
乳房（女性のみ）	C50	730	21.1	12.5	0.0	57.3	9.2
子宮	C53-C55	209	3.8	19.6	0.0	69.9	6.7
子宮頸部	C53	67	4.5	13.4	0.0	77.6	4.5
子宮体部	C54	135	3.7	22.2	0.0	69.6	4.4
卵巣	C56	97	4.1	33.0	0.0	61.9	1.0
前立腺	C61	648	10.3	65.0	0.0	18.8	5.9
膀胱	C67	215	3.3	22.3	0.0	67.9	6.5
腎・尿路（膀胱除く）	C64-C66 C68	223	7.2	52.9	0.0	34.5	5.4
脳・中枢神経系	C70-C72	60	1.7	8.3	0.0	81.7	8.3
甲状腺	C73	161	9.9	47.8	0.0	32.3	9.9
悪性リンパ腫	C81-C85 C96	302	7.0	34.1	0.0	57.6	1.3
多発性骨髄腫	C88-C90	58	8.6	43.1	0.0	43.1	5.2
白血病	C91-C95	89	3.4	36.0	0.0	56.2	4.5

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2018年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	9,335	11.0	38.2	0.0	46.8	4.0
食道	C15 D001	257	17.9	30.4	0.0	50.2	1.6
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,572	13.2	39.4	0.1	44.6	2.7
結腸 *2	C18 D010	1,066	12.6	42.7	0.0	42.3	2.4
直腸 *2	C19-C20 D011-D012	506	14.6	32.4	0.2	49.4	3.4
肺	C33-C34 D021-D022	1,134	11.6	44.1	0.0	41.3	3.0
皮膚	C43-C44 D030-D049	288	0.3	16.0	0.0	80.2	3.5
乳房	C50 D05	814	22.9	13.5	0.0	55.2	8.5
乳房（女性のみ）	C50 D05	808	23.0	13.2	0.0	55.2	8.5
子宮	C53-C55 D06	357	14.8	29.1	0.0	51.5	4.5
子宮頸部	C53 D06	215	22.3	33.5	0.0	41.9	2.3
膀胱	C67 D090	387	2.8	28.4	0.0	64.6	4.1

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2018年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,299	46.4	9.7	13.8	19.2	10.8	23.6
口腔・咽頭	C00-C14	206	35.0	20.4	30.1	5.3	9.2	50.5
食道	C15	235	40.9	7.2	25.1	21.3	5.5	32.3
胃	C16	1,286	58.5	11.0	6.3	17.1	7.2	17.3
大腸（結腸・直腸）	C18-C20	1,238	44.3	17.6	11.5	18.0	8.5	29.1
結腸	C18	826	43.7	15.5	11.5	20.3	8.8	27.0
直腸	C19-C20	412	45.4	21.8	11.4	13.3	7.8	33.3
肝および肝内胆管	C22	437	57.9	3.0	8.9	14.2	16.0	11.9
胆のう・胆管	C23-C24	176	11.4	1.1	38.6	26.7	22.2	39.8
膵臓	C25	347	15.6	10.7	20.2	43.2	10.4	30.8
喉頭	C32	48	72.9	10.4	10.4	2.1	4.2	20.8
肺	C33-C34	1,130	29.6	9.8	11.4	39.4	9.8	21.2
皮膚	C43-C44	235	83.0	0.9	6.4	0.9	8.9	7.2
乳房	C50	735	61.0	19.9	3.0	5.2	11.0	22.9
乳房（女性のみ）	C50	730	61.2	19.9	2.7	5.2	11.0	22.6
子宮	C53-C55	209	58.9	1.4	23.0	3.8	12.9	24.4
子宮頸部	C53	67	40.3	1.5	44.8	4.5	9.0	46.3
子宮体部	C54	135	71.1	1.5	12.6	3.7	11.1	14.1
卵巣	C56	97	34.0	0.0	43.3	15.5	7.2	43.3
前立腺	C61	648	50.8	0.9	22.4	14.4	11.6	23.3
膀胱	C67	215	66.5	2.3	11.6	2.8	16.7	14.0
腎・尿路（膀胱除く）	C64-C66 C68	223	51.1	1.8	23.8	13.5	9.9	25.6
脳・中枢神経系	C70-C72	60	60.0	0.0	18.3	1.7	20.0	18.3
甲状腺	C73	161	34.2	23.6	19.3	5.0	18.0	42.9
悪性リンパ腫	C81-C85 C96	297	33.0	1.3	15.2	41.8	8.8	16.5
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,188	9.3	42.1	8.8	12.5	17.4	10.0	21.3
食道	C15 D001	257	8.6	37.4	6.6	23.0	19.5	5.1	29.6
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,572	21.3	34.9	13.9	9.0	14.2	6.7	22.9
結腸 *3	C18 D010	1,066	22.5	33.9	12.0	8.9	15.8	6.9	20.9
直腸 *3	C19-C20 D011-D012	506	18.8	37.0	17.8	9.3	10.9	6.3	27.1
肺	C33-C34 D021-D022	1,134	0.4	29.5	9.8	11.4	39.2	9.8	21.2
皮膚	C43-C44 D030-D049	288	17.0	68.1	0.7	5.2	0.7	8.3	5.9
乳房	C50 D05	814	9.5	55.0	17.9	2.7	4.7	10.2	20.6
乳房 (女性のみ)	C50 D05	808	9.4	55.3	17.9	2.5	4.7	10.1	20.4
子宮	C53-C55 D06	357	40.9	34.5	0.8	13.4	2.2	8.1	14.3
子宮頸部	C53 D06	215	67.9	12.6	0.5	14.0	1.4	3.7	14.4
膀胱	C67 D090	387	42.6	37.0	1.3	6.5	1.6	11.1	7.8

*1 DC0、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,299	1.0	45.6	7.7	11.5	18.6	15.6	19.2
口腔・咽頭	C00-C14	206	1.5	27.2	19.9	28.2	5.3	18.0	48.1
食道	C15	235	3.0	37.0	4.7	23.8	20.9	10.6	28.5
胃	C16	1,286	1.2	57.6	8.9	5.6	15.5	11.3	14.5
大腸（結腸・直腸）	C18-C20	1,238	2.2	37.6	17.1	10.1	16.8	16.2	27.2
結腸	C18	826	2.4	34.4	15.6	10.8	18.8	18.0	26.4
直腸	C19-C20	412	1.7	44.2	20.1	8.7	12.9	12.4	28.9
肝および肝内胆管	C22	437	0.0	57.7	3.0	8.5	14.2	16.7	11.4
胆のう・胆管	C23-C24	176	0.6	9.7	1.1	27.3	23.9	37.5	28.4
膵臓	C25	347	0.0	23.6	3.2	20.2	42.1	11.0	23.3
喉頭	C32	48	2.1	62.5	10.4	12.5	2.1	10.4	22.9
肺	C33-C34	1,130	0.0	31.9	7.6	11.2	38.8	10.5	18.8
皮膚	C43-C44	235	0.4	79.6	0.0	5.5	0.9	13.6	5.5
乳房	C50	735	2.0	64.9	12.9	3.1	5.3	11.7	16.1
乳房（女性のみ）	C50	730	2.1	65.2	12.9	3.0	5.2	11.6	15.9
子宮	C53-C55	209	1.4	49.8	2.4	19.1	4.3	23.0	21.5
子宮頸部	C53	67	4.5	32.8	1.5	43.3	4.5	13.4	44.8
子宮体部	C54	135	0.0	60.7	3.0	7.4	4.4	24.4	10.4
卵巣	C56	97	0.0	17.5	0.0	21.6	15.5	45.4	21.6
前立腺	C61	648	0.0	57.1	0.6	15.6	14.4	12.3	16.2
膀胱	C67	215	1.9	64.2	1.9	11.2	2.8	18.1	13.0
腎・尿路（膀胱除く）	C64-C66 C68	223	0.9	56.1	2.2	11.2	13.5	16.1	13.5
脳・中枢神経系	C70-C72	60	0.0	51.7	0.0	15.0	3.3	30.0	15.0
甲状腺	C73	161	0.0	39.1	11.8	3.7	6.2	39.1	15.5
悪性リンパ腫	C81-C85 C96	297	0.0	32.3	0.7	15.2	41.4	10.4	15.8
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,188	6.8	42.0	7.0	10.4	16.8	17.0	17.4
食道	C15 D001	257	10.1	34.6	4.3	21.8	19.1	10.1	26.1
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,572	10.8	30.9	13.5	8.0	13.2	23.7	21.4
結腸 *3	C18 D010	1,066	11.7	28.0	12.1	8.3	14.5	25.3	20.5
直腸 *3	C19-C20 D011-D012	506	8.9	37.0	16.4	7.1	10.5	20.2	23.5
肺	C33-C34 D021-D022	1,134	0.0	32.2	7.6	11.1	38.6	10.5	18.7
皮膚	C43-C44 D030-D049	288	14.6	67.7	0.0	4.5	0.7	12.5	4.5
乳房	C50 D05	814	9.1	60.4	11.7	2.8	4.8	11.2	14.5
乳房 (女性のみ)	C50 D05	808	9.0	60.8	11.6	2.7	4.7	11.1	14.4
子宮	C53-C55 D06	357	39.2	29.7	1.4	11.2	2.5	16.0	12.6
子宮頸部	C53 D06	215	65.1	11.2	0.5	13.5	1.4	8.4	14.0
膀胱	C67 D090	387	31.0	38.0	1.0	6.5	1.6	22.0	7.5

*1 DCO、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2018年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	5,215	54.8	11.1	11.3	3.6	19.2	22.4
口腔・咽頭	C00-C14	105	48.6	9.5	16.2	0.0	25.7	25.7
食道	C15	122	60.7	5.7	18.0	0.8	14.8	23.8
胃	C16	1,016	67.8	11.8	5.5	3.4	11.4	17.3
大腸（結腸・直腸）	C18-C20	1,016	49.6	18.5	11.7	9.4	10.7	30.2
結腸	C18	710	48.5	17.0	12.5	11.1	10.8	29.6
直腸	C19-C20	306	52.3	21.9	9.8	5.6	10.5	31.7
肝および肝内胆管	C22	143	44.8	0.0	2.8	0.7	51.7	2.8
胆のう・胆管	C23-C24	90	11.1	0.0	51.1	6.7	31.1	51.1
膵臓	C25	114	22.8	25.4	10.5	4.4	36.8	36.0
喉頭	C32	13	61.5	0.0	23.1	7.7	7.7	23.1
肺	C33-C34	475	52.2	10.9	9.5	3.6	23.8	20.4
皮膚	C43-C44	222	80.6	0.9	6.3	0.0	12.2	7.2
乳房	C50	599	65.6	18.7	2.0	0.5	13.2	20.7
乳房（女性のみ）	C50	595	66.1	18.7	1.7	0.5	13.1	20.3
子宮	C53-C55	164	68.9	1.8	11.0	0.6	17.7	12.8
子宮頸部	C53	35	65.7	2.9	5.7	0.0	25.7	8.6
子宮体部	C54	124	72.6	1.6	12.9	0.8	12.1	14.5
卵巣	C56	78	41.0	0.0	43.6	5.1	10.3	43.6
前立腺	C61	264	42.4	0.8	23.5	0.0	33.3	24.2
膀胱	C67	184	44.0	0.5	7.1	0.5	47.3	7.6
腎・尿路（膀胱除く）	C64-C66 C68	184	56.0	1.1	22.8	4.3	15.8	23.9
脳・中枢神経系	C70-C72	37	48.6	0.0	21.6	0.0	29.7	21.6
甲状腺	C73	150	30.7	25.3	20.0	4.0	20.0	45.3
悪性リンパ腫	C81-C85 C96	50	32.0	4.0	8.0	4.0	52.0	12.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,060	13.0	47.4	9.6	9.7	3.1	17.2	19.3
食道	C15 D001	143	14.0	51.7	4.9	15.4	0.7	13.3	20.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,347	24.4	37.4	14.0	8.8	7.1	8.3	22.8
結腸 *3	C18 D010	947	24.8	36.3	12.8	9.4	8.3	8.3	22.2
直腸 *3	C19-C20 D011-D012	400	23.3	40.0	16.8	7.5	4.3	8.3	24.3
肺	C33-C34 D021-D022	479	0.8	51.8	10.9	9.4	3.5	23.6	20.3
皮膚	C43-C44 D030-D049	272	15.8	65.8	0.7	5.1	0.0	12.5	5.9
乳房	C50 D05	677	11.1	58.1	16.5	1.8	0.4	12.1	18.3
乳房 (女性のみ)	C50 D05	672	11.0	58.5	16.5	1.5	0.4	12.1	18.0
子宮	C53-C55 D06	295	42.7	38.3	1.0	6.1	0.3	11.5	7.1
子宮頸部	C53 D06	166	75.9	13.9	0.6	1.2	0.0	8.4	1.8
膀胱	C67 D090	343	42.9	23.6	0.3	3.8	0.3	29.2	4.1

*1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2018年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	8,446	22.9	22.8	10.3	10.0	30.0	8.6	3.2	23.1
口腔・咽頭	C00-C14	206	55.8	0.0	1.0	33.0	47.6	0.0	0.0	16.5
食道	C15	235	3.0	32.8	22.1	20.4	38.3	0.0	0.9	17.9
胃	C16	1,286	10.6	26.3	38.3	0.2	20.3	0.0	0.4	19.1
大腸（結腸・直腸）	C18-C20	1,238	12.4	59.7	11.4	3.5	30.0	0.0	1.2	16.9
結腸	C18	826	14.9	56.7	11.0	0.0	26.6	0.0	1.0	18.0
直腸	C19-C20	412	7.5	65.8	12.1	10.4	36.9	0.0	1.7	14.6
肝および肝内胆管	C22	437	11.9	4.6	0.2	3.0	26.3	0.0	35.9	41.6
胆のう・胆管	C23-C24	176	30.7	6.3	1.7	1.1	26.1	0.0	1.1	46.0
膵臓	C25	347	22.8	2.9	0.0	1.2	48.1	0.0	0.9	43.2
喉頭	C32	48	27.1	0.0	4.2	68.8	29.2	0.0	0.0	8.3
肺	C33-C34	1,130	4.6	28.3	0.0	14.4	46.1	0.2	0.7	29.4
皮膚	C43-C44	235	83.8	0.0	0.0	1.7	2.6	0.4	0.9	15.7
乳房	C50	735	78.5	0.0	0.0	24.5	26.5	52.8	1.2	12.5
乳房（女性のみ）	C50	730	78.6	0.0	0.0	24.5	26.6	52.6	1.2	12.5
子宮	C53-C55	209	56.9	9.1	0.0	17.7	33.0	1.9	0.5	17.7
子宮頸部	C53	67	35.8	6.0	0.0	52.2	43.3	0.0	0.0	17.9
子宮体部	C54	135	70.4	11.1	0.0	1.5	29.6	3.0	0.0	14.1
卵巣	C56	97	71.1	7.2	0.0	0.0	50.5	0.0	0.0	14.4
前立腺	C61	648	0.6	28.1	0.3	18.8	1.7	48.8	1.1	18.8
膀胱	C67	215	6.5	9.3	72.1	4.7	38.1	0.5	22.3	19.1
腎・尿路（膀胱除く）	C64-C66 C68	223	8.1	62.8	1.3	0.9	15.2	0.0	0.0	20.6
脳・中枢神経系	C70-C72	60	43.3	1.7	0.0	40.0	60.0	1.7	1.7	26.7
甲状腺	C73	161	74.5	0.6	0.0	7.5	1.9	5.6	0.0	23.0
悪性リンパ腫	C81-C85 C96	302	6.0	2.0	0.7	11.9	65.6	2.0	1.0	24.2
多発性骨髄腫	C88-C90	58	0.0	0.0	1.7	3.4	65.5	1.7	6.9	25.9
白血病	C91-C95	89	0.0	0.0	0.0	0.0	69.7	0.0	3.4	28.1

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2018年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	9,335	23.5	21.2	14.7	9.4	28.2	8.0	3.4	21.5
食道	C15 D001	257	2.7	30.0	28.0	18.7	35.0	0.0	0.8	17.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,572	10.1	48.2	28.5	2.8	23.9	0.0	1.0	13.5
結腸 *2	C18 D010	1,066	11.8	45.3	29.1	0.1	20.9	0.0	0.8	14.4
直腸 *2	C19-C20 D011-D012	506	6.5	54.3	27.3	8.5	30.2	0.0	1.4	11.9
肺	C33-C34 D021-D022	1,134	4.6	28.6	0.0	14.4	45.9	0.2	0.7	29.3
皮膚	C43-C44 D030-D049	288	83.7	0.0	0.0	1.4	2.1	0.3	1.7	15.3
乳房	C50 D05	814	80.2	0.0	0.0	25.4	24.2	50.0	1.2	11.5
乳房（女性のみ）	C50 D05	808	80.3	0.0	0.0	25.5	24.3	49.9	1.2	11.5
子宮	C53-C55 D06	357	66.1	7.3	1.1	10.4	19.3	1.1	0.3	16.5
子宮頸部	C53 D06	215	65.6	5.1	1.9	16.3	13.5	0.0	0.0	15.8
膀胱	C67 D090	387	3.9	5.7	80.4	2.6	44.7	0.3	22.7	12.4

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

和歌山県

2018年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	4,591	86.2	12.7	1.1
口腔・咽頭	C00-C14	117	80.3	18.8	0.9
食道	C15	132	89.4	9.8	0.8
胃	C16	931	92.8	6.1	1.1
大腸（結腸・直腸）	C18-C20	975	86.3	12.2	1.5
結腸	C18	647	85.8	12.7	1.5
直腸	C19-C20	328	87.2	11.3	1.5
肝および肝内胆管	C22	73	94.5	5.5	0.0
胆のう・胆管	C23-C24	65	83.1	10.8	6.2
膵臓	C25	89	79.8	18.0	2.2
喉頭	C32	15	80.0	20.0	0.0
肺	C33-C34	372	92.5	7.3	0.3
皮膚	C43-C44	197	94.9	4.6	0.5
乳房	C50	577	93.2	6.4	0.3
乳房（女性のみ）	C50	574	93.2	6.4	0.3
子宮	C53-C55	137	90.5	8.8	0.7
子宮頸部	C53	27	85.2	14.8	0.0
子宮体部	C54	110	91.8	7.3	0.9
卵巣	C56	76	71.1	25.0	3.9
前立腺	C61	188	78.2	21.3	0.5
膀胱	C67	162	34.6	64.2	1.2
腎・尿路（膀胱除く）	C64-C66 C68	159	91.2	8.8	0.0
脳・中枢神経系	C70-C72	27	40.7	59.3	0.0
甲状腺	C73	120	90.0	9.2	0.8
悪性リンパ腫	C81-C85 C96	26	30.8	61.5	7.7
多発性骨髄腫	C88-C90	1	100.0	0.0	0.0
白血病	C91-C95	0	-	-	-

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

和歌山県

2018年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	5,410	87.5	11.4	1.1
食道	C15 D001	152	90.8	8.6	0.7
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,304	88.7	9.7	1.6
結腸 *2	C18 D010	882	89.0	9.6	1.4
直腸 *2	C19-C20 D011-D012	422	88.2	9.7	2.1
肺	C33-C34 D021-D022	376	92.6	7.2	0.3
皮膚	C43-C44 D030-D049	241	95.9	3.7	0.4
乳房	C50 D05	653	93.3	6.4	0.3
乳房（女性のみ）	C50 D05	649	93.2	6.5	0.3
子宮	C53-C55 D06	263	92.4	6.5	1.1
子宮頸部	C53 D06	153	92.8	5.9	1.3
膀胱	C67 D090	319	63.6	35.4	0.9

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.39	0.38	0.38	3.1	5.3	4.0	1.4	3.0	2.1	86.0	84.8	85.5	84.1	81.9	83.1
口腔・咽頭	C00-C14	0.21	0.30	0.24	1.9	3.6	2.4	1.3	3.6	1.9	94.8	94.6	94.8	92.9	94.6	93.3
食道	C15	0.40	0.33	0.39	1.0	2.3	1.3	0.0	2.3	0.4	96.9	93.0	96.2	96.9	93.0	96.2
胃	C16	0.28	0.31	0.29	1.4	4.7	2.5	0.7	1.8	1.1	96.0	92.8	94.9	95.9	92.4	94.7
大腸（結腸・直腸）	C18-C20	0.35	0.38	0.36	2.4	3.9	3.1	1.2	2.9	2.0	92.8	89.4	91.2	92.5	89.2	91.0
結腸	C18	0.34	0.40	0.37	2.6	4.8	3.7	1.4	3.4	2.4	91.1	87.8	89.5	90.7	87.5	89.1
直腸	C19-C20	0.36	0.32	0.34	2.0	1.8	1.9	0.8	1.8	1.2	95.6	93.4	94.7	95.6	93.4	94.7
肝および肝内胆管	C22	0.59	0.79	0.65	5.1	16.9	8.8	1.3	9.9	4.0	32.6	19.0	28.4	32.3	18.3	27.9
胆のう・胆管	C23-C24	0.73	0.91	0.82	4.2	15.4	9.6	2.1	9.9	5.9	62.5	51.6	57.2	59.4	42.9	51.3
膵臓	C25	0.92	0.87	0.90	2.9	11.0	7.2	1.2	7.3	4.4	71.5	51.3	60.9	69.2	46.6	57.3
喉頭	C32	0.10	0.00	0.08	0.0	0.0	0.0	0.0	0.0	0.0	97.6	100.0	97.9	95.2	100.0	95.8
肺	C33-C34	0.65	0.57	0.62	6.4	9.7	7.5	2.9	4.6	3.5	83.2	82.1	82.8	77.3	73.3	76.0
皮膚	C43-C44	0.04	0.10	0.06	0.8	0.0	0.4	0.0	0.0	0.0	100.0	97.1	98.7	100.0	97.1	98.7
乳房	C50	0.40	0.13	0.13	0.0	2.0	2.0	0.0	1.5	1.5	100.0	93.7	93.7	100.0	93.1	93.2
子宮	C53-C55	-	0.21	0.21	-	3.8	3.8	-	1.9	1.9	-	93.0	93.0	-	91.5	91.5
子宮頸部	C53	-	0.24	0.24	-	1.5	1.5	-	1.5	1.5	-	97.1	97.1	-	97.1	97.1
子宮体部	C54	-	0.12	0.12	-	1.5	1.5	-	0.7	0.7	-	95.6	95.6	-	93.4	93.4
卵巣	C56	-	0.43	0.43	-	1.0	1.0	-	1.0	1.0	-	90.8	90.8	-	87.8	87.8
前立腺	C61	0.13	-	0.13	2.1	-	2.1	1.2	-	1.2	89.6	-	89.6	89.6	-	89.6
膀胱	C67	0.27	0.59	0.35	3.5	9.8	5.0	1.8	7.8	3.2	91.2	88.2	90.5	88.3	84.3	87.4
腎・尿路（膀胱除く）	C64-C66 C68	0.37	0.40	0.38	3.1	3.2	3.1	0.6	0.0	0.4	86.3	92.1	87.9	84.5	88.9	85.7
脳・中枢神経系	C70-C72	0.56	0.31	0.45	2.9	0.0	1.7	0.0	0.0	0.0	79.4	84.6	81.7	76.5	84.6	80.0
甲状腺	C73	0.18	0.14	0.15	2.6	1.6	1.8	0.0	1.6	1.2	94.7	96.0	95.7	89.5	88.0	88.3
悪性リンパ腫	C81-C85 C96	0.29	0.31	0.30	0.6	4.3	2.3	0.6	1.4	1.0	95.2	93.5	94.1	93.9	89.9	91.8
多発性骨髄腫	C88-C90	0.52	0.50	0.51	6.5	10.7	8.5	0.0	3.6	1.7	83.9	85.7	84.7	83.9	78.6	81.4
白血病	C91-C95	0.70	0.96	0.78	3.1	0.0	2.2	3.1	0.0	2.2	96.9	100.0	97.8	76.6	63.0	72.5

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

和歌山県

2018年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.36	0.34	0.35	2.8	4.7	3.7	1.3	2.7	1.9	87.2	86.4	86.8	85.4	83.8	84.7
食道	C15 D001	0.37	0.29	0.36	1.0	2.0	1.2	0.0	2.0	0.4	97.1	93.9	96.5	97.1	93.9	96.5
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.26	0.32	0.29	1.8	3.3	2.4	0.9	2.4	1.6	94.6	91.1	93.0	94.3	90.9	92.9
結腸 *2	C18 D010	0.25	0.34	0.29	1.9	4.0	2.9	1.0	2.8	1.8	93.6	89.7	91.8	93.2	89.5	91.5
直腸 *2	C19-C20 D011-D012	0.29	0.27	0.28	1.6	1.5	1.6	0.6	1.5	1.0	96.5	94.5	95.7	96.5	94.5	95.7
肺	C33-C34 D021-D022	0.64	0.56	0.62	6.4	9.7	7.5	2.9	4.6	3.5	83.2	82.2	82.9	77.4	73.5	76.1
皮膚	C43-C44 D030-D049	0.03	0.08	0.05	0.6	0.0	0.3	0.0	0.0	0.0	100.0	97.7	99.0	100.0	97.7	99.0
乳房	C50 D05	0.33	0.11	0.12	0.0	1.8	1.8	0.0	1.3	1.3	100.0	94.3	94.3	100.0	93.8	93.8
子宮	C53-C55 D06	-	0.12	0.12	-	2.2	2.2	-	1.1	1.1	-	95.8	95.8	-	95.0	95.0
子宮頸部	C53 D06	-	0.07	0.07	-	0.5	0.5	-	0.5	0.5	-	99.1	99.1	-	99.1	99.1
膀胱	C67 D090	0.15	0.34	0.20	2.3	5.7	3.0	1.0	4.6	1.8	95.1	93.1	94.7	93.2	90.8	92.6

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（%）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（%）： 部位別、性別

和歌山県

2018年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	1,922	1,397	3,319	100.0	100.0	100.0	438.8	284.5	357.3	165.1	81.9	118.6	112.8	56.7	81.6	12.1	5.7	8.7
口腔・咽頭	C00-C14	33	17	50	1.7	1.2	1.5	7.5	3.5	5.4	3.2	0.7	1.9	2.3	0.5	1.3	0.3	0.0	0.1
食道	C15	78	14	92	4.1	1.0	2.8	17.8	2.9	9.9	7.5	1.2	4.1	5.4	0.9	2.9	0.7	0.1	0.4
胃	C16	240	137	377	12.5	9.8	11.4	54.8	27.9	40.6	20.3	6.5	12.6	13.6	4.2	8.4	1.3	0.5	0.9
大腸（結腸・直腸）	C18-C20	235	221	456	12.2	15.8	13.7	53.7	45.0	49.1	22.4	12.6	17.1	15.6	8.8	12.0	1.7	1.0	1.3
結腸	C18	146	168	314	7.6	12.0	9.5	33.3	34.2	33.8	13.5	8.9	11.1	9.4	6.2	7.7	1.0	0.6	0.8
直腸	C19-C20	89	53	142	4.6	3.8	4.3	20.3	10.8	15.3	8.9	3.6	6.0	6.2	2.7	4.3	0.7	0.3	0.5
肝および肝内胆管	C22	185	112	297	9.6	8.0	8.9	42.2	22.8	32.0	15.2	5.1	9.6	9.9	3.3	6.3	1.0	0.3	0.6
胆のう・胆管	C23-C24	70	83	153	3.6	5.9	4.6	16.0	16.9	16.5	5.4	4.2	4.7	3.7	2.9	3.2	0.4	0.3	0.3
膵臓	C25	159	167	326	8.3	12.0	9.8	36.3	34.0	35.1	14.9	8.9	11.7	10.6	6.0	8.2	1.3	0.5	0.9
喉頭	C32	4	0	4	0.2	0.0	0.1	0.9	0.0	0.4	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
肺	C33-C34	504	222	726	26.2	15.9	21.9	115.1	45.2	78.1	41.8	10.7	24.5	28.2	6.8	16.3	3.3	0.6	1.9
皮膚	C43-C44	5	10	15	0.3	0.7	0.5	1.1	2.0	1.6	0.5	0.5	0.5	0.4	0.3	0.3	0.0	0.0	0.0
乳房	C50	2	94	96	0.1	6.7	2.9	0.5	19.1	10.3	0.1	9.4	5.0	0.1	7.1	3.8	0.0	0.8	0.4
子宮	C53-C55	-	44	44	-	3.1	1.3	-	9.0	-	-	3.9	-	-	3.0	-	-	0.3	-
子宮頸部	C53	-	16	16	-	1.1	0.5	-	3.3	-	-	1.4	-	-	1.1	-	-	0.1	-
子宮体部	C54	-	16	16	-	1.1	0.5	-	3.3	-	-	1.8	-	-	1.4	-	-	0.2	-
卵巣	C56	-	42	42	-	3.0	1.3	-	8.6	-	-	4.6	-	-	3.4	-	-	0.3	-
前立腺	C61	82	-	82	4.3	-	2.5	18.7	-	-	5.2	-	-	3.2	-	-	0.2	-	-
膀胱	C67	47	30	77	2.4	2.1	2.3	10.7	6.1	8.3	2.8	1.8	2.1	1.8	1.3	1.4	0.1	0.1	0.1
腎・尿路（膀胱除く）	C64-C66 C68	60	25	85	3.1	1.8	2.6	13.7	5.1	9.1	5.2	1.3	3.0	3.6	0.8	2.1	0.4	0.1	0.2
脳・中枢神経系	C70-C72	19	8	27	1.0	0.6	0.8	4.3	1.6	2.9	2.4	0.8	1.6	1.9	0.6	1.2	0.2	0.1	0.1
甲状腺	C73	7	17	24	0.4	1.2	0.7	1.6	3.5	2.6	0.6	1.0	0.8	0.4	0.7	0.6	0.0	0.1	0.1
悪性リンパ腫	C81-C85 C96	48	43	91	2.5	3.1	2.7	11.0	8.8	9.8	4.5	2.1	3.1	3.1	1.3	2.1	0.3	0.1	0.2
多発性骨髄腫	C88-C90	16	14	30	0.8	1.0	0.9	3.7	2.9	3.2	1.3	1.0	1.1	0.8	0.6	0.7	0.1	0.1	0.1
白血病	C91-C95	45	26	71	2.3	1.9	2.1	10.3	5.3	7.6	4.8	2.5	3.5	3.5	2.0	2.7	0.3	0.2	0.3

*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	1,922	0	0	1	1	1	0	6	5	10	14	27	64	114	241	290	342	366	280	137	20	3	0
	口腔・咽頭	C00-C14	33	0	0	0	0	0	0	0	0	0	0	2	0	4	6	5	10	1	2	3	0	0	0
	食道	C15	78	0	0	0	0	0	0	0	0	0	1	1	3	6	23	14	12	12	3	3	0	0	0
	胃	C16	240	0	0	0	0	0	0	1	2	2	1	2	8	15	22	29	49	51	38	17	2	1	0
	大腸（結腸・直腸）	C18-C20	235	0	0	0	0	0	0	3	0	4	2	5	13	18	26	35	38	42	27	15	5	2	0
	結腸	C18	146	0	0	0	0	0	0	2	0	2	2	2	8	10	18	17	23	26	18	11	5	2	0
	直腸	C19-C20	89	0	0	0	0	0	0	1	0	2	0	3	5	8	8	18	15	16	9	4	0	0	0
	肝および肝内胆管	C22	185	0	0	0	0	0	0	0	0	2	1	3	6	5	21	28	35	45	29	10	0	0	0
	胆のう・胆管	C23-C24	70	0	0	0	0	0	0	0	0	0	0	0	2	2	16	6	12	10	13	6	3	0	0
	膵臓	C25	159	0	0	0	0	0	0	0	0	1	2	4	1	19	30	29	25	23	18	7	0	0	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0
	肺	C33-C34	504	0	0	0	0	0	0	0	0	0	0	4	22	28	62	99	86	90	76	34	3	0	0
	皮膚	C43-C44	5	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	2	0	0	0	0	0
	乳房	C50	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
	前立腺	C61	82	0	0	0	0	0	0	0	0	0	1	0	0	2	2	7	14	23	19	12	2	0	0
	膀胱	C67	47	0	0	0	0	0	0	0	0	0	0	0	0	0	4	4	6	12	9	8	4	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	60	0	0	0	0	0	0	0	0	0	0	2	2	6	6	9	10	9	8	8	0	0	0
	脳・中枢神経系	C70-C72	19	0	0	1	0	0	0	2	0	1	0	0	0	1	1	3	5	1	4	0	0	0	0
	甲状腺	C73	7	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	1	0	0	0	0
	悪性リンパ腫	C81-C85 C96	48	0	0	0	0	0	0	0	2	0	1	2	1	1	8	1	8	11	7	6	0	0	0
	多発性骨髄腫	C88-C90	16	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	4	3	3	1	0	0	0
	白血病	C91-C95	45	0	0	0	0	1	0	0	1	0	3	2	2	0	7	3	8	7	6	5	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,397	0	1	0	0	0	0	3	2	14	13	27	41	55	114	131	190	254	274	193	76	9	0
	口腔・咽頭	C00-C14	17	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	2	5	4	0	2	1	0
	食道	C15	14	0	0	0	0	0	0	0	0	2	1	0	0	0	1	1	0	6	2	0	1	0	0
	胃	C16	137	0	0	0	0	0	0	0	1	0	1	0	1	1	9	20	14	31	22	29	8	0	0
	大腸（結腸・直腸）	C18-C20	221	0	0	0	0	0	0	0	0	1	1	6	7	9	20	24	30	25	47	40	10	1	0
	結腸	C18	168	0	0	0	0	0	0	0	0	0	0	5	4	6	16	13	27	20	37	32	8	0	0
	直腸	C19-C20	53	0	0	0	0	0	0	0	0	1	1	1	3	3	4	11	3	5	10	8	2	1	0
	肝および肝内胆管	C22	112	0	0	0	0	0	0	0	0	1	0	1	3	1	6	10	7	31	26	22	4	0	0
	胆のう・胆管	C23-C24	83	0	0	0	0	0	0	0	0	0	0	0	4	3	7	7	11	12	18	14	6	1	0
	膵臓	C25	167	0	0	0	0	0	0	1	0	0	1	1	3	9	10	13	33	25	43	17	11	0	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	222	0	0	0	0	0	0	0	0	0	1	0	6	4	16	17	36	54	52	27	8	1	0
	皮膚	C43-C44	10	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	2	1	2	1	0	0
	乳房	C50	94	0	0	0	0	0	0	0	1	4	1	6	7	12	17	10	11	8	6	4	5	2	0
	子宮	C53-C55	44	0	0	0	0	0	0	0	0	2	2	2	3	5	4	4	4	4	6	3	3	2	0
	子宮頸部	C53	16	0	0	0	0	0	0	0	0	0	1	2	1	2	1	1	0	1	5	1	1	0	0
	子宮体部	C54	16	0	0	0	0	0	0	0	0	2	1	0	1	3	1	3	2	0	1	0	1	1	0
	卵巣	C56	42	0	0	0	0	0	0	1	0	1	4	5	2	4	1	3	8	7	1	4	1	0	0
	膀胱	C67	30	0	0	0	0	0	0	0	0	1	1	1	0	1	3	0	2	7	4	7	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	25	0	0	0	0	0	0	0	0	0	0	1	0	0	2	3	5	7	6	0	1	0	0
	脳・中枢神経系	C70-C72	8	0	0	0	0	0	0	0	0	1	0	0	1	1	1	0	0	4	0	0	0	0	0
	甲状腺	C73	17	0	0	0	0	0	0	0	0	1	0	0	1	0	1	2	1	2	4	4	1	0	0
	悪性リンパ腫	C81-C85 C96	43	0	0	0	0	0	0	0	0	0	0	1	0	0	4	4	7	11	8	6	2	0	0
	多発性骨髄腫	C88-C90	14	0	0	0	0	0	0	0	0	0	0	0	1	1	0	4	4	1	2	1	0	0	0
	白血病	C91-C95	26	0	1	0	0	0	0	1	0	0	0	1	1	2	1	6	5	2	4	2	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	3,319	0	1	1	1	1	0	9	7	24	27	54	105	169	355	421	532	620	554	330	96	12	0
	口腔・咽頭	C00-C14	50	0	0	0	0	0	0	0	0	0	0	2	0	4	9	5	12	6	6	3	2	1	0
	食道	C15	92	0	0	0	0	0	0	0	0	2	2	1	3	6	24	15	12	18	5	3	1	0	0
	胃	C16	377	0	0	0	0	0	0	1	3	2	2	2	9	16	31	49	63	82	60	46	10	1	0
	大腸（結腸・直腸）	C18-C20	456	0	0	0	0	0	0	3	0	5	3	11	20	27	46	59	68	67	74	55	15	3	0
	結腸	C18	314	0	0	0	0	0	0	2	0	2	2	7	12	16	34	30	50	46	55	43	13	2	0
	直腸	C19-C20	142	0	0	0	0	0	0	1	0	3	1	4	8	11	12	29	18	21	19	12	2	1	0
	肝および肝内胆管	C22	297	0	0	0	0	0	0	0	0	3	1	4	9	6	27	38	42	76	55	32	4	0	0
	胆のう・胆管	C23-C24	153	0	0	0	0	0	0	0	0	0	0	0	6	5	23	13	23	22	31	20	9	1	0
	膵臓	C25	326	0	0	0	0	0	0	1	0	1	3	5	4	28	40	42	58	48	61	24	11	0	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0
	肺	C33-C34	726	0	0	0	0	0	0	0	0	0	1	4	28	32	78	116	122	144	128	61	11	1	0
	皮膚	C43-C44	15	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	3	4	1	2	1	0	0
	乳房	C50	96	0	0	0	0	0	0	0	1	4	1	6	7	12	17	10	11	8	7	4	6	2	0
	子宮	C53-C55	44	0	0	0	0	0	0	0	0	2	2	2	3	5	4	4	4	4	6	3	3	2	0
	子宮頸部	C53	16	0	0	0	0	0	0	0	0	0	1	2	1	2	1	1	0	1	5	1	1	0	0
	子宮体部	C54	16	0	0	0	0	0	0	0	0	2	1	0	1	3	1	3	2	0	1	0	1	1	0
	卵巣	C56	42	0	0	0	0	0	0	1	0	1	4	5	2	4	1	3	8	7	1	4	1	0	0
	前立腺	C61	82	0	0	0	0	0	0	0	0	0	1	0	0	2	2	7	14	23	19	12	2	0	0
	膀胱	C67	77	0	0	0	0	0	0	0	0	1	1	1	0	1	7	4	8	19	13	15	7	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	85	0	0	0	0	0	0	0	0	0	0	3	2	6	8	12	15	16	14	8	1	0	0
	脳・中枢神経系	C70-C72	27	0	0	1	0	0	0	2	0	2	0	0	1	2	2	3	5	5	4	0	0	0	0
	甲状腺	C73	24	0	0	0	0	0	0	0	0	1	0	0	1	1	1	4	2	4	5	4	1	0	0
	悪性リンパ腫	C81-C85 C96	91	0	0	0	0	0	0	0	2	0	1	3	1	1	12	5	15	22	15	12	2	0	0
	多発性骨髄腫	C88-C90	30	0	0	0	0	0	0	0	0	0	0	0	2	2	1	6	8	4	5	2	0	0	0
	白血病	C91-C95	71	0	1	0	0	1	0	1	1	0	3	3	3	2	8	9	13	9	10	7	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
男	全部位	C00-C97	438.8	0.0	0.0	5.0	4.3	5.6	0.0	27.3	21.7	33.3	43.8	96.4	228.6	380.0	669.4	906.3	1,315.4	1,926.3	1,750.0
	口腔・咽頭	C00-C14	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	13.3	16.7	15.6	38.5	5.3	12.5
	食道	C15	17.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.6	10.7	20.0	63.9	43.8	46.2	63.2	18.8
	胃	C16	54.8	0.0	0.0	0.0	0.0	0.0	0.0	4.5	8.7	6.7	3.1	7.1	28.6	50.0	61.1	90.6	188.5	268.4	237.5
	大腸（結腸・直腸）	C18-C20	53.7	0.0	0.0	0.0	0.0	0.0	0.0	13.6	0.0	13.3	6.3	17.9	46.4	60.0	72.2	109.4	146.2	221.1	168.8
	結腸	C18	33.3	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.0	6.7	6.3	7.1	28.6	33.3	50.0	53.1	88.5	136.8	112.5
	直腸	C19-C20	20.3	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	6.7	0.0	10.7	17.9	26.7	22.2	56.3	57.7	84.2	56.3
	肝および肝内胆管	C22	42.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	3.1	10.7	21.4	16.7	58.3	87.5	134.6	236.8	181.3
	胆のう・胆管	C23-C24	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	6.7	44.4	18.8	46.2	52.6	81.3
	膵臓	C25	36.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	6.3	14.3	3.6	63.3	83.3	90.6	96.2	121.1	112.5
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	5.3	6.3
	肺	C33-C34	115.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	78.6	93.3	172.2	309.4	330.8	473.7	475.0
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	3.8	10.5	0.0
	乳房	C50	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3
	前立腺	C61	18.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	6.7	5.6	21.9	53.8	121.1	118.8
	膀胱	C67	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	12.5	23.1	63.2	56.3
	腎・尿路（膀胱除く）	C64-C66 C68	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	7.1	20.0	16.7	28.1	38.5	47.4	50.0
	脳・中枢神経系	C70-C72	4.3	0.0	0.0	5.0	0.0	0.0	0.0	9.1	0.0	3.3	0.0	0.0	0.0	3.3	2.8	9.4	19.2	5.3	25.0
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	6.3	3.8	10.5	6.3
	悪性リンパ腫	C81-C85 C96	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	3.1	7.1	3.6	3.3	22.2	3.1	30.8	57.9	43.8
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.3	2.8	6.3	15.4	15.8	18.8
	白血病	C91-C95	10.3	0.0	0.0	0.0	0.0	5.6	0.0	0.0	4.3	0.0	9.4	7.1	7.1	0.0	19.4	9.4	30.8	36.8	37.5

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
女	全部位	C00-C97	284.5	0.0	5.6	0.0	0.0	0.0	0.0	13.6	8.3	46.7	38.2	84.4	132.3	171.9	285.0	354.1	575.8	907.1	740.5
	口腔・咽頭	C00-C14	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	0.0	6.1	17.9	10.8
	食道	C15	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	2.9	0.0	0.0	0.0	2.5	2.7	0.0	21.4	5.4
	胃	C16	27.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	2.9	0.0	3.2	3.1	22.5	54.1	42.4	110.7	59.5
	大腸（結腸・直腸）	C18-C20	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	18.8	22.6	28.1	50.0	64.9	90.9	89.3	127.0
	結腸	C18	34.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	12.9	18.8	40.0	35.1	81.8	71.4	100.0
	直腸	C19-C20	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	3.1	9.7	9.4	10.0	29.7	9.1	17.9	27.0
	肝および肝内胆管	C22	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	3.1	9.7	3.1	15.0	27.0	21.2	110.7	70.3
	胆のう・胆管	C23-C24	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9	9.4	17.5	18.9	33.3	42.9	48.6
	膵臓	C25	34.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	2.9	3.1	9.7	28.1	25.0	35.1	100.0	89.3	116.2
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	肺	C33-C34	45.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	19.4	12.5	40.0	45.9	109.1	192.9	140.5
	皮膚	C43-C44	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	6.1	7.1	2.7
	乳房	C50	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	13.3	2.9	18.8	22.6	37.5	42.5	27.0	33.3	28.6	16.2
	子宮	C53-C55	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	5.9	6.3	9.7	15.6	10.0	10.8	12.1	14.3	16.2
	子宮頸部	C53	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.3	3.2	6.3	2.5	2.7	0.0	3.6	13.5
	子宮体部	C54	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	2.9	0.0	3.2	9.4	2.5	8.1	6.1	0.0	2.7
	卵巣	C56	8.6	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.3	11.8	15.6	6.5	12.5	2.5	8.1	24.2	25.0	2.7
	膀胱	C67	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	3.1	0.0	3.1	7.5	0.0	6.1	25.0	10.8
	腎・尿路（膀胱除く）	C64-C66 C68	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	5.0	8.1	15.2	25.0	16.2
	脳・中枢神経系	C70-C72	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	3.2	3.1	2.5	0.0	0.0	14.3	0.0
	甲状腺	C73	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	3.2	0.0	2.5	5.4	3.0	7.1	10.8
	悪性リンパ腫	C81-C85 C96	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	10.0	10.8	21.2	39.3	21.6
	多発性骨髄腫	C88-C90	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.1	0.0	10.8	12.1	3.6	5.4
	白血病	C91-C95	5.3	0.0	5.6	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	3.1	3.2	6.3	2.5	16.2	15.2	7.1	10.8

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
総数 *2	全部位	C00-C97	357.3	0.0	2.7	2.6	2.2	2.9	0.0	20.5	14.9	40.0	40.9	90.0	178.0	272.6	467.1	610.1	901.7	1,319.1	1,045.3
	口腔・咽頭	C00-C14	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	6.5	11.8	7.2	20.3	12.8	11.3
	食道	C15	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.0	1.7	5.1	9.7	31.6	21.7	20.3	38.3	9.4
	胃	C16	40.6	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.4	3.3	3.0	3.3	15.3	25.8	40.8	71.0	106.8	174.5	113.2
	大腸（結腸・直腸）	C18-C20	49.1	0.0	0.0	0.0	0.0	0.0	0.0	6.8	0.0	8.3	4.5	18.3	33.9	43.5	60.5	85.5	115.3	142.6	139.6
	結腸	C18	33.8	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.3	3.0	11.7	20.3	25.8	44.7	43.5	84.7	97.9	103.8
	直腸	C19-C20	15.3	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	5.0	1.5	6.7	13.6	17.7	15.8	42.0	30.5	44.7	35.8
	肝および肝内胆管	C22	32.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	1.5	6.7	15.3	9.7	35.5	55.1	71.2	161.7	103.8
	胆のう・胆管	C23-C24	16.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	8.1	30.3	18.8	39.0	46.8	58.5
	膵臓	C25	35.1	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.7	4.5	8.3	6.8	45.2	52.6	60.9	98.3	102.1	115.1
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	2.1	1.9
	肺	C33-C34	78.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.7	47.5	51.6	102.6	168.1	206.8	306.4	241.5
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.6	0.0	5.1	8.5	1.9
	乳房	C50	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.7	1.5	10.0	11.9	19.4	22.4	14.5	18.6	17.0	13.2
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.5	1.7	0.0	1.6	9.2	5.8	13.6	40.4	24.5
	腎・尿路（膀胱除く）	C64-C66 C68	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	3.4	9.7	10.5	17.4	25.4	34.0	26.4
	脳・中枢神経系	C70-C72	2.9	0.0	0.0	2.6	0.0	0.0	0.0	4.5	0.0	3.3	0.0	0.0	1.7	3.2	2.6	4.3	8.5	10.6	7.5
	甲状腺	C73	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.7	1.6	1.3	5.8	3.4	8.5	9.4
	悪性リンパ腫	C81-C85 C96	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	1.5	5.0	1.7	1.6	15.8	7.2	25.4	46.8	28.3
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.2	1.3	8.7	13.6	8.5	9.4
	白血病	C91-C95	7.6	0.0	2.7	0.0	0.0	2.9	0.0	2.3	2.1	0.0	4.5	5.0	5.1	3.2	10.5	13.0	22.0	19.1	18.9

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	438.8	0.0	0.0	5.0	4.3	5.6	0.0	27.3	21.7	33.3	43.8	96.4	228.6	380.0	669.4	906.3	1,315.4	1,926.3	2,750.0	.
	口腔・咽頭	C00-C14	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	13.3	16.7	15.6	38.5	5.3	31.3	.
	食道	C15	17.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.6	10.7	20.0	63.9	43.8	46.2	63.2	37.5	.
	胃	C16	54.8	0.0	0.0	0.0	0.0	0.0	0.0	4.5	8.7	6.7	3.1	7.1	28.6	50.0	61.1	90.6	188.5	268.4	362.5	.
	大腸（結腸・直腸）	C18-C20	53.7	0.0	0.0	0.0	0.0	0.0	0.0	13.6	0.0	13.3	6.3	17.9	46.4	60.0	72.2	109.4	146.2	221.1	306.3	.
	結腸	C18	33.3	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.0	6.7	6.3	7.1	28.6	33.3	50.0	53.1	88.5	136.8	225.0	.
	直腸	C19-C20	20.3	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	6.7	0.0	10.7	17.9	26.7	22.2	56.3	57.7	84.2	81.3	.
	肝および肝内胆管	C22	42.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	3.1	10.7	21.4	16.7	58.3	87.5	134.6	236.8	243.8	.
	胆のう・胆管	C23-C24	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	6.7	44.4	18.8	46.2	52.6	137.5	.
	膵臓	C25	36.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	6.3	14.3	3.6	63.3	83.3	90.6	96.2	121.1	156.3	.
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	5.3	6.3	.
	肺	C33-C34	115.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	78.6	93.3	172.2	309.4	330.8	473.7	706.3	.
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	3.8	10.5	0.0	.
	乳房	C50	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	.
	前立腺	C61	18.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	6.7	5.6	21.9	53.8	121.1	206.3	.
	膀胱	C67	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	12.5	23.1	63.2	131.3	.
	腎・尿路（膀胱除く）	C64-C66 C68	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	7.1	20.0	16.7	28.1	38.5	47.4	100.0	.
	脳・中枢神経系	C70-C72	4.3	0.0	0.0	5.0	0.0	0.0	0.0	9.1	0.0	3.3	0.0	0.0	0.0	3.3	2.8	9.4	19.2	5.3	25.0	.
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	6.3	3.8	10.5	6.3	.
	悪性リンパ腫	C81-C85 C96	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	3.1	7.1	3.6	3.3	22.2	3.1	30.8	57.9	81.3	.
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.3	2.8	6.3	15.4	15.8	25.0	.
	白血病	C91-C95	10.3	0.0	0.0	0.0	0.0	5.6	0.0	0.0	4.3	0.0	9.4	7.1	7.1	0.0	19.4	9.4	30.8	36.8	68.8	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	284.5	0.0	5.6	0.0	0.0	0.0	0.0	13.6	8.3	46.7	38.2	84.4	132.3	171.9	285.0	354.1	575.8	907.1	1,491.9	.
	口腔・咽頭	C00-C14	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	0.0	6.1	17.9	18.9	.
	食道	C15	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	2.9	0.0	0.0	0.0	2.5	2.7	0.0	21.4	8.1	.
	胃	C16	27.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	2.9	0.0	3.2	3.1	22.5	54.1	42.4	110.7	159.5	.
	大腸（結腸・直腸）	C18-C20	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	18.8	22.6	28.1	50.0	64.9	90.9	89.3	264.9	.
	結腸	C18	34.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	12.9	18.8	40.0	35.1	81.8	71.4	208.1	.
	直腸	C19-C20	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	3.1	9.7	9.4	10.0	29.7	9.1	17.9	56.8	.
	肝および肝内胆管	C22	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	3.1	9.7	3.1	15.0	27.0	21.2	110.7	140.5	.
	胆のう・胆管	C23-C24	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9	9.4	17.5	18.9	33.3	42.9	105.4	.
	膵臓	C25	34.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	2.9	3.1	9.7	28.1	25.0	35.1	100.0	89.3	191.9	.
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.
	肺	C33-C34	45.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	19.4	12.5	40.0	45.9	109.1	192.9	237.8	.
	皮膚	C43-C44	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	6.1	7.1	10.8	.
	乳房	C50	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	13.3	2.9	18.8	22.6	37.5	42.5	27.0	33.3	28.6	45.9	.
	子宮	C53-C55	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	5.9	6.3	9.7	15.6	10.0	10.8	12.1	14.3	37.8	.
	子宮頸部	C53	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.3	3.2	6.3	2.5	2.7	0.0	3.6	18.9	.
	子宮体部	C54	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	2.9	0.0	3.2	9.4	2.5	8.1	6.1	0.0	8.1	.
	卵巣	C56	8.6	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.3	11.8	15.6	6.5	12.5	2.5	8.1	24.2	25.0	16.2	.
	膀胱	C67	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	3.1	0.0	3.1	7.5	0.0	6.1	25.0	37.8	.
	腎・尿路（膀胱除く）	C64-C66 C68	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	5.0	8.1	15.2	25.0	18.9	.
	脳・中枢神経系	C70-C72	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	3.2	3.1	2.5	0.0	0.0	14.3	0.0	.
	甲状腺	C73	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	3.2	0.0	2.5	5.4	3.0	7.1	24.3	.
	悪性リンパ腫	C81-C85 C96	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	10.0	10.8	21.2	39.3	43.2	.
	多発性骨髄腫	C88-C90	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.1	0.0	10.8	12.1	3.6	8.1	.
	白血病	C91-C95	5.3	0.0	5.6	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	3.1	3.2	6.3	2.5	16.2	15.2	7.1	16.2	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	357.3	0.0	2.7	2.6	2.2	2.9	0.0	20.5	14.9	40.0	40.9	90.0	178.0	272.6	467.1	610.1	901.7	1,319.1	1,871.7	.
	口腔・咽頭	C00-C14	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	6.5	11.8	7.2	20.3	12.8	22.6	.
	食道	C15	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.0	1.7	5.1	9.7	31.6	21.7	20.3	38.3	17.0	.
	胃	C16	40.6	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.4	3.3	3.0	3.3	15.3	25.8	40.8	71.0	106.8	174.5	220.8	.
	大腸（結腸・直腸）	C18-C20	49.1	0.0	0.0	0.0	0.0	0.0	0.0	6.8	0.0	8.3	4.5	18.3	33.9	43.5	60.5	85.5	115.3	142.6	277.4	.
	結腸	C18	33.8	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.3	3.0	11.7	20.3	25.8	44.7	43.5	84.7	97.9	213.2	.
	直腸	C19-C20	15.3	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	5.0	1.5	6.7	13.6	17.7	15.8	42.0	30.5	44.7	64.2	.
	肝および肝内胆管	C22	32.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	1.5	6.7	15.3	9.7	35.5	55.1	71.2	161.7	171.7	.
	胆のう・胆管	C23-C24	16.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	8.1	30.3	18.8	39.0	46.8	115.1	.
	膵臓	C25	35.1	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.7	4.5	8.3	6.8	45.2	52.6	60.9	98.3	102.1	181.1	.
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	2.1	1.9	.
	肺	C33-C34	78.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.7	47.5	51.6	102.6	168.1	206.8	306.4	379.2	.
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.6	0.0	5.1	8.5	7.5	.
	乳房	C50	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.7	1.5	10.0	11.9	19.4	22.4	14.5	18.6	17.0	35.8	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.5	1.7	0.0	1.6	9.2	5.8	13.6	40.4	66.0	.
	腎・尿路（膀胱除く）	C64-C66 C68	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	3.4	9.7	10.5	17.4	25.4	34.0	43.4	.
	脳・中枢神経系	C70-C72	2.9	0.0	0.0	2.6	0.0	0.0	0.0	4.5	0.0	3.3	0.0	0.0	1.7	3.2	2.6	4.3	8.5	10.6	7.5	.
	甲状腺	C73	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.7	1.6	1.3	5.8	3.4	8.5	18.9	.
	悪性リンパ腫	C81-C85 C96	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	1.5	5.0	1.7	1.6	15.8	7.2	25.4	46.8	54.7	.
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.2	1.3	8.7	13.6	8.5	13.2	.
	白血病	C91-C95	7.6	0.0	2.7	0.0	0.0	2.9	0.0	2.3	2.1	0.0	4.5	5.0	5.1	3.2	10.5	13.0	22.0	19.1	32.1	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%)： 詳細部位別、性別

和歌山県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率			累積罹患率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1			
		日本人人口			世界人口														
全部位	000-C96 000-D47	5,546	4,374	9,921	100.0	100.0	100.0	1,260.5	883.6	1,061.1	544.7	443.9	482.9	385.8	337.5	354.7	44.8	35.8	39.9
全部位	000-C96	4,902	3,725	8,628	88.4	85.2	87.0	1,114.1	752.5	922.8	476.9	349.3	402.7	336.6	261.6	292.8	39.0	28.5	33.3
口唇	000	2	0	2	0.0	0.0	0.0	0.5	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	10	1	11	0.2	0.0	0.1	2.3	0.2	1.2	0.9	0.1	0.5	0.6	0.1	0.3	0.1	0.0	0.0
その他および部位不明の舌	002	29	13	42	0.5	0.3	0.4	6.6	2.6	4.5	4.0	1.1	2.5	3.0	0.8	1.9	0.4	0.1	0.2
歯肉	003	16	15	31	0.3	0.3	0.3	3.6	3.0	3.3	1.4	0.7	1.0	1.0	0.4	0.7	0.1	0.1	0.1
口腔底	004	13	1	14	0.2	0.0	0.1	3.0	0.2	1.5	1.5	0.1	0.7	1.1	0.1	0.5	0.2	0.0	0.1
口蓋	005	3	4	7	0.1	0.1	0.1	0.7	0.8	0.7	0.3	0.7	0.5	0.2	0.7	0.4	0.0	0.1	0.0
その他および部位不明の口腔	006	6	5	11	0.1	0.1	0.1	1.4	1.0	1.2	0.5	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
耳下腺	007	10	2	12	0.2	0.0	0.1	2.3	0.4	1.3	1.3	0.3	0.8	1.0	0.3	0.6	0.1	0.0	0.1
その他および部位不明の大唾液腺	008	2	2	4	0.0	0.0	0.0	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
扁桃	009	10	1	11	0.2	0.0	0.1	2.3	0.2	1.2	1.1	0.1	0.5	0.7	0.1	0.4	0.1	0.0	0.1
中咽頭	010	5	1	6	0.1	0.0	0.1	1.1	0.2	0.6	0.5	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0
鼻<上>咽頭	011	2	5	7	0.0	0.1	0.1	0.5	1.0	0.7	0.3	0.5	0.4	0.3	0.5	0.4	0.0	0.1	0.1
梨状陥凹<洞>	012	21	4	25	0.4	0.1	0.3	4.8	0.8	2.7	2.1	0.3	1.1	1.5	0.2	0.8	0.2	0.0	0.1
下咽頭	013	24	2	26	0.4	0.0	0.3	5.5	0.4	2.8	2.8	0.4	1.5	1.9	0.3	1.0	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	015	193	43	236	3.5	1.0	2.4	43.9	8.7	25.2	21.3	3.7	11.9	15.7	2.7	8.7	2.0	0.3	1.1
胃	016	853	447	1,300	15.4	10.2	13.1	193.9	90.3	139.0	78.8	31.2	52.6	54.2	21.6	36.3	6.4	2.6	4.4
小腸	017	31	12	43	0.6	0.3	0.4	7.0	2.4	4.6	3.0	0.8	1.8	2.0	0.6	1.2	0.2	0.1	0.1
結腸	018	429	417	846	7.7	9.5	8.5	97.5	84.2	90.5	43.3	30.0	36.1	30.4	21.1	25.4	3.6	2.3	2.9
直腸S状結腸移行部	019	63	42	105	1.1	1.0	1.1	14.3	8.5	11.2	6.7	3.7	5.0	4.8	2.5	3.6	0.5	0.2	0.4
直腸	020	187	125	312	3.4	2.9	3.1	42.5	25.3	33.4	20.3	11.2	15.4	14.6	8.3	11.2	1.8	1.0	1.4
肛門および肛門管	021	11	7	18	0.2	0.2	0.2	2.5	1.4	1.9	1.5	0.9	1.2	1.1	0.7	0.9	0.1	0.1	0.1
肝および肝内胆管	022	313	142	455	5.6	3.2	4.6	71.1	28.7	48.7	28.7	7.4	17.1	19.7	5.0	11.7	2.3	0.6	1.4
胆のう	023	25	37	62	0.5	0.8	0.6	5.7	7.5	6.6	2.0	2.4	2.3	1.4	1.7	1.6	0.2	0.2	0.2
その他および部位不明の胆道	024	71	54	125	1.3	1.2	1.3	16.1	10.9	13.4	6.3	2.5	4.2	4.5	1.7	3.0	0.4	0.2	0.3
膵臓	025	172	191	363	3.1	4.4	3.7	39.1	38.6	38.8	16.2	11.6	13.8	11.5	8.0	9.7	1.4	0.9	1.1
その他および部位不明の消化器	026	11	9	20	0.2	0.2	0.2	2.5	1.8	2.1	1.5	0.8	1.1	1.1	0.6	0.9	0.1	0.1	0.1
鼻腔および中耳	030	2	4	6	0.0	0.1	0.1	0.5	0.8	0.6	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
副鼻腔	031	10	8	18	0.2	0.2	0.2	2.3	1.6	1.9	1.2	0.4	0.8	0.8	0.3	0.5	0.1	0.0	0.1
喉頭	032	42	6	48	0.8	0.1	0.5	9.5	1.2	5.1	4.4	0.4	2.2	3.2	0.2	1.6	0.4	0.0	0.2
気管	033	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	780	390	1,170	14.1	8.9	11.8	177.3	78.8	125.1	71.4	27.3	47.0	49.0	18.9	32.5	6.1	2.2	4.0
胸腺	037	6	16	22	0.1	0.4	0.2	1.4	3.2	2.4	0.6	1.8	1.2	0.4	1.3	0.9	0.0	0.2	0.1
心臓、縦隔および胸膜	038	3	2	5	0.1	0.0	0.1	0.7	0.4	0.5	0.4	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	2	2	4	0.0	0.0	0.0	0.5	0.4	0.4	0.2	0.3	0.3	0.1	0.3	0.2	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	2	6	8	0.0	0.1	0.1	0.5	1.2	0.9	0.1	1.2	0.6	0.1	1.2	0.6	0.0	0.1	0.0
皮膚の悪性黒色腫	043	8	12	20	0.1	0.3	0.2	1.8	2.4	2.1	1.1	1.0	1.1	0.9	0.8	0.8	0.1	0.1	0.1
皮膚のその他	044	123	92	215	2.2	2.1	2.2	28.0	18.6	23.0	9.7	5.3	7.2	6.2	3.8	4.8	0.6	0.3	0.4
中皮腫	045	7	3	10	0.1	0.1	0.1	1.6	0.6	1.1	0.7	0.4	0.5	0.5	0.3	0.4	0.1	0.0	0.0
カポジ肉腫	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.3	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
後腹膜および腹膜	048	3	12	15	0.1	0.3	0.2	0.7	2.4	1.6	0.2	0.9	0.6	0.1	0.6	0.4	0.0	0.1	0.1
その他の結合組織および軟部組織	049	16	13	29	0.3	0.3	0.3	3.6	2.6	3.1	2.5	1.4	1.9	2.2	1.0	1.6	0.2	0.1	0.2
乳房	050	5	741	746	0.1	16.9	7.5	1.1	149.7	79.8	0.4	97.2	51.0	0.2	74.8	39.1	0.0	8.2	4.3
外陰	051	-	11	11	-	0.3	0.1	-	2.2	-	-	0.7	-	-	0.5	-	-	0.0	-
陰	052	-	4	4	-	0.1	0.0	-	0.8	-	-	0.2	-	-	0.2	-	-	0.0	-
子宮頸部	053	-	68	68	-	1.6	0.7	-	13.7	-	-	9.7	-	-	7.4	-	-	0.7	-
子宮体部	054	-	136	136	-	3.1	1.4	-	27.5	-	-	19.6	-	-	15.1	-	-	1.6	-
子宮部位不明	055	-	9	9	-	0.2	0.1	-	1.8	-	-	0.4	-	-	0.3	-	-	0.0	-
卵巣	056	-	98	98	-	2.2	1.0	-	19.8	-	-	14.5	-	-	11.6	-	-	1.2	-
その他および部位不明の女性性器	057	-	2	2	-	0.0	0.0	-	0.4	-	-	0.3	-	-	0.2	-	-	0.0	-
胎盤	058	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	060	3	-	3	0.1	-	0.0	0.7	-	-	0.3	-	-	0.2	-	-	0.0	-	-
前立腺	061	656	-	656	11.8	-	6.6	149.1	-	-	57.5	-	-	38.8	-	-	4.8	-	-
精巣	062	15	-	15	0.3	-	0.2	3.4	-	-	4.6	-	-	4.0	-	-	0.3	-	-
その他および部位不明の男性性器	063	0	-	0	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
腎盂を除く腎	064	115	42	157	2.1	1.0	1.6	26.1	8.5	16.8	12.9	4.8	8.5	9.7	4.1	6.6	1.1	0.4	0.8
腎盂	065	23	7	30	0.4	0.2	0.3	5.2	1.4	3.2	1.9	0.4	1.1	1.2	0.3	0.7	0.2	0.0	0.1
尿管	066	22	14	36	0.4	0.3	0.4	5.0	2.8	3.9	1.9	0.9	1.4	1.3	0.6	0.9	0.2	0.1	0.1
膀胱	067	171	51	222	3.1	1.2	2.2	38.9	10.3	23.7	15.1	3.1	8.4	10.3	2.3	5.9	1.1	0.2	0.6
その他および部位不明の泌尿器	068	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
眼および付属器	069	2	3	5	0.0	0.1	0.1	0.5	0.6	0.5	0.5	0.6	0.6	0.8	0.5	0.6	0.0	0.0	0.0
髄膜	070	1	1	2	0.0	0.0</													

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

和歌山県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	447	442	889	8.1	10.1	9.0	101.6	89.3	95.1	44.8	69.6	56.4	31.4	55.7	43.1	4.0	5.4	4.7
口腔、食道および胃	D00	31	9	40	0.6	0.2	0.4	7.0	1.8	4.3	3.4	1.0	2.1	2.3	0.8	1.5	0.2	0.1	0.2
食道	D001	16	6	22	0.3	0.1	0.2	3.6	1.2	2.4	1.8	0.8	1.2	1.3	0.6	0.9	0.1	0.1	0.1
その他および部位不明の消化器	D01	240	136	376	4.3	3.1	3.8	54.5	27.5	40.2	25.7	13.3	18.9	18.2	9.8	13.6	2.3	1.3	1.8
結腸	D010	161	79	240	2.9	1.8	2.4	36.6	16.0	25.7	16.3	7.7	11.6	11.4	5.7	8.3	1.5	0.7	1.1
直腸S状結腸移行部	D011	18	7	25	0.3	0.2	0.3	4.1	1.4	2.7	1.8	1.0	1.4	1.3	0.7	1.0	0.2	0.1	0.1
直腸	D012	44	25	69	0.8	0.6	0.7	10.0	5.1	7.4	5.4	2.5	3.8	4.0	1.8	2.8	0.5	0.2	0.3
中耳および呼吸器系	D02	9	3	12	0.2	0.1	0.1	2.0	0.6	1.3	0.8	0.3	0.5	0.5	0.2	0.3	0.1	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	1	3	4	0.0	0.1	0.0	0.2	0.6	0.4	0.1	0.3	0.2	0.1	0.2	0.1	0.0	0.0	0.0
上皮内黒色腫	D03	2	1	3	0.0	0.0	0.0	0.5	0.2	0.3	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
皮膚のその他	D04	24	26	50	0.4	0.6	0.5	5.5	5.3	5.3	1.8	1.1	1.4	1.1	0.6	0.9	0.1	0.1	0.1
乳房	D05	1	78	79	0.0	1.8	0.8	0.2	15.8	8.4	0.1	11.2	5.8	0.0	8.7	4.5	0.0	1.0	0.5
子宮頸部	D06	-	148	148	-	3.4	1.5	-	29.9	-	-	39.5	-	-	33.2	-	-	2.7	-
その他および部位不明の性器	D07	1	3	4	0.0	0.1	0.0	0.2	0.6	0.4	0.1	0.2	0.2	0.1	0.2	0.1	0.0	0.0	0.0
その他および部位不明	D09	139	38	177	2.5	0.9	1.8	31.6	7.7	18.9	12.9	3.0	7.4	9.0	2.1	5.2	1.2	0.3	0.7
膀胱	D090	136	36	172	2.5	0.8	1.7	30.9	7.3	18.4	12.6	2.8	7.2	8.8	2.0	5.1	1.2	0.3	0.7
良性腫瘍	D32-D35	99	144	243	1.8	3.3	2.4	22.5	29.1	26.0	13.7	19.9	16.9	10.8	16.2	13.5	1.2	1.6	1.4
髄膜	D32	41	98	139	0.7	2.2	1.4	9.3	19.8	14.9	4.6	12.4	8.6	3.5	9.8	6.7	0.4	1.0	0.7
脳および中枢神経系	D33	38	29	67	0.7	0.7	0.7	8.6	5.9	7.2	5.9	4.1	5.0	4.8	3.3	4.0	0.5	0.3	0.4
下垂体	D352	20	17	37	0.4	0.4	0.4	4.5	3.4	4.0	3.2	3.4	3.3	2.5	3.1	2.8	0.3	0.3	0.3
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	96	61	157	1.7	1.4	1.6	21.8	12.3	16.8	8.7	4.7	6.4	6.1	3.7	4.7	0.6	0.3	0.5
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	6	6	12	0.1	0.1	0.1	1.4	1.2	1.3	0.8	0.6	0.7	0.7	0.4	0.6	0.0	0.0	0.0
下垂体	D443	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	2	0	2	0.0	0.0	0.0	0.5	0.0	0.2	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	15	5	20	0.3	0.1	0.2	3.4	1.0	2.1	1.7	0.7	1.1	1.2	0.7	0.9	0.1	0.1	0.1
骨髄異形成症候群	D46	55	37	92	1.0	0.8	0.9	12.5	7.5	9.8	4.4	2.1	3.1	2.9	1.7	2.2	0.3	0.1	0.2
慢性骨髄増殖性疾患	D471	3	1	4	0.1	0.0	0.0	0.7	0.2	0.4	0.3	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	13	12	25	0.2	0.3	0.3	3.0	2.4	2.7	1.0	1.1	1.1	0.6	0.8	0.7	0.1	0.1	0.1

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別 和歌山県 2018年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-097 000-047	1,995	1,457	3,452	100.0	100.0	100.0	455.5	296.7	371.6	170.8	84.5	122.5	116.6	58.5	84.3	12.4	5.8	8.9
全部位	000-097	1,922	1,397	3,319	96.3	95.9	96.1	438.8	284.5	357.3	165.1	81.9	118.6	112.8	56.7	81.6	12.1	5.7	8.7
.....																			
口唇	000	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	002	6	6	12	0.3	0.4	0.3	1.4	1.2	1.3	0.7	0.2	0.4	0.5	0.1	0.3	0.0	0.0	0.0
歯肉	003	1	1	2	0.1	0.1	0.1	0.2	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔底	004	1	0	1	0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口蓋	005	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	006	0	3	3	0.0	0.2	0.1	0.0	0.6	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
耳下腺	007	1	1	2	0.1	0.1	0.1	0.2	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
扁桃	009	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	010	7	2	9	0.4	0.1	0.3	1.6	0.4	1.0	0.7	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
鼻<上>咽頭	011	1	1	2	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
梨状陥凹<洞>	012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	013	12	1	13	0.6	0.1	0.4	2.7	0.2	1.4	1.3	0.0	0.6	0.9	0.0	0.4	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	4	2	6	0.2	0.1	0.2	0.9	0.4	0.6	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
.....																			
食道	015	78	14	92	3.9	1.0	2.7	17.8	2.9	9.9	7.5	1.2	4.1	5.4	0.9	2.9	0.7	0.1	0.4
胃	016	240	137	377	12.0	9.4	10.9	54.8	27.9	40.6	20.3	6.5	12.6	13.6	4.2	8.4	1.3	0.5	0.9
小腸	017	8	7	15	0.4	0.5	0.4	1.8	1.4	1.6	0.7	0.3	0.5	0.5	0.2	0.3	0.0	0.0	0.0
結腸	018	146	168	314	7.3	11.5	9.1	33.3	34.2	33.8	13.5	8.9	11.1	9.4	6.2	7.7	1.0	0.6	0.8
直腸S状結腸移行部	019	3	1	4	0.2	0.1	0.1	0.7	0.2	0.4	0.4	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
直腸	020	86	52	138	4.3	3.6	4.0	19.6	10.6	14.9	8.5	3.6	5.8	5.9	2.6	4.1	0.7	0.3	0.5
肛門および肛門管	021	3	4	7	0.2	0.3	0.2	0.7	0.8	0.8	0.3	0.4	0.3	0.3	0.3	0.2	0.0	0.0	0.0
肝および肝内胆管	022	185	112	297	9.3	7.7	8.6	42.2	22.8	32.0	15.2	5.1	9.6	9.9	3.3	6.3	1.0	0.3	0.6
胆のう	023	19	34	53	1.0	2.3	1.5	4.3	6.9	5.7	1.5	2.2	1.9	1.0	1.5	1.3	0.1	0.2	0.1
その他および部位不明の胆道	024	51	49	100	2.6	3.4	2.9	11.6	10.0	10.8	3.9	2.0	2.8	2.7	1.3	1.9	0.3	0.1	0.2
膵臓	025	159	167	326	8.0	11.5	9.4	36.3	34.0	35.1	14.9	8.9	11.7	10.6	6.0	8.2	1.3	0.5	0.9
その他および部位不明の消化器	026	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.....																			
鼻腔および中耳	030	1	2	3	0.1	0.1	0.1	0.2	0.4	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
副鼻腔	031	6	1	7	0.3	0.1	0.2	1.4	0.2	0.8	0.6	0.0	0.3	0.3	0.0	0.1	0.0	0.0	0.0
喉頭	032	4	0	4	0.2	0.0	0.1	0.9	0.0	0.4	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
気管	033	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	504	222	726	25.3	15.2	21.0	115.1	45.2	78.1	41.8	10.7	24.5	28.2	6.8	16.3	3.3	0.6	1.9
胸腺	037	1	0	1	0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
心臓、縦隔および胸膜	038	3	2	5	0.2	0.1	0.1	0.7	0.4	0.5	0.4	0.1	0.3	0.4	0.0	0.2	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	2	0	2	0.1	0.0	0.1	0.5	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
.....																			
皮膚の悪性黒色腫	043	2	6	8	0.1	0.4	0.2	0.5	1.2	0.9	0.2	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
皮膚のその他	044	3	4	7	0.2	0.3	0.2	0.7	0.8	0.8	0.3	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.0
中皮腫	045	11	0	11	0.6	0.0	0.3	2.5	0.0	1.2	0.8	0.0	0.4	0.5	0.0	0.2	0.1	0.0	0.0
カボジ肉腫	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	048	3	8	11	0.2	0.5	0.3	0.7	1.6	1.2	0.4	0.8	0.6	0.3	0.6	0.5	0.0	0.1	0.1
その他の結合組織および軟部組織	049	6	2	8	0.3	0.1	0.2	1.4	0.4	0.9	0.4	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
.....																			
乳房	050	2	94	96	0.1	6.5	2.8	0.5	19.1	10.3	0.1	9.4	5.0	0.1	7.1	3.8	0.0	0.8	0.4
外陰	051	-	5	5	-	0.3	0.1	-	1.0	-	-	0.3	-	-	0.2	-	-	0.0	-
陰	052	-	3	3	-	0.2	0.1	-	0.6	-	-	0.2	-	-	0.1	-	-	0.0	-
子宮頸部	053	-	16	16	-	1.1	0.5	-	3.3	-	-	1.4	-	-	1.1	-	-	0.1	-
子宮体部	054	-	16	16	-	1.1	0.5	-	3.3	-	-	1.8	-	-	1.4	-	-	0.2	-
子宮部位不明	055	-	12	12	-	0.8	0.3	-	2.4	-	-	0.7	-	-	0.4	-	-	0.0	-
卵巣	056	-	42	42	-	2.9	1.2	-	8.6	-	-	4.6	-	-	3.4	-	-	0.3	-
その他および部位不明の女性性器	057	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
胎盤	058	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
.....																			
陰茎	060	2	-	2	0.1	-	0.1	0.5	-	-	0.1	-	-	0.1	-	-	0.0	-	-
前立腺	061	82	-	82	4.1	-	2.4	18.7	-	-	5.2	-	-	3.2	-	-	0.2	-	-
精巣	062	0	-	0	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
その他および部位不明の男性性器	063	0	-	0	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
腎盂を除く腎	064	30	15	45	1.5	1.0	1.3	6.8	3.1	4.8	2.6	0.8	1.6	1.9	0.5	1.1	0.2	0.0	0.1
腎盂	065	12	3	15	0.6	0.2	0.4	2.7	0.6	1.6	1.2	0.1	0.6	0.8	0.0	0.4	0.1	0.0	0.0
尿管	066	17	6	23	0.9	0.4	0.7	3.9	1.2	2.5	1.2	0.4	0.7	0.8	0.3	0.5	0.0	0.0	0.0
膀胱	067	47	30	77	2.4	2.1	2.2	10.7	6.1	8.3	2.8	1.8	2.1	1.8	1.3	1.4	0.1	0.1	0.1
その他および部位不明の泌尿器	068	1	1	2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.....																			
眼および付属器	069	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	070	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳	071	17	8	25	0.9	0.5	0.7	3.9	1.6	2.7	2.1	0.8	1.4	1.6	0.6	1.1	0.1	0.1	0.1
脊髄、脳神経および中枢神経系のその他の部位	072	2	0	2	0.1	0.0	0.1	0.5	0.0	0.2	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
甲状腺	073	7	17	24	0.4	1.2	0.7	1.6	3.5	2.6	0.6	1.0	0.8	0.4	0.7	0.6	0.0	0.1	0.1
副腎	074	1	0	1	0.1	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他の内分泌腺および関連組織	075	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および不明確な部位	076	1	2	3	0.1	0.1	0.1	0.2	0.4	0.3	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
リンパ節の続発性および部位不明	077	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
呼吸器および消化器の続発性	078	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他の部位の続発性	079	0	0	0	0.0</														

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%): 詳細部位別、性別

和歌山県

2018年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	2	5	7	0.1	0.3	0.2	0.5	1.0	0.8	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
髄膜	D32	2	5	7	0.1	0.3	0.2	0.5	1.0	0.8	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D332	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D333	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D334	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	57	34	91	2.9	2.3	2.6	13.0	6.9	9.8	4.7	1.3	2.8	3.2	0.8	1.9	0.3	0.0	0.2
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	18	7	25	0.9	0.5	0.7	4.1	1.4	2.7	2.0	0.3	1.1	1.5	0.2	0.8	0.1	0.0	0.1
下垂体	D443	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	1	0	1	0.1	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	35	24	59	1.8	1.6	1.7	8.0	4.9	6.4	2.5	0.9	1.6	1.6	0.6	1.0	0.1	0.0	0.1
慢性骨髄増殖性疾患	D471	1	0	1	0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	0	3	3	0.0	0.2	0.1	0.0	0.6	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0

*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2018年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96	8,446	25.9	7.8	1.1	2.0	14.5	4.0	0.8	0.7	14.5	0.4	3.2	2.0	23.1
口腔・咽頭	C00-C14	206	29.6	0.5	0.0	3.4	4.9	18.4	0.0	2.4	15.5	0.0	8.7	0.0	16.5
食道	C15	235	19.1	19.1	1.7	3.8	8.9	12.8	0.0	0.0	12.8	0.0	3.0	0.9	17.9
胃	C16	1,286	22.3	35.3	2.6	0.1	7.9	0.2	0.2	0.0	12.1	0.0	0.0	0.2	19.1
大腸（結腸・直腸）	C18-C20	1,238	41.4	7.1	3.6	0.0	3.4	0.4	0.2	0.1	22.9	0.5	3.0	0.6	16.9
結腸	C18	826	44.1	7.1	3.5	0.0	3.4	0.0	0.1	0.0	22.9	0.5	0.0	0.4	18.0
直腸	C19-C20	412	35.9	7.0	3.9	0.0	3.4	1.2	0.2	0.2	23.1	0.5	9.0	1.0	14.6
肝および肝内胆管	C22	437	11.2	0.2	0.0	2.1	8.0	0.7	12.6	0.0	0.2	0.5	0.0	22.9	41.6
胆のう・胆管	C23-C24	176	24.4	1.1	0.6	0.6	15.3	0.6	0.0	0.0	10.2	0.6	0.0	0.6	46.0
膵臓	C25	347	6.9	0.0	0.0	0.9	29.4	0.3	0.0	0.0	18.4	0.3	0.0	0.6	43.2
喉頭	C32	48	16.7	2.1	0.0	39.6	0.0	20.8	0.0	4.2	4.2	0.0	4.2	0.0	8.3
肺	C33-C34	1,130	18.8	0.0	0.0	4.9	24.1	8.2	0.2	0.4	12.7	0.2	0.9	0.4	29.4
皮膚	C43-C44	235	79.6	0.0	0.0	0.0	0.0	0.4	0.0	1.3	2.1	0.4	0.0	0.4	15.7
乳房	C50	735	15.4	0.0	0.0	0.4	8.2	0.4	0.0	1.9	38.6	0.1	21.4	1.1	12.5
乳房（女性のみ）	C50	730	15.5	0.0	0.0	0.4	8.1	0.4	0.0	1.9	38.6	0.1	21.4	1.1	12.5
子宮	C53-C55	209	41.6	0.0	0.0	5.3	2.9	8.1	0.0	0.0	19.6	0.0	4.3	0.5	17.7
子宮頸部	C53	67	23.9	0.0	0.0	14.9	1.5	25.4	0.0	0.0	4.5	0.0	11.9	0.0	17.9
子宮体部	C54	135	52.6	0.0	0.0	0.7	3.7	0.0	0.0	0.0	28.1	0.0	0.7	0.0	14.1
卵巣	C56	97	35.1	0.0	0.0	0.0	7.2	0.0	0.0	0.0	43.3	0.0	0.0	0.0	14.4
前立腺	C61	648	25.8	0.3	0.0	4.5	32.7	13.9	0.2	0.3	2.5	0.0	0.2	0.9	18.8
膀胱	C67	215	3.3	23.7	3.7	0.5	4.2	0.0	0.5	0.9	19.5	9.8	2.8	12.1	19.1
腎・尿路（膀胱除く）	C64-C66 C68	223	62.8	0.4	0.9	0.0	7.2	0.9	0.0	0.0	7.2	0.0	0.0	0.0	20.6
脳・中枢神経系	C70-C72	60	10.0	0.0	0.0	0.0	13.3	15.0	0.0	1.7	10.0	0.0	21.7	1.7	26.7
甲状腺	C73	161	62.7	0.0	0.0	0.0	2.5	0.0	0.0	6.8	4.3	0.0	0.6	0.0	23.0
悪性リンパ腫	C81-C85 C96	302	2.3	0.3	0.0	4.0	55.6	6.6	0.0	0.7	4.6	0.0	0.7	1.0	24.2
多発性骨髄腫	C88-C90	58	0.0	0.0	0.0	0.0	63.8	1.7	1.7	1.7	0.0	0.0	0.0	5.2	25.9
白血病	C91-C95	89	0.0	0.0	0.0	0.0	68.5	0.0	1.1	0.0	0.0	0.0	0.0	2.2	28.1

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2018年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96 D00-D09	9,335	26.4	11.2	1.1	1.8	13.1	3.6	0.7	0.8	14.1	0.6	3.0	2.1	21.5
食道	C15 D001	257	17.5	25.3	1.6	3.5	8.2	11.7	0.0	0.0	11.7	0.0	2.7	0.8	17.1
大腸 (結腸・直腸) *4	C18-C20 D010-D012	1,572	34.0	24.7	3.0	0.0	2.7	0.4	0.1	0.1	18.3	0.4	2.4	0.4	13.5
結腸 *4	C18 D010	1,066	35.6	25.6	2.9	0.0	2.6	0.1	0.1	0.0	17.9	0.5	0.0	0.3	14.4
直腸 *4	C19-C20 D011-D012	506	30.4	22.9	3.2	0.0	2.8	1.0	0.2	0.2	19.0	0.4	7.3	0.8	11.9
肺	C33-C34 D021-D022	1,134	19.0	0.0	0.0	4.9	24.0	8.2	0.2	0.4	12.7	0.2	0.9	0.4	29.3
皮膚	C43-C44 D030-D049	288	79.9	0.0	0.0	0.0	0.0	0.3	0.0	1.0	1.7	0.7	0.0	1.0	15.3
乳房	C50 D05	814	18.4	0.0	0.0	0.4	7.5	0.4	0.0	3.9	36.2	0.2	20.4	1.0	11.5
乳房 (女性のみ)	C50 D05	808	18.4	0.0	0.0	0.4	7.4	0.4	0.0	4.0	36.3	0.2	20.4	1.0	11.5
子宮	C53-C55 D06	357	58.5	0.8	0.3	3.1	1.7	4.8	0.0	0.0	11.5	0.0	2.5	0.3	16.5
子宮頸部	C53 D06	215	64.2	1.4	0.5	4.7	0.5	7.9	0.0	0.0	1.4	0.0	3.7	0.0	15.8
膀胱	C67 D090	387	2.1	26.1	2.3	0.3	2.3	0.0	0.8	0.5	29.7	9.6	1.6	12.4	12.4

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

*4 粘膜がんを含む

医療圏別、保健所圏別罹患数：部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

医療圏/保健所	全部位		胃		大腸(結腸・直腸)			結腸		直腸		肝及び肝内胆管			肺			乳房			子宮		子宮頸部		子宮体部		前立腺	
	C00-C36		C16		C18-C20			C18		C19-C20		C22			C33-C34			C50			C53-C55		C53		C54		C61	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	男	女	男		
和歌山県	4,902	3,725	8,628	853	447	1,300	679	584	1,263	429	417	846	250	167	417	313	142	455	781	390	1,171	5	741	746	213	68	136	656
医療圏不定	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
和歌山	2,209	1,630	3,840	393	191	584	302	264	566	195	184	379	107	80	187	150	61	211	354	162	516	2	326	328	106	30	72	294
那賀	514	409	923	100	42	142	75	58	133	43	43	86	32	15	47	46	10	56	76	45	121	1	91	92	18	9	8	54
橋本	486	332	818	66	50	116	65	33	98	38	27	65	27	6	33	25	16	41	83	32	115	1	73	74	23	7	16	85
有田	335	258	593	69	29	98	47	47	94	32	32	64	15	15	30	19	15	34	64	30	94	1	35	36	6	2	4	38
御坊	299	253	552	55	30	85	38	41	79	25	31	56	13	10	23	15	12	27	45	30	75	0	49	49	12	4	8	39
田辺	662	522	1,184	106	69	175	94	87	181	61	61	122	33	26	59	34	19	53	107	53	160	0	111	111	33	11	19	89
新宮	397	320	717	64	36	100	58	54	112	35	39	74	23	15	38	24	9	33	52	38	90	0	55	55	15	5	9	57
保健所不定	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
和歌山市	1,889	1,398	3,288	334	162	496	265	230	495	172	159	331	93	71	164	128	57	185	293	142	435	2	284	286	92	28	60	264
海南	320	232	552	59	29	88	37	34	71	23	25	48	14	9	23	22	4	26	61	20	81	0	42	42	14	2	12	30
岩出	514	409	923	100	42	142	75	58	133	43	43	86	32	15	47	46	10	56	76	45	121	1	91	92	18	9	8	54
橋本	486	332	818	66	50	116	65	33	98	38	27	65	27	6	33	25	16	41	83	32	115	1	73	74	23	7	16	85
湯浅	335	258	593	69	29	98	47	47	94	32	32	64	15	15	30	19	15	34	64	30	94	1	35	36	6	2	4	38
御坊	299	253	552	55	30	85	38	41	79	25	31	56	13	10	23	15	12	27	45	30	75	0	49	49	12	4	8	39
田辺	662	522	1,184	106	69	175	94	87	181	61	61	122	33	26	59	34	19	53	107	53	160	0	111	111	33	11	19	89
新宮	397	320	717	64	36	100	58	54	112	35	39	74	23	15	38	24	9	33	52	38	90	0	55	55	15	5	9	57

医療圏別、保健所圏別罹患数 : 部位別、性別

B. 上皮内がんを含む

和歌山県

2018年

医療圏/保健所	全部位 C00-C96			大腸(結腸・直腸)*1 C18-C20			結腸*1 C18			直腸*1 C19-C20			肺 C33-C34			乳房 C50			子宮 C53-C55		子宮頸部 C53
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女
和歌山県	5,349	4,167	9,517	902	695	1,597	590	496	1,086	312	199	511	782	393	1,175	6	819	825	361	216	
医療圏不定	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	
和歌山	2,411	1,828	4,240	398	308	706	261	214	475	137	94	231	355	164	519	3	360	363	162	86	
那賀	567	461	1,028	93	71	164	57	51	108	36	20	56	76	45	121	1	100	101	37	28	
橋本	532	374	906	92	44	136	62	36	98	30	8	38	83	32	115	1	78	79	40	24	
有田	359	278	637	60	55	115	40	38	78	20	17	37	64	30	94	1	38	39	12	8	
御坊	318	282	600	45	43	88	29	33	62	16	10	26	45	30	75	0	56	56	28	20	
田辺	727	583	1,310	134	107	241	92	75	167	42	32	74	107	53	160	0	123	123	56	34	
新宮	435	359	794	80	67	147	49	49	98	31	18	49	52	39	91	0	62	62	26	16	
保健所不定	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	
和歌山市	2,058	1,566	3,625	347	268	615	226	184	410	121	84	205	294	144	438	3	311	314	143	79	
海南	353	262	615	51	40	91	35	30	65	16	10	26	61	20	81	0	49	49	19	7	
岩出	567	461	1,028	93	71	164	57	51	108	36	20	56	76	45	121	1	100	101	37	28	
橋本	532	374	906	92	44	136	62	36	98	30	8	38	83	32	115	1	78	79	40	24	
湯浅	359	278	637	60	55	115	40	38	78	20	17	37	64	30	94	1	38	39	12	8	
御坊	318	282	600	45	43	88	29	33	62	16	10	26	45	30	75	0	56	56	28	20	
田辺	727	583	1,310	134	107	241	92	75	167	42	32	74	107	53	160	0	123	123	56	34	
新宮	435	359	794	80	67	147	49	49	98	31	18	49	52	39	91	0	62	62	26	16	

市区町村別罹患数：部位別、性別

A. 上皮内がんを除く

和歌山県

2018年

市区町村	全部位 C00-C96		胃 C16		大腸(結腸・直腸) C18-C20			結腸 C18		直腸 C19-C20		肝及び胆内胆管 C22			肺 C33-C34		乳房 C50		子宮 C53-C55	子宮頸部 C53		子宮体部 C54	前立腺 C61						
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男							
和歌山	4,902	3,726	8,628	853	447	1,300	679	584	1,263	429	417	846	250	167	417	313	142	455	781	390	1,171	5	741	746	213	68	136	656	
和歌山県内市区町村不定	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
和歌山市	1,889	1,396	3,285	334	162	496	285	230	495	172	159	331	93	71	164	128	57	185	293	142	435	2	284	286	92	28	60	264	
海南市	274	198	472	52	22	74	35	31	66	22	24	46	13	7	20	19	3	22	43	19	62	0	38	38	10	2	8	28	
橋本市	340	215	555	54	29	83	44	25	69	24	20	44	20	5	25	16	7	23	59	24	83	1	52	53	13	3	10	51	
有田市	122	97	219	26	11	37	14	21	35	9	17	26	5	4	9	9	6	15	21	10	31	0	15	15	3	1	2	14	
御坊市	93	84	177	15	7	22	11	14	25	6	11	17	5	3	8	3	5	8	15	13	28	0	14	14	6	3	3	9	
田辺市	378	290	668	61	29	90	56	54	110	35	35	70	21	19	40	25	8	33	65	26	91	0	67	67	17	7	7	43	
新宮市	131	104	235	19	10	29	18	15	33	11	11	22	7	4	11	6	4	10	19	11	30	0	22	22	7	2	4	15	
紀の川市	306	229	535	54	21	75	31	34	65	20	23	43	11	11	22	31	3	34	45	28	73	1	55	56	12	4	7	38	
岩出市	208	180	388	46	21	67	44	24	68	23	20	43	21	4	25	15	7	22	31	17	48	0	36	36	6	5	1	16	
紀美野町	46	34	80	7	7	14	2	3	5	1	1	2	1	2	3	3	1	4	18	1	19	0	4	4	4	0	4	2	
かつらぎ町	90	70	160	5	15	20	13	5	18	7	4	11	6	1	7	6	3	9	15	5	20	0	13	13	5	3	2	23	
九度山町	35	31	66	4	5	9	5	2	7	4	2	6	1	0	1	1	2	3	6	1	7	0	7	7	2	0	2	7	
高野町	21	16	37	3	1	4	3	1	4	3	1	4	0	0	0	2	4	6	3	2	5	0	1	1	3	1	2	4	
湯浅町	66	44	110	13	3	16	9	7	16	7	6	13	2	1	3	3	2	5	13	9	22	0	6	6	0	0	0	6	
広川町	36	20	56	4	3	7	7	6	13	5	5	10	2	1	3	2	2	4	11	1	12	0	1	1	0	0	0	3	
有田川町	111	97	208	26	12	38	17	13	30	11	4	15	6	9	15	5	5	10	19	10	29	1	13	14	3	1	2	15	
美浜町	40	43	83	10	4	14	5	3	8	1	3	4	4	0	4	1	3	4	7	3	10	0	15	15	0	0	0	1	
日高町	43	27	70	8	3	11	5	5	10	4	5	9	1	0	1	3	0	3	6	3	9	0	7	7	2	1	1	8	
由良町	37	24	61	8	3	11	2	4	6	1	3	4	1	1	2	4	1	5	6	4	10	0	4	4	0	0	0	6	
印南町	37	38	75	6	8	14	9	9	18	8	5	13	1	4	5	2	0	2	4	2	6	0	3	3	3	0	3	6	
みなべ町	60	46	106	8	8	16	7	5	12	4	3	7	3	2	5	1	1	2	8	4	12	0	11	11	2	0	2	10	
日高川町	49	37	86	8	5	13	6	6	12	5	4	9	1	2	3	2	3	5	7	5	12	0	6	6	1	0	1	9	
白浜町	139	107	246	22	17	39	18	16	34	13	13	26	5	3	8	6	3	9	23	18	41	0	19	19	8	1	5	24	
上富田町	51	49	100	7	9	16	7	5	12	4	3	7	3	2	5	1	3	4	7	1	8	0	10	10	8	3	5	7	
すさみ町	34	30	64	8	6	14	6	7	13	5	7	12	1	0	1	1	4	5	4	4	8	0	4	4	0	0	0	5	
那智勝浦町	107	80	187	18	5	23	21	13	34	12	8	20	9	5	14	7	3	10	7	12	19	0	15	15	4	1	3	19	
太地町	18	11	29	1	0	1	2	1	3	1	1	2	1	0	1	2	1	3	3	2	5	0	3	3	0	0	0	3	
古座川町	19	22	41	6	3	9	3	5	8	1	4	5	2	1	3	0	0	0	3	4	7	0	3	3	0	0	0	1	
北山村	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
串本町	120	103	223	20	18	38	14	20	34	10	15	25	4	5	9	9	1	10	20	9	29	0	12	12	4	2	2	18	

市区町村別罹患数 : 部位別、性別

A. 上皮内がんを含む

和歌山県

2018年

市区町村	全部位 C00-C96			大腸(結腸-直腸) C18-C20			結腸 C18			直腸 C19-C20			肺 C33-C34			乳房 C50			子宮 C53-C55		子宮頸部 C53	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	男	女
	和歌山	5,349	4,167	9,517	902	695	1,597	590	496	1,086	312	199	511	782	393	1,175	6	819	825	361		
和歌山県内市区町村不定	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0			0
和歌山市	2,058	1,566	3,625	347	268	615	226	184	410	121	84	205	294	144	438	3	311	314	143			79
海南市	302	225	527	48	37	85	33	29	62	15	8	23	43	19	62	0	45	45	15			7
橋本市	372	248	620	66	33	99	43	26	69	23	7	30	59	24	83	1	55	56	26			16
有田市	126	100	226	17	21	38	10	17	27	7	4	11	21	10	31	0	15	15	5			3
御坊市	101	95	196	15	15	30	8	12	20	7	3	10	15	13	28	0	16	16	12			9
田辺市	413	333	746	75	66	141	50	42	92	25	24	49	65	26	91	0	76	76	35			25
新宮市	144	128	272	27	24	51	18	18	36	9	6	15	19	12	31	0	27	27	14			9
紀の川市	333	260	593	39	41	80	26	28	54	13	13	26	45	28	73	1	60	61	24			16
岩出市	234	201	435	54	30	84	31	23	54	23	7	30	31	17	48	0	40	40	13			12
紀美野町	51	37	88	3	3	6	2	1	3	1	2	3	18	1	19	0	4	4	4			0
かつらぎ町	100	78	178	15	7	22	9	6	15	6	1	7	15	5	20	0	15	15	9			7
九度山町	37	32	69	6	3	9	5	3	8	1	0	1	6	1	7	0	7	7	2			0
高野町	23	16	39	5	1	6	5	1	6	0	0	0	3	2	5	0	1	1	3			1
湯浅町	70	51	121	10	12	22	7	9	16	3	3	6	13	9	22	0	6	6	2			2
広川町	39	23	62	9	7	16	7	6	13	2	1	3	11	1	12	0	3	3	0			0
有田川町	124	104	228	24	15	39	16	6	22	8	9	17	19	10	29	1	14	15	5			3
美浜町	43	49	92	5	3	8	1	3	4	4	0	4	7	3	10	0	16	16	4			4
日高町	44	30	74	5	5	10	4	5	9	1	0	1	6	3	9	0	8	8	4			3
由良町	39	25	64	4	4	8	2	3	5	2	1	3	6	4	10	0	5	5	0			0
印南町	40	40	80	10	10	20	9	6	15	1	4	5	4	2	6	0	3	3	4			1
みなべ町	67	51	118	14	6	20	9	3	12	5	3	8	8	4	12	0	12	12	4			2
日高川町	51	43	94	6	6	12	5	4	9	1	2	3	7	5	12	0	8	8	4			3
白浜町	154	113	267	27	20	47	20	17	37	7	3	10	23	18	41	0	20	20	6			1
上富田町	59	55	114	12	7	19	8	5	13	4	2	6	7	1	8	0	11	11	11			6
すさみ町	34	31	65	6	8	14	5	8	13	1	0	1	4	4	8	0	4	4	0			0
那智勝浦町	115	86	201	25	15	40	13	10	23	12	5	17	7	12	19	0	16	16	7			4
太地町	21	12	33	3	1	4	1	1	2	2	0	2	3	2	5	0	3	3	1			1
古座川町	24	23	47	6	5	11	4	4	8	2	1	3	3	4	7	0	3	3	0			0
北山村	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			0
串本町	129	110	239	19	22	41	13	16	29	6	6	12	20	9	29	0	13	13	4			2