

標準集計表

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	4,998	3,662	8,660	100.0	100.0	100.0	1,149.0	747.3	936.2	482.3	338.3	398.8	340.6	251.6	289.1	40.9	27.9	33.9
口腔・咽頭	C00-C14	150	57	207	3.0	1.6	2.4	34.5	11.6	22.4	17.7	5.4	11.1	13.1	3.9	8.2	1.6	0.4	1.0
食道	C15	195	33	228	3.9	0.9	2.6	44.8	6.7	24.6	19.3	2.9	10.3	13.5	2.0	7.3	1.7	0.3	0.9
胃	C16	816	415	1,231	16.3	11.3	14.2	187.6	84.7	133.1	76.8	27.9	49.8	53.1	19.2	34.6	6.6	2.1	4.2
大腸（結腸・直腸）	C18-C20	718	581	1,299	14.4	15.9	15.0	165.1	118.6	140.4	71.0	44.5	56.4	50.4	31.9	40.2	6.1	3.8	4.9
結腸	C18	442	402	844	8.8	11.0	9.7	101.6	82.0	91.2	41.4	28.5	34.2	28.8	20.1	24.0	3.5	2.5	3.0
直腸	C19-C20	276	179	455	5.5	4.9	5.3	63.4	36.5	49.2	29.6	16.0	22.2	21.6	11.8	16.3	2.7	1.3	2.0
肝および肝内胆管	C22	278	137	415	5.6	3.7	4.8	63.9	28.0	44.9	27.1	7.1	16.2	19.1	4.6	11.3	2.1	0.5	1.2
胆のう・胆管	C23-C24	109	77	186	2.2	2.1	2.1	25.1	15.7	20.1	9.4	3.5	6.2	6.4	2.2	4.1	0.7	0.2	0.4
膵臓	C25	196	177	373	3.9	4.8	4.3	45.1	36.1	40.3	19.3	12.6	15.6	13.7	9.0	11.1	1.6	0.9	1.3
喉頭	C32	39	4	43	0.8	0.1	0.5	9.0	0.8	4.6	4.0	0.4	2.1	2.8	0.3	1.5	0.4	0.1	0.2
肺	C33-C34	760	379	1,139	15.2	10.3	13.2	174.7	77.3	123.1	66.3	25.7	43.6	44.5	17.3	29.4	5.3	2.1	3.6
皮膚	C43-C44	131	127	258	2.6	3.5	3.0	30.1	25.9	27.9	13.0	6.5	9.6	9.7	4.4	6.9	1.1	0.5	0.8
乳房	C50	6	695	701	0.1	19.0	8.1	1.4	141.8	75.8	1.0	86.8	46.2	0.9	66.4	35.3	0.1	7.5	4.0
子宮	C53-C55	-	216	216	-	5.9	2.5	-	44.1	-	-	32.4	-	-	25.2	-	-	2.7	-
子宮頸部	C53	-	80	80	-	2.2	0.9	-	16.3	-	-	11.3	-	-	8.7	-	-	0.9	-
子宮体部	C54	-	130	130	-	3.5	1.5	-	26.5	-	-	20.8	-	-	16.3	-	-	1.8	-
卵巣	C56	-	121	121	-	3.3	1.4	-	24.7	-	-	18.7	-	-	15.3	-	-	1.5	-
前立腺	C61	789	-	789	15.8	-	9.1	181.4	-	-	67.6	-	-	45.4	-	-	6.0	-	-
膀胱	C67	152	41	193	3.0	1.1	2.2	34.9	8.4	20.9	12.9	2.7	7.2	8.7	1.9	4.9	1.1	0.2	0.6
腎・尿路（膀胱除く）	C64-C66 C68	151	76	227	3.0	2.1	2.6	34.7	15.5	24.5	15.9	5.6	10.3	11.5	4.0	7.4	1.3	0.5	0.9
脳・中枢神経系	C70-C72	25	22	47	0.5	0.6	0.5	5.7	4.5	5.1	3.7	2.5	3.0	3.7	2.1	2.9	0.3	0.2	0.2
甲状腺	C73	46	120	166	0.9	3.3	1.9	10.6	24.5	17.9	6.9	18.1	12.6	5.2	14.6	10.0	0.6	1.5	1.0
悪性リンパ腫	C81-C85 C96	164	149	313	3.3	4.1	3.6	37.7	30.4	33.8	16.5	14.9	15.4	11.8	11.7	11.6	1.4	1.4	1.4
多発性骨髄腫	C88-C90	27	28	55	0.5	0.8	0.6	6.2	5.7	5.9	2.9	1.9	2.4	2.1	1.4	1.7	0.3	0.2	0.2
白血病	C91-C95	75	54	129	1.5	1.5	1.5	17.2	11.0	13.9	9.2	5.5	7.2	7.1	4.1	5.5	0.7	0.5	0.6

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	5,486	4,173	9,659	100.0	100.0	100.0	1,261.1	851.6	1,044.2	533.9	419.3	464.4	377.5	317.2	339.9	45.6	34.2	39.4
食道	C15 D001	217	47	264	4.0	1.1	2.7	49.9	9.6	28.5	21.2	4.2	11.9	14.8	3.0	8.4	1.9	0.4	1.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	959	720	1,679	17.5	17.3	17.4	220.5	146.9	181.5	98.8	58.0	76.4	70.7	41.8	55.0	8.8	5.0	6.8
結腸 *2	C18 D010	600	501	1,101	10.9	12.0	11.4	137.9	102.2	119.0	59.2	38.1	47.6	41.6	27.2	33.7	5.2	3.4	4.2
直腸 *2	C19-C20 D011-D012	359	219	578	6.5	5.2	6.0	82.5	44.7	62.5	39.6	19.9	28.9	29.1	14.6	21.3	3.6	1.6	2.6
肺	C33-C34 D021-D022	762	390	1,152	13.9	9.3	11.9	175.2	79.6	124.5	66.4	26.6	44.1	44.6	18.0	29.8	5.4	2.2	3.7
皮膚	C43-C44 D030-D049	154	164	318	2.8	3.9	3.3	35.4	33.5	34.4	14.9	9.1	11.8	10.9	6.2	8.4	1.2	0.7	0.9
乳房	C50 D05	7	779	786	0.1	18.7	8.1	1.6	159.0	85.0	1.1	98.6	52.4	0.9	75.5	40.1	0.1	8.5	4.5
子宮	C53-C55 D06	-	374	374	-	9.0	3.9	-	76.3	-	-	77.9	-	-	64.5	-	-	5.8	-
子宮頸部	C53 D06	-	238	238	-	5.7	2.5	-	48.6	-	-	56.8	-	-	48.0	-	-	4.1	-
膀胱	C67 D090	294	76	370	5.4	1.8	3.8	67.6	15.5	40.0	25.8	5.3	14.3	17.6	3.7	9.9	2.1	0.4	1.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	4,998	6	1	1	3	7	1	10	14	50	65	110	182	403	700	1,029	937	770	469	208	31	1	0
	口腔・咽頭	C00-C14	150	0	0	0	0	1	0	1	1	6	5	5	8	18	18	39	16	18	9	4	1	0	0
	食道	C15	195	0	0	0	0	0	0	0	0	0	3	7	4	20	34	42	50	22	10	3	0	0	0
	胃	C16	816	0	0	0	0	0	0	0	1	4	9	19	30	73	111	170	152	140	77	28	2	0	0
	大腸（結腸・直腸）	C18-C20	718	0	0	0	0	1	0	1	1	7	9	19	27	75	115	133	139	96	61	28	6	0	0
	結腸	C18	442	0	0	0	0	0	0	1	0	3	3	6	18	41	69	80	91	66	39	19	6	0	0
	直腸	C19-C20	276	0	0	0	0	1	0	0	1	4	6	13	9	34	46	53	48	30	22	9	0	0	0
	肝および肝内胆管	C22	278	1	0	0	0	0	0	0	1	4	6	7	9	26	32	43	50	62	24	11	2	0	0
	胆のう・胆管	C23-C24	109	0	0	0	0	0	0	0	1	1	1	1	2	9	9	20	24	17	18	4	2	0	0
	膵臓	C25	196	0	0	0	0	1	0	0	0	0	4	4	10	19	29	37	44	21	18	7	2	0	0
	喉頭	C32	39	0	0	0	0	0	0	0	0	1	0	1	2	2	9	12	4	6	2	0	0	0	0
	肺	C33-C34	760	0	0	0	0	0	0	1	2	3	6	7	22	43	98	160	163	134	86	30	4	1	0
	皮膚	C43-C44	131	0	0	0	0	1	1	0	0	1	1	6	6	14	14	24	15	14	19	12	3	0	0
	乳房	C50	6	0	0	0	1	0	0	0	0	0	1	0	1	0	1	0	1	0	0	1	0	0	0
	前立腺	C61	789	0	0	0	0	0	0	0	0	1	2	5	15	45	119	200	174	121	74	31	2	0	0
	膀胱	C67	152	0	0	0	0	0	0	0	0	2	1	2	4	5	22	34	21	31	19	9	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	151	0	0	0	0	0	0	0	0	4	2	7	13	15	20	21	19	20	15	14	1	0	0
	脳・中枢神経系	C70-C72	25	2	1	0	0	0	0	0	0	1	1	1	3	1	1	3	5	2	3	0	1	0	0
	甲状腺	C73	46	0	0	0	0	0	0	1	2	3	3	4	4	5	2	11	7	2	0	2	0	0	0
	悪性リンパ腫	C81-C85 C96	164	0	0	0	1	0	0	0	1	3	3	6	5	12	28	27	22	34	14	7	1	0	0
	多発性骨髄腫	C88-C90	27	0	0	0	0	0	0	0	0	1	2	0	2	2	3	6	4	3	1	3	0	0	0
	白血病	C91-C95	75	1	0	0	0	0	0	3	0	3	2	2	6	7	8	11	11	11	7	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	3,662	2	0	3	2	9	11	29	37	92	144	156	207	261	376	548	544	526	390	244	72	9	0
	口腔・咽頭	C00-C14	57	0	0	0	0	0	0	1	4	0	1	1	3	3	4	12	7	13	4	2	1	1	0
	食道	C15	33	0	0	0	0	0	0	0	0	0	1	2	4	2	1	8	5	5	2	2	1	0	0
	胃	C16	415	0	0	0	0	0	0	3	3	3	3	7	13	22	37	54	78	81	60	43	8	0	0
	大腸（結腸・直腸）	C18-C20	581	0	0	0	0	1	1	1	0	6	14	16	24	35	68	104	109	77	59	50	14	2	0
	結腸	C18	402	0	0	0	0	0	0	0	0	3	4	8	17	27	50	69	75	52	47	38	10	2	0
	直腸	C19-C20	179	0	0	0	0	1	1	1	0	3	10	8	7	8	18	35	34	25	12	12	4	0	0
	肝および肝内胆管	C22	137	0	0	0	0	0	0	0	0	0	0	2	1	4	8	22	25	33	28	11	2	1	0
	胆のう・胆管	C23-C24	77	0	0	0	0	0	0	0	0	0	0	0	2	0	5	9	11	18	19	11	1	1	0
	膵臓	C25	177	0	0	1	0	1	0	1	1	3	1	6	6	4	12	28	32	31	31	13	5	1	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	0	0	0	0	0	0
	肺	C33-C34	379	0	0	0	0	0	0	0	0	0	6	6	10	21	39	71	81	84	34	18	8	1	0
	皮膚	C43-C44	127	0	0	0	0	0	0	1	0	2	0	2	4	0	6	17	12	22	30	22	8	1	0
	乳房	C50	695	0	0	0	0	0	0	1	10	41	62	65	60	82	92	89	80	51	29	26	6	1	0
	子宮	C53-C55	216	0	0	0	0	0	2	5	6	11	23	22	35	28	19	21	18	16	7	2	1	0	0
	子宮頸部	C53	80	0	0	0	0	0	0	2	3	3	13	5	9	7	9	9	8	8	3	0	1	0	0
	子宮体部	C54	130	0	0	0	0	0	2	3	3	8	10	17	25	21	10	12	10	6	2	1	0	0	0
	卵巣	C56	121	0	0	0	2	2	2	4	5	9	12	6	11	11	16	11	12	7	7	4	0	0	0
	膀胱	C67	41	0	0	0	0	0	0	0	0	1	1	2	0	4	1	2	7	7	7	7	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	76	0	0	0	0	0	0	0	0	0	3	2	3	4	11	13	10	13	11	5	1	0	0
	脳・中枢神経系	C70-C72	22	0	0	1	0	1	0	1	0	1	1	0	0	0	2	2	4	4	3	0	2	0	0
	甲状腺	C73	120	0	0	1	0	3	2	8	3	5	6	9	12	11	11	17	13	8	8	3	0	0	0
	悪性リンパ腫	C81-C85 C96	149	1	0	0	0	1	1	0	4	6	3	3	7	15	15	35	12	21	14	8	3	0	0
	多発性骨髄腫	C88-C90	28	0	0	0	0	0	0	0	0	0	0	0	2	2	3	7	3	5	4	2	0	0	0
	白血病	C91-C95	54	0	0	0	0	0	0	1	1	1	4	1	5	3	9	6	5	9	5	4	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	8,660	8	1	4	5	16	12	39	51	142	209	266	389	664	1,076	1,577	1,481	1,296	859	452	103	10	0
	口腔・咽頭	C00-C14	207	0	0	0	0	1	0	2	5	6	6	6	11	21	22	51	23	31	13	6	2	1	0
	食道	C15	228	0	0	0	0	0	0	0	0	0	4	9	8	22	35	50	55	27	12	5	1	0	0
	胃	C16	1,231	0	0	0	0	0	0	3	4	7	12	26	43	95	148	224	230	221	137	71	10	0	0
	大腸（結腸・直腸）	C18-C20	1,299	0	0	0	0	2	1	2	1	13	23	35	51	110	183	237	248	173	120	78	20	2	0
	結腸	C18	844	0	0	0	0	0	0	1	0	6	7	14	35	68	119	149	166	118	86	57	16	2	0
	直腸	C19-C20	455	0	0	0	0	2	1	1	1	7	16	21	16	42	64	88	82	55	34	21	4	0	0
	肝および肝内胆管	C22	415	1	0	0	0	0	0	0	1	4	6	9	10	30	40	65	75	95	52	22	4	1	0
	胆のう・胆管	C23-C24	186	0	0	0	0	0	0	0	1	1	1	1	4	9	14	29	35	35	37	15	3	1	0
	膵臓	C25	373	0	0	1	0	2	0	1	1	3	5	10	16	23	41	65	76	52	49	20	7	1	0
	喉頭	C32	43	0	0	0	0	0	0	0	0	1	0	1	3	2	10	14	4	6	2	0	0	0	0
	肺	C33-C34	1,139	0	0	0	0	0	0	1	2	3	12	13	32	64	137	231	244	218	120	48	12	2	0
	皮膚	C43-C44	258	0	0	0	0	1	1	1	0	3	1	8	10	14	20	41	27	36	49	34	11	1	0
	乳房	C50	701	0	0	0	1	0	0	1	10	41	63	65	61	82	93	89	81	51	29	27	6	1	0
	子宮	C53-C55	216	0	0	0	0	0	2	5	6	11	23	22	35	28	19	21	18	16	7	2	1	0	0
	子宮頸部	C53	80	0	0	0	0	0	0	2	3	3	13	5	9	7	9	9	8	8	3	0	1	0	0
	子宮体部	C54	130	0	0	0	0	0	2	3	3	8	10	17	25	21	10	12	10	6	2	1	0	0	0
	卵巣	C56	121	0	0	0	2	2	2	4	5	9	12	6	11	11	16	11	12	7	7	4	0	0	0
	前立腺	C61	789	0	0	0	0	0	0	0	0	1	2	5	15	45	119	200	174	121	74	31	2	0	0
	膀胱	C67	193	0	0	0	0	0	0	0	0	3	2	4	4	9	23	36	28	38	26	16	4	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	227	0	0	0	0	0	0	0	0	4	5	9	16	19	31	34	29	33	26	19	2	0	0
	脳・中枢神経系	C70-C72	47	2	1	1	0	1	0	1	0	2	2	1	3	1	3	5	9	6	6	0	3	0	0
	甲状腺	C73	166	0	0	1	0	3	2	9	5	8	9	13	16	16	13	28	20	10	8	5	0	0	0
	悪性リンパ腫	C81-C85 C96	313	1	0	0	1	1	1	0	5	9	6	9	12	27	43	62	34	55	28	15	4	0	0
	多発性骨髄腫	C88-C90	55	0	0	0	0	0	0	0	0	1	2	0	4	4	6	13	7	8	5	5	0	0	0
	白血病	C91-C95	129	1	0	0	0	0	0	4	1	4	6	3	11	10	17	17	16	20	12	7	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	5,486	6	1	1	3	8	1	11	14	52	78	129	214	446	786	1,127	1,015	842	497	220	31	4	0
	食道	C15 D001	217	0	0	0	0	0	0	0	0	0	3	7	4	22	39	47	53	29	10	3	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	959	0	0	0	0	1	0	1	1	8	17	27	49	107	169	176	175	125	67	30	6	0	0
	結腸 *2	C18 D010	600	0	0	0	0	0	0	1	0	4	7	11	31	60	104	110	121	84	41	20	6	0	0
	直腸 *2	C19-C20 D011-D012	359	0	0	0	0	1	0	0	1	4	10	16	18	47	65	66	54	41	26	10	0	0	0
	肺	C33-C34 D021-D022	762	0	0	0	0	0	0	1	2	3	6	7	22	43	98	162	163	134	86	30	4	1	0
	皮膚	C43-C44 D030-D049	154	0	0	0	0	1	1	0	0	1	2	6	6	15	14	31	20	19	22	13	3	0	0
	乳房	C50 D05	7	0	0	0	1	0	0	0	0	0	0	1	0	1	0	1	1	1	0	0	1	0	0
	膀胱	C67 D090	294	0	0	0	0	1	0	0	0	0	2	2	9	10	9	40	60	47	58	36	16	2	2
	女	全部位	C00-C96 D00-D09	4,173	2	0	3	3	16	30	56	58	131	194	183	235	298	433	613	601	570	414	250	74	9
食道		C15 D001	47	0	0	0	0	0	0	0	0	0	2	3	5	3	2	11	6	8	4	2	1	0	0
大腸（結腸・直腸）*2		C18-C20 D010-D012	720	0	0	0	0	1	1	1	2	9	21	22	30	46	93	128	134	94	69	52	15	2	0
結腸 *2		C18 D010	501	0	0	0	0	0	0	0	2	5	8	10	22	35	72	87	92	63	54	38	11	2	0
直腸 *2		C19-C20 D011-D012	219	0	0	0	0	1	1	1	0	4	13	12	8	11	21	41	42	31	15	14	4	0	0
肺		C33-C34 D021-D022	390	0	0	0	0	0	0	0	0	0	6	6	10	22	43	74	83	85	34	18	8	1	0
皮膚		C43-C44 D030-D049	164	0	0	0	0	0	0	1	0	2	0	3	6	4	8	22	18	31	34	25	9	1	0
乳房		C50 D05	779	0	0	0	0	0	0	1	10	48	72	76	68	93	103	100	87	58	30	26	6	1	0
子宮		C53-C55 D06	374	0	0	0	1	7	21	32	25	40	53	30	40	33	25	22	19	16	7	2	1	0	0
子宮頸部		C53 D06	238	0	0	0	1	7	19	29	22	32	43	13	14	12	15	10	9	8	3	0	1	0	0
膀胱	C67 D090	76	0	0	0	0	0	0	0	0	1	2	2	3	5	5	11	13	11	13	8	2	0	0	
総数 *3	全部位	C00-C96 D00-D09	9,659	8	1	4	6	24	31	67	72	183	272	312	449	744	1,219	1,740	1,616	1,412	911	470	105	13	0
	食道	C15 D001	264	0	0	0	0	0	0	0	0	0	5	10	9	25	41	58	59	37	14	5	1	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,679	0	0	0	0	2	1	2	3	17	38	49	79	153	262	304	309	219	136	82	21	2	0
	結腸 *2	C18 D010	1,101	0	0	0	0	0	0	1	2	9	15	21	53	95	176	197	213	147	95	58	17	2	0
	直腸 *2	C19-C20 D011-D012	578	0	0	0	0	2	1	1	1	8	23	28	26	58	86	107	96	72	41	24	4	0	0
	肺	C33-C34 D021-D022	1,152	0	0	0	0	0	0	1	2	3	12	13	32	65	141	236	246	219	120	48	12	2	0
	皮膚	C43-C44 D030-D049	318	0	0	0	0	1	1	1	0	3	2	9	12	19	22	53	38	50	56	38	12	1	0
	乳房	C50 D05	786	0	0	0	1	0	0	1	10	48	73	76	69	93	104	101	88	58	30	27	6	1	0
	子宮	C53-C55 D06	374	0	0	0	1	7	21	32	25	40	53	30	40	33	25	22	19	16	7	2	1	0	0
	子宮頸部	C53 D06	238	0	0	0	1	7	19	29	22	32	43	13	14	12	15	10	9	8	3	0	1	0	0
	膀胱	C67 D090	370	0	0	0	0	1	0	0	0	3	4	11	13	14	45	71	60	69	49	24	4	2	0

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	1,149.0	35.3	5.6	5.0	13.6	36.8	5.9	47.6	60.9	178.6	197.0	379.3	650.0	1,389.7	2,058.8	3,118.2	3,470.4	4,277.8	2,758.8
	口腔・咽頭	C00-C14	34.5	0.0	0.0	0.0	0.0	5.3	0.0	4.8	4.3	21.4	15.2	17.2	28.6	62.1	52.9	118.2	59.3	100.0	52.9
	食道	C15	44.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	24.1	14.3	69.0	100.0	127.3	185.2	122.2	58.8
	胃	C16	187.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	14.3	27.3	65.5	107.1	251.7	326.5	515.2	563.0	777.8	452.9
	大腸（結腸・直腸）	C18-C20	165.1	0.0	0.0	0.0	0.0	5.3	0.0	4.8	4.3	25.0	27.3	65.5	96.4	258.6	338.2	403.0	514.8	533.3	358.8
	結腸	C18	101.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	10.7	9.1	20.7	64.3	141.4	202.9	242.4	337.0	366.7	229.4
	直腸	C19-C20	63.4	0.0	0.0	0.0	0.0	5.3	0.0	0.0	4.3	14.3	18.2	44.8	32.1	117.2	135.3	160.6	177.8	166.7	129.4
	肝および肝内胆管	C22	63.9	5.9	0.0	0.0	0.0	0.0	0.0	0.0	4.3	14.3	18.2	24.1	32.1	89.7	94.1	130.3	185.2	344.4	141.2
	胆のう・胆管	C23-C24	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	3.0	3.4	7.1	31.0	26.5	60.6	88.9	94.4	105.9
	膵臓	C25	45.1	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	12.1	13.8	35.7	65.5	85.3	112.1	163.0	116.7	105.9
	喉頭	C32	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.4	7.1	6.9	26.5	36.4	14.8	33.3	11.8
	肺	C33-C34	174.7	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.7	10.7	18.2	24.1	78.6	148.3	288.2	484.8	603.7	744.4	505.9
	皮膚	C43-C44	30.1	0.0	0.0	0.0	0.0	5.3	5.9	0.0	0.0	3.6	3.0	20.7	21.4	48.3	41.2	72.7	55.6	77.8	111.8
	乳房	C50	1.4	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	3.0	0.0	3.6	0.0	2.9	0.0	3.7	0.0	0.0
	前立腺	C61	181.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.1	17.2	53.6	155.2	350.0	606.1	644.4	672.2	435.3
	膀胱	C67	34.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.0	6.9	14.3	17.2	64.7	103.0	77.8	172.2	111.8
	腎・尿路（膀胱除く）	C64-C66 C68	34.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	6.1	24.1	46.4	51.7	58.8	63.6	70.4	111.1	88.2
	脳・中枢神経系	C70-C72	5.7	11.8	5.6	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.0	3.4	10.7	3.4	2.9	9.1	18.5	11.1	17.6
	甲状腺	C73	10.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.7	10.7	9.1	13.8	14.3	17.2	5.9	33.3	25.9	11.1	0.0
	悪性リンパ腫	C81-C85 C96	37.7	0.0	0.0	0.0	4.5	0.0	0.0	0.0	4.3	10.7	9.1	20.7	17.9	41.4	82.4	81.8	81.5	188.9	82.4
	多発性骨髄腫	C88-C90	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.1	0.0	7.1	6.9	8.8	18.2	14.8	16.7	5.9
	白血病	C91-C95	17.2	5.9	0.0	0.0	0.0	0.0	0.0	14.3	0.0	10.7	6.1	6.9	21.4	24.1	23.5	33.3	40.7	61.1	41.2

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	747.3	12.5	0.0	15.8	9.5	50.0	64.7	138.1	154.2	317.2	423.5	487.5	667.7	815.6	1,016.2	1,405.1	1,554.3	1,878.6	1,026.3	-	-	-	-
	口腔・咽頭	C00-C14	11.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	16.7	0.0	2.9	3.1	9.7	9.4	10.8	30.8	20.0	46.4	10.5	-	-	-	-
	食道	C15	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.3	12.9	6.3	2.7	20.5	14.3	17.9	5.3	-	-	-	-
	胃	C16	84.7	0.0	0.0	0.0	0.0	0.0	0.0	14.3	12.5	10.3	8.8	21.9	41.9	68.8	100.0	138.5	222.9	289.3	157.9	-	-	-	-
	大腸（結腸・直腸）	C18-C20	118.6	0.0	0.0	0.0	0.0	5.6	5.9	4.8	0.0	20.7	41.2	50.0	77.4	109.4	183.8	266.7	311.4	275.0	155.3	-	-	-	-
	結腸	C18	82.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	11.8	25.0	54.8	84.4	135.1	176.9	214.3	185.7	123.7	-	-	-	-
	直腸	C19-C20	36.5	0.0	0.0	0.0	0.0	5.6	5.9	4.8	0.0	10.3	29.4	25.0	22.6	25.0	48.6	89.7	97.1	89.3	31.6	-	-	-	-
	肝および肝内胆管	C22	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	3.2	12.5	21.6	56.4	71.4	117.9	73.7	-	-	-	-
	胆のう・胆管	C23-C24	15.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.0	13.5	23.1	31.4	64.3	50.0	-	-	-	-
	膵臓	C25	36.1	0.0	0.0	5.3	0.0	5.6	0.0	4.8	4.2	10.3	2.9	18.8	19.4	12.5	32.4	71.8	91.4	110.7	81.6	-	-	-	-
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.7	5.1	0.0	0.0	0.0	-	-	-	-
	肺	C33-C34	77.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	18.8	32.3	65.6	105.4	182.1	231.4	300.0	89.5	-	-	-	-
	皮膚	C43-C44	25.9	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	6.9	0.0	6.3	12.9	0.0	16.2	43.6	34.3	78.6	78.9	-	-	-	-
	乳房	C50	141.8	0.0	0.0	0.0	0.0	0.0	0.0	4.8	41.7	141.4	182.4	203.1	193.5	256.3	248.6	228.2	228.6	182.1	76.3	-	-	-	-
	子宮	C53-C55	44.1	0.0	0.0	0.0	0.0	0.0	11.8	23.8	25.0	37.9	67.6	68.8	112.9	87.5	51.4	53.8	51.4	57.1	18.4	-	-	-	-
	子宮頸部	C53	16.3	0.0	0.0	0.0	0.0	0.0	0.0	9.5	12.5	10.3	38.2	15.6	29.0	21.9	24.3	23.1	22.9	28.6	7.9	-	-	-	-
	子宮体部	C54	26.5	0.0	0.0	0.0	0.0	0.0	11.8	14.3	12.5	27.6	29.4	53.1	80.6	65.6	27.0	30.8	28.6	21.4	5.3	-	-	-	-
	卵巣	C56	24.7	0.0	0.0	0.0	9.5	11.1	11.8	19.0	20.8	31.0	35.3	18.8	35.5	34.4	43.2	28.2	34.3	25.0	18.4	-	-	-	-
	膀胱	C67	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	2.9	6.3	0.0	12.5	2.7	5.1	20.0	25.0	18.4	-	-	-	-
	腎・尿路（膀胱除く）	C64-C66 C68	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	6.3	9.7	12.5	29.7	33.3	28.6	46.4	28.9	-	-	-	-
	脳・中枢神経系	C70-C72	4.5	0.0	0.0	5.3	0.0	5.6	0.0	4.8	0.0	3.4	2.9	0.0	0.0	0.0	5.4	5.1	11.4	14.3	7.9	-	-	-	-
	甲状腺	C73	24.5	0.0	0.0	5.3	0.0	16.7	11.8	38.1	12.5	17.2	17.6	28.1	38.7	34.4	29.7	43.6	37.1	28.6	21.1	-	-	-	-
	悪性リンパ腫	C81-C85 C96	30.4	6.3	0.0	0.0	0.0	5.6	5.9	0.0	16.7	20.7	8.8	9.4	22.6	46.9	40.5	89.7	34.3	75.0	36.8	-	-	-	-
	多発性骨髄腫	C88-C90	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	6.3	8.1	17.9	8.6	17.9	10.5	-	-	-	-
	白血病	C91-C95	11.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.2	3.4	11.8	3.1	16.1	9.4	24.3	15.4	14.3	32.1	13.2	-	-	-	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	936.2	24.2	2.8	10.3	11.6	43.2	35.3	92.9	108.5	249.1	311.9	436.1	659.3	1,088.5	1,515.5	2,190.3	2,388.7	2,817.4	1,561.8
	口腔・咽頭	C00-C14	22.4	0.0	0.0	0.0	0.0	2.7	0.0	4.8	10.6	10.5	9.0	9.8	18.6	34.4	31.0	70.8	37.1	67.4	23.6
	食道	C15	24.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	14.8	13.6	36.1	49.3	69.4	88.7	58.7	21.8
	胃	C16	133.1	0.0	0.0	0.0	0.0	0.0	0.0	7.1	8.5	12.3	17.9	42.6	72.9	155.7	208.5	311.1	371.0	480.4	249.1
	大腸（結腸・直腸）	C18-C20	140.4	0.0	0.0	0.0	0.0	5.4	2.9	4.8	2.1	22.8	34.3	57.4	86.4	180.3	257.7	329.2	400.0	376.1	218.2
	結腸	C18	91.2	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	10.5	10.4	23.0	59.3	111.5	167.6	206.9	267.7	256.5	156.4
	直腸	C19-C20	49.2	0.0	0.0	0.0	0.0	5.4	2.9	2.4	2.1	12.3	23.9	34.4	27.1	68.9	90.1	122.2	132.3	119.6	61.8
	肝および肝内胆管	C22	44.9	3.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	7.0	9.0	14.8	16.9	49.2	56.3	90.3	121.0	206.5	94.5
	胆のう・胆管	C23-C24	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.8	1.5	1.6	6.8	14.8	19.7	40.3	56.5	76.1	67.3
	膵臓	C25	40.3	0.0	0.0	2.6	0.0	5.4	0.0	2.4	2.1	5.3	7.5	16.4	27.1	37.7	57.7	90.3	122.6	113.0	89.1
	喉頭	C32	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.6	5.1	3.3	14.1	19.4	6.5	13.0	3.6
	肺	C33-C34	123.1	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.3	5.3	17.9	21.3	54.2	104.9	193.0	320.8	393.5	473.9	218.2
	皮膚	C43-C44	27.9	0.0	0.0	0.0	0.0	2.7	2.9	2.4	0.0	5.3	1.5	13.1	16.9	23.0	28.2	56.9	43.5	78.3	89.1
	乳房	C50	75.8	0.0	0.0	0.0	2.3	0.0	0.0	2.4	21.3	71.9	94.0	106.6	103.4	134.4	131.0	123.6	130.6	110.9	52.7
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	3.0	6.6	6.8	14.8	32.4	50.0	45.2	82.6	47.3
	腎・尿路（膀胱除く）	C64-C66 C68	24.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	7.5	14.8	27.1	31.1	43.7	47.2	46.8	71.7	47.3
	脳・中枢神経系	C70-C72	5.1	6.1	2.8	2.6	0.0	2.7	0.0	2.4	0.0	3.5	3.0	1.6	5.1	1.6	4.2	6.9	14.5	13.0	10.9
	甲状腺	C73	17.9	0.0	0.0	2.6	0.0	8.1	5.9	21.4	10.6	14.0	13.4	21.3	27.1	26.2	18.3	38.9	32.3	21.7	14.5
	悪性リンパ腫	C81-C85 C96	33.8	3.0	0.0	0.0	2.3	2.7	2.9	0.0	10.6	15.8	9.0	14.8	20.3	44.3	60.6	86.1	54.8	119.6	50.9
	多発性骨髄腫	C88-C90	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	3.0	0.0	6.8	6.6	8.5	18.1	11.3	17.4	9.1
	白血病	C91-C95	13.9	3.0	0.0	0.0	0.0	0.0	0.0	9.5	2.1	7.0	9.0	4.9	18.6	16.4	23.9	23.6	25.8	43.5	21.8

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,261.1	35.3	5.6	5.0	13.6	42.1	5.9	52.4	60.9	185.7	236.4	444.8	764.3	1,537.9	2,311.8	3,415.2	3,759.3	4,677.8	2,923.5	-	-	-	-	
	食道	C15 D001	49.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	24.1	14.3	75.9	114.7	142.4	196.3	161.1	58.8	-	-	-	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	220.5	0.0	0.0	0.0	0.0	5.3	0.0	4.8	4.3	28.6	51.5	93.1	175.0	369.0	497.1	533.3	648.1	694.4	394.1	-	-	-	-	
	結腸 *2	C18 D010	137.9	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	14.3	21.2	37.9	110.7	206.9	305.9	333.3	448.1	466.7	241.2	-	-	-	-	
	直腸 *2	C19-C20 D011-D012	82.5	0.0	0.0	0.0	0.0	5.3	0.0	0.0	4.3	14.3	30.3	55.2	64.3	162.1	191.2	200.0	200.0	227.8	152.9	-	-	-	-	
	肺	C33-C34 D021-D022	175.2	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.7	10.7	18.2	24.1	78.6	148.3	288.2	490.9	603.7	744.4	505.9	-	-	-	-	
	皮膚	C43-C44 D030-D049	35.4	0.0	0.0	0.0	0.0	5.3	5.9	0.0	0.0	3.6	6.1	20.7	21.4	51.7	41.2	93.9	74.1	105.6	129.4	-	-	-	-	
	乳房	C50 D05	1.6	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	3.6	0.0	2.9	3.0	3.7	0.0	0.0	-	-	-	-
	膀胱	C67 D090	67.6	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	7.1	6.1	31.0	35.7	31.0	117.6	181.8	174.1	322.2	211.8	-	-	-	-
女	全部位	C00-C96 D00-D09	851.6	12.5	0.0	15.8	14.3	88.9	176.5	266.7	241.7	451.7	570.6	571.9	758.1	931.3	1,170.3	1,571.8	1,717.1	2,035.7	1,089.5	-	-	-	-	
	食道	C15 D001	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	9.4	16.1	9.4	5.4	28.2	17.1	28.6	10.5	-	-	-	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	146.9	0.0	0.0	0.0	0.0	5.6	5.9	4.8	8.3	31.0	61.8	68.8	96.8	143.8	251.4	328.2	382.9	335.7	181.6	-	-	-	-	
	結腸 *2	C18 D010	102.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	17.2	23.5	31.3	71.0	109.4	194.6	223.1	262.9	225.0	142.1	-	-	-	-	
	直腸 *2	C19-C20 D011-D012	44.7	0.0	0.0	0.0	0.0	5.6	5.9	4.8	0.0	13.8	38.2	37.5	25.8	34.4	56.8	105.1	120.0	110.7	39.5	-	-	-	-	
	肺	C33-C34 D021-D022	79.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	18.8	32.3	68.8	116.2	189.7	237.1	303.6	89.5	-	-	-	-	
	皮膚	C43-C44 D030-D049	33.5	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	6.9	0.0	9.4	19.4	12.5	21.6	56.4	51.4	110.7	89.5	-	-	-	-	
	乳房	C50 D05	159.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	41.7	165.5	211.8	237.5	219.4	290.6	278.4	256.4	248.6	207.1	78.9	-	-	-	-	
	子宮	C53-C55 D06	76.3	0.0	0.0	0.0	4.8	38.9	123.5	152.4	104.2	137.9	155.9	93.8	129.0	103.1	67.6	56.4	54.3	57.1	18.4	-	-	-	-	
子宮頸部	C53 D06	48.6	0.0	0.0	0.0	4.8	38.9	111.8	138.1	91.7	110.3	126.5	40.6	45.2	37.5	40.5	25.6	25.7	28.6	7.9	-	-	-	-		
膀胱	C67 D090	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	5.9	6.3	9.7	15.6	13.5	28.2	37.1	39.3	34.2	-	-	-	-		
総数 *3	全部位	C00-C96 D00-D09	1,044.2	24.2	2.8	10.3	14.0	64.9	91.2	159.5	153.2	321.1	406.0	511.5	761.0	1,219.7	1,716.9	2,416.7	2,606.5	3,069.6	1,656.4	-	-	-	-	
	食道	C15 D001	28.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	16.4	15.3	41.0	57.7	80.6	95.2	80.4	25.5	-	-	-	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	181.5	0.0	0.0	0.0	0.0	5.4	2.9	4.8	6.4	29.8	56.7	80.3	133.9	250.8	369.0	422.2	498.4	476.1	247.3	-	-	-	-	
	結腸 *2	C18 D010	119.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.3	15.8	22.4	34.4	89.8	155.7	247.9	273.6	343.5	319.6	172.7	-	-	-	-	
	直腸 *2	C19-C20 D011-D012	62.5	0.0	0.0	0.0	0.0	5.4	2.9	2.4	2.1	14.0	34.3	45.9	44.1	95.1	121.1	148.6	154.8	156.5	74.5	-	-	-	-	
	肺	C33-C34 D021-D022	124.5	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.3	5.3	17.9	21.3	54.2	106.6	198.6	327.8	396.8	476.1	218.2	-	-	-	-	
	皮膚	C43-C44 D030-D049	34.4	0.0	0.0	0.0	0.0	2.7	2.9	2.4	0.0	5.3	3.0	14.8	20.3	31.1	31.0	73.6	61.3	108.7	101.8	-	-	-	-	
	乳房	C50 D05	85.0	0.0	0.0	0.0	2.3	0.0	0.0	2.4	21.3	84.2	109.0	124.6	116.9	152.5	146.5	140.3	141.9	126.1	54.5	-	-	-	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	40.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	5.3	6.0	18.0	22.0	23.0	63.4	98.6	96.8	150.0	89.1	-	-	-	-		

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,149.0	35.3	5.6	5.0	13.6	36.8	5.9	47.6	60.9	178.6	197.0	379.3	650.0	1,389.7	2,058.8	3,118.2	3,470.4	4,277.8	4,170.6	-
	口腔・咽頭	C00-C14	34.5	0.0	0.0	0.0	0.0	5.3	0.0	4.8	4.3	21.4	15.2	17.2	28.6	62.1	52.9	118.2	59.3	100.0	82.4	-
	食道	C15	44.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	24.1	14.3	69.0	100.0	127.3	185.2	122.2	76.5	-
	胃	C16	187.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	14.3	27.3	65.5	107.1	251.7	326.5	515.2	563.0	777.8	629.4	-
	大腸（結腸・直腸）	C18-C20	165.1	0.0	0.0	0.0	0.0	5.3	0.0	4.8	4.3	25.0	27.3	65.5	96.4	258.6	338.2	403.0	514.8	533.3	558.8	-
	結腸	C18	101.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	10.7	9.1	20.7	64.3	141.4	202.9	242.4	337.0	366.7	376.5	-
	直腸	C19-C20	63.4	0.0	0.0	0.0	0.0	5.3	0.0	0.0	4.3	14.3	18.2	44.8	32.1	117.2	135.3	160.6	177.8	166.7	182.4	-
	肝および肝内胆管	C22	63.9	5.9	0.0	0.0	0.0	0.0	0.0	0.0	4.3	14.3	18.2	24.1	32.1	89.7	94.1	130.3	185.2	344.4	217.6	-
	胆のう・胆管	C23-C24	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	3.0	3.4	7.1	31.0	26.5	60.6	88.9	94.4	141.2	-
	膵臓	C25	45.1	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	12.1	13.8	35.7	65.5	85.3	112.1	163.0	116.7	158.8	-
	喉頭	C32	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.4	7.1	6.9	26.5	36.4	14.8	33.3	11.8	-
	肺	C33-C34	174.7	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.7	10.7	18.2	24.1	78.6	148.3	288.2	484.8	603.7	744.4	711.8	-
	皮膚	C43-C44	30.1	0.0	0.0	0.0	0.0	5.3	5.9	0.0	0.0	3.6	3.0	20.7	21.4	48.3	41.2	72.7	55.6	77.8	200.0	-
	乳房	C50	1.4	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	3.0	0.0	3.6	0.0	2.9	0.0	3.7	0.0	5.9	-
	前立腺	C61	181.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.1	17.2	53.6	155.2	350.0	606.1	644.4	672.2	629.4	-
	膀胱	C67	34.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.0	6.9	14.3	17.2	64.7	103.0	77.8	172.2	176.5	-
	腎・尿路（膀胱除く）	C64-C66 C68	34.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	6.1	24.1	46.4	51.7	58.8	63.6	70.4	111.1	176.5	-
	脳・中枢神経系	C70-C72	5.7	11.8	5.6	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.0	3.4	10.7	3.4	2.9	9.1	18.5	11.1	23.5	-
	甲状腺	C73	10.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.7	10.7	9.1	13.8	14.3	17.2	5.9	33.3	25.9	11.1	11.8	-
	悪性リンパ腫	C81-C85 C96	37.7	0.0	0.0	0.0	4.5	0.0	0.0	0.0	4.3	10.7	9.1	20.7	17.9	41.4	82.4	81.8	81.5	188.9	129.4	-
	多発性骨髄腫	C88-C90	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.1	0.0	7.1	6.9	8.8	18.2	14.8	16.7	23.5	-
	白血病	C91-C95	17.2	5.9	0.0	0.0	0.0	0.0	0.0	14.3	0.0	10.7	6.1	6.9	21.4	24.1	23.5	33.3	40.7	61.1	58.8	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	747.3	12.5	0.0	15.8	9.5	50.0	64.7	138.1	154.2	317.2	423.5	487.5	667.7	815.6	1,016.2	1,405.1	1,554.3	1,878.6	1,881.6	-
	口腔・咽頭	C00-C14	11.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	16.7	0.0	2.9	3.1	9.7	9.4	10.8	30.8	20.0	46.4	21.1	-
	食道	C15	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.3	12.9	6.3	2.7	20.5	14.3	17.9	13.2	-
	胃	C16	84.7	0.0	0.0	0.0	0.0	0.0	0.0	14.3	12.5	10.3	8.8	21.9	41.9	68.8	100.0	138.5	222.9	289.3	292.1	-
	大腸（結腸・直腸）	C18-C20	118.6	0.0	0.0	0.0	0.0	5.6	5.9	4.8	0.0	20.7	41.2	50.0	77.4	109.4	183.8	266.7	311.4	275.0	328.9	-
	結腸	C18	82.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	11.8	25.0	54.8	84.4	135.1	176.9	214.3	185.7	255.3	-
	直腸	C19-C20	36.5	0.0	0.0	0.0	0.0	5.6	5.9	4.8	0.0	10.3	29.4	25.0	22.6	25.0	48.6	89.7	97.1	89.3	73.7	-
	肝および肝内胆管	C22	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	3.2	12.5	21.6	56.4	71.4	117.9	110.5	-
	胆のう・胆管	C23-C24	15.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.0	13.5	23.1	31.4	64.3	84.2	-
	膵臓	C25	36.1	0.0	0.0	5.3	0.0	5.6	0.0	4.8	4.2	10.3	2.9	18.8	19.4	12.5	32.4	71.8	91.4	110.7	131.6	-
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.7	5.1	0.0	0.0	0.0	-
	肺	C33-C34	77.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	18.8	32.3	65.6	105.4	182.1	231.4	300.0	160.5	-
	皮膚	C43-C44	25.9	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	6.9	0.0	6.3	12.9	0.0	16.2	43.6	34.3	78.6	160.5	-
	乳房	C50	141.8	0.0	0.0	0.0	0.0	0.0	0.0	4.8	41.7	141.4	182.4	203.1	193.5	256.3	248.6	228.2	228.6	182.1	163.2	-
	子宮	C53-C55	44.1	0.0	0.0	0.0	0.0	0.0	11.8	23.8	25.0	37.9	67.6	68.8	112.9	87.5	51.4	53.8	51.4	57.1	26.3	-
	子宮頸部	C53	16.3	0.0	0.0	0.0	0.0	0.0	0.0	9.5	12.5	10.3	38.2	15.6	29.0	21.9	24.3	23.1	22.9	28.6	10.5	-
	子宮体部	C54	26.5	0.0	0.0	0.0	0.0	0.0	11.8	14.3	12.5	27.6	29.4	53.1	80.6	65.6	27.0	30.8	28.6	21.4	7.9	-
	卵巣	C56	24.7	0.0	0.0	0.0	9.5	11.1	11.8	19.0	20.8	31.0	35.3	18.8	35.5	34.4	43.2	28.2	34.3	25.0	28.9	-
	膀胱	C67	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	2.9	6.3	0.0	12.5	2.7	5.1	20.0	25.0	42.1	-
	腎・尿路（膀胱除く）	C64-C66 C68	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	6.3	9.7	12.5	29.7	33.3	28.6	46.4	44.7	-
	脳・中枢神経系	C70-C72	4.5	0.0	0.0	5.3	0.0	5.6	0.0	4.8	0.0	3.4	2.9	0.0	0.0	0.0	5.4	5.1	11.4	14.3	13.2	-
	甲状腺	C73	24.5	0.0	0.0	5.3	0.0	16.7	11.8	38.1	12.5	17.2	17.6	28.1	38.7	34.4	29.7	43.6	37.1	28.6	28.9	-
	悪性リンパ腫	C81-C85 C96	30.4	6.3	0.0	0.0	0.0	5.6	5.9	0.0	16.7	20.7	8.8	9.4	22.6	46.9	40.5	89.7	34.3	75.0	65.8	-
	多発性骨髄腫	C88-C90	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	6.3	8.1	17.9	8.6	17.9	15.8	-
	白血病	C91-C95	11.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.2	3.4	11.8	3.1	16.1	9.4	24.3	15.4	14.3	32.1	23.7	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	936.2	24.2	2.8	10.3	11.6	43.2	35.3	92.9	108.5	249.1	311.9	436.1	659.3	1,088.5	1,515.5	2,190.3	2,388.7	2,817.4	2,589.1	-
	口腔・咽頭	C00-C14	22.4	0.0	0.0	0.0	0.0	2.7	0.0	4.8	10.6	10.5	9.0	9.8	18.6	34.4	31.0	70.8	37.1	67.4	40.0	-
	食道	C15	24.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	14.8	13.6	36.1	49.3	69.4	88.7	58.7	32.7	-
	胃	C16	133.1	0.0	0.0	0.0	0.0	0.0	0.0	7.1	8.5	12.3	17.9	42.6	72.9	155.7	208.5	311.1	371.0	480.4	396.4	-
	大腸（結腸・直腸）	C18-C20	140.4	0.0	0.0	0.0	0.0	5.4	2.9	4.8	2.1	22.8	34.3	57.4	86.4	180.3	257.7	329.2	400.0	376.1	400.0	-
	結腸	C18	91.2	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	10.5	10.4	23.0	59.3	111.5	167.6	206.9	267.7	256.5	292.7	-
	直腸	C19-C20	49.2	0.0	0.0	0.0	0.0	5.4	2.9	2.4	2.1	12.3	23.9	34.4	27.1	68.9	90.1	122.2	132.3	119.6	107.3	-
	肝および肝内胆管	C22	44.9	3.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	7.0	9.0	14.8	16.9	49.2	56.3	90.3	121.0	206.5	143.6	-
	胆のう・胆管	C23-C24	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.8	1.5	1.6	6.8	14.8	19.7	40.3	56.5	76.1	101.8	-
	膵臓	C25	40.3	0.0	0.0	2.6	0.0	5.4	0.0	2.4	2.1	5.3	7.5	16.4	27.1	37.7	57.7	90.3	122.6	113.0	140.0	-
	喉頭	C32	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.6	5.1	3.3	14.1	19.4	6.5	13.0	3.6	-
	肺	C33-C34	123.1	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.3	5.3	17.9	21.3	54.2	104.9	193.0	320.8	393.5	473.9	330.9	-
	皮膚	C43-C44	27.9	0.0	0.0	0.0	0.0	2.7	2.9	2.4	0.0	5.3	1.5	13.1	16.9	23.0	28.2	56.9	43.5	78.3	172.7	-
	乳房	C50	75.8	0.0	0.0	0.0	2.3	0.0	0.0	2.4	21.3	71.9	94.0	106.6	103.4	134.4	131.0	123.6	130.6	110.9	114.5	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	3.0	6.6	6.8	14.8	32.4	50.0	45.2	82.6	83.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	24.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	7.5	14.8	27.1	31.1	43.7	47.2	46.8	71.7	85.5	-
	脳・中枢神経系	C70-C72	5.1	6.1	2.8	2.6	0.0	2.7	0.0	2.4	0.0	3.5	3.0	1.6	5.1	1.6	4.2	6.9	14.5	13.0	16.4	-
	甲状腺	C73	17.9	0.0	0.0	2.6	0.0	8.1	5.9	21.4	10.6	14.0	13.4	21.3	27.1	26.2	18.3	38.9	32.3	21.7	23.6	-
	悪性リンパ腫	C81-C85 C96	33.8	3.0	0.0	0.0	2.3	2.7	2.9	0.0	10.6	15.8	9.0	14.8	20.3	44.3	60.6	86.1	54.8	119.6	85.5	-
	多発性骨髄腫	C88-C90	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	3.0	0.0	6.8	6.6	8.5	18.1	11.3	17.4	18.2	-
	白血病	C91-C95	13.9	3.0	0.0	0.0	0.0	0.0	0.0	9.5	2.1	7.0	9.0	4.9	18.6	16.4	23.9	23.6	25.8	43.5	34.5	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,261.1	35.3	5.6	5.0	13.6	42.1	5.9	52.4	60.9	185.7	236.4	444.8	764.3	1,537.9	2,311.8	3,415.2	3,759.3	4,677.8	4,423.5	-	
	食道	C15 D001	49.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	24.1	14.3	75.9	114.7	142.4	196.3	161.1	76.5	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	220.5	0.0	0.0	0.0	0.0	5.3	0.0	4.8	4.3	28.6	51.5	93.1	175.0	369.0	497.1	533.3	648.1	694.4	605.9	-	
	結腸 *2	C18 D010	137.9	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	14.3	21.2	37.9	110.7	206.9	305.9	333.3	448.1	466.7	394.1	-	
	直腸 *2	C19-C20 D011-D012	82.5	0.0	0.0	0.0	0.0	5.3	0.0	0.0	4.3	14.3	30.3	55.2	64.3	162.1	191.2	200.0	200.0	227.8	211.8	-	
	肺	C33-C34 D021-D022	175.2	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.7	10.7	18.2	24.1	78.6	148.3	288.2	490.9	603.7	744.4	711.8	-	
	皮膚	C43-C44 D030-D049	35.4	0.0	0.0	0.0	0.0	5.3	5.9	0.0	0.0	0.0	3.6	6.1	20.7	21.4	41.2	93.9	74.1	105.6	223.5	-	
	乳房	C50 D05	1.6	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	3.6	0.0	2.9	3.0	3.7	0.0	5.9	-
	膀胱	C67 D090	67.6	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	7.1	6.1	31.0	35.7	31.0	117.6	181.8	174.1	322.2	329.4	-
女	全部位	C00-C96 D00-D09	851.6	12.5	0.0	15.8	14.3	88.9	176.5	266.7	241.7	451.7	570.6	571.9	758.1	931.3	1,170.3	1,571.8	1,717.1	2,035.7	1,965.8	-	
	食道	C15 D001	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	9.4	16.1	9.4	5.4	28.2	17.1	28.6	18.4	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	146.9	0.0	0.0	0.0	0.0	5.6	5.9	4.8	8.3	31.0	61.8	68.8	96.8	143.8	251.4	328.2	382.9	335.7	363.2	-	
	結腸 *2	C18 D010	102.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	17.2	23.5	31.3	71.0	109.4	194.6	223.1	262.9	225.0	276.3	-	
	直腸 *2	C19-C20 D011-D012	44.7	0.0	0.0	0.0	0.0	5.6	5.9	4.8	0.0	13.8	38.2	37.5	25.8	34.4	56.8	105.1	120.0	110.7	86.8	-	
	肺	C33-C34 D021-D022	79.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	18.8	32.3	68.8	116.2	189.7	237.1	303.6	160.5	-	
	皮膚	C43-C44 D030-D049	33.5	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	6.9	0.0	9.4	19.4	12.5	21.6	56.4	51.4	110.7	181.6	-	
	乳房	C50 D05	159.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	41.7	165.5	211.8	237.5	219.4	290.6	278.4	256.4	248.6	207.1	165.8	-	
	子宮	C53-C55 D06	76.3	0.0	0.0	0.0	4.8	38.9	123.5	152.4	104.2	137.9	155.9	93.8	129.0	103.1	67.6	56.4	54.3	57.1	26.3	-	
子宮頸部	C53 D06	48.6	0.0	0.0	0.0	4.8	38.9	111.8	138.1	91.7	110.3	126.5	40.6	45.2	37.5	40.5	25.6	25.7	28.6	10.5	-		
膀胱	C67 D090	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	5.9	6.3	9.7	15.6	13.5	28.2	37.1	39.3	60.5	-	
総数 *3	全部位	C00-C96 D00-D09	1,044.2	24.2	2.8	10.3	14.0	64.9	91.2	159.5	153.2	321.1	406.0	511.5	761.0	1,219.7	1,716.9	2,416.7	2,606.5	3,069.6	2,725.5	-	
	食道	C15 D001	28.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	16.4	15.3	41.0	57.7	80.6	95.2	80.4	36.4	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	181.5	0.0	0.0	0.0	0.0	5.4	2.9	4.8	6.4	29.8	56.7	80.3	133.9	250.8	369.0	422.2	498.4	476.1	438.2	-	
	結腸 *2	C18 D010	119.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.3	15.8	22.4	34.4	89.8	155.7	247.9	273.6	343.5	319.6	312.7	-	
	直腸 *2	C19-C20 D011-D012	62.5	0.0	0.0	0.0	0.0	5.4	2.9	2.4	2.1	14.0	34.3	45.9	44.1	95.1	121.1	148.6	154.8	156.5	125.5	-	
	肺	C33-C34 D021-D022	124.5	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.3	5.3	17.9	21.3	54.2	106.6	198.6	327.8	396.8	476.1	330.9	-	
	皮膚	C43-C44 D030-D049	34.4	0.0	0.0	0.0	0.0	2.7	2.9	2.4	0.0	5.3	3.0	14.8	20.3	31.1	31.0	73.6	61.3	108.7	194.5	-	
	乳房	C50 D05	85.0	0.0	0.0	0.0	2.3	0.0	0.0	2.4	21.3	84.2	109.0	124.6	116.9	152.5	146.5	140.3	141.9	126.1	116.4	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	40.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	5.3	6.0	18.0	22.0	23.0	63.4	98.6	96.8	150.0	143.6	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2019年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	8,492	11.5	35.3	0.0	48.5	4.7
口腔・咽頭	C00-C14	205	1.0	25.4	0.0	69.3	4.4
食道	C15	227	16.7	24.2	0.0	55.9	3.1
胃	C16	1,221	17.6	34.6	0.0	42.6	5.2
大腸（結腸・直腸）	C18-C20	1,277	15.6	27.3	0.0	52.3	4.8
結腸	C18	826	16.5	30.8	0.0	48.5	4.2
直腸	C19-C20	451	14.0	21.1	0.0	59.2	5.8
肝および肝内胆管	C22	401	4.0	62.6	0.0	26.7	6.7
胆のう・胆管	C23-C24	180	2.8	37.2	0.0	58.9	1.1
膵臓	C25	359	3.6	40.4	0.0	54.9	1.1
喉頭	C32	43	2.3	11.6	0.0	83.7	2.3
肺	C33-C34	1,100	12.1	41.0	0.1	43.4	3.5
皮膚	C43-C44	258	0.0	16.7	0.0	81.8	1.6
乳房	C50	695	24.6	12.8	0.0	53.5	9.1
乳房（女性のみ）	C50	689	24.8	12.8	0.0	53.4	9.0
子宮	C53-C55	213	8.9	17.8	0.0	69.5	3.8
子宮頸部	C53	80	8.8	15.0	0.0	71.3	5.0
子宮体部	C54	129	9.3	20.2	0.0	69.0	1.6
卵巣	C56	118	8.5	29.7	0.0	60.2	1.7
前立腺	C61	775	11.0	63.4	0.0	19.4	6.3
膀胱	C67	186	2.7	23.7	0.0	68.8	4.8
腎・尿路（膀胱除く）	C64-C66 C68	219	7.3	49.3	0.0	39.7	3.7
脳・中枢神経系	C70-C72	47	2.1	12.8	0.0	80.9	4.3
甲状腺	C73	164	7.3	59.1	0.0	24.4	9.1
悪性リンパ腫	C81-C85 C96	308	5.2	26.9	0.0	66.6	1.3
多発性骨髄腫	C88-C90	55	1.8	40.0	0.0	54.5	3.6
白血病	C91-C95	129	4.7	41.1	0.0	48.1	6.2

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2019年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	9,491	12.4	36.1	0.0	47.2	4.3
食道	C15 D001	263	17.9	29.3	0.0	50.2	2.7
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,657	16.8	33.2	0.0	46.1	3.9
結腸 *2	C18 D010	1,083	17.2	36.7	0.0	42.8	3.4
直腸 *2	C19-C20 D011-D012	574	16.0	26.7	0.0	52.4	4.9
肺	C33-C34 D021-D022	1,113	12.2	41.2	0.1	43.0	3.4
皮膚	C43-C44 D030-D049	318	0.0	17.9	0.0	80.8	1.3
乳房	C50 D05	780	26.7	12.8	0.0	52.2	8.3
乳房（女性のみ）	C50 D05	773	26.9	12.8	0.0	52.0	8.3
子宮	C53-C55 D06	371	18.9	26.7	0.0	51.8	2.7
子宮頸部	C53 D06	238	24.4	30.7	0.0	42.4	2.5
膀胱	C67 D090	363	2.2	28.9	0.0	65.6	3.3

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2019年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,310	48.0	8.6	13.9	19.2	10.2	22.6
口腔・咽頭	C00-C14	205	40.0	18.5	32.2	2.9	6.3	50.7
食道	C15	227	37.0	11.9	22.0	19.8	9.3	33.9
胃	C16	1,221	57.7	8.7	8.1	15.6	9.8	16.8
大腸（結腸・直腸）	C18-C20	1,277	47.6	16.4	10.0	19.1	6.8	26.5
結腸	C18	826	50.7	14.0	9.8	18.9	6.5	23.8
直腸	C19-C20	451	41.9	20.8	10.4	19.5	7.3	31.3
肝および肝内胆管	C22	401	61.8	1.7	8.2	9.7	18.5	10.0
胆のう・胆管	C23-C24	180	17.8	1.7	34.4	25.6	20.6	36.1
膵臓	C25	359	22.0	7.0	21.7	43.2	6.1	28.7
喉頭	C32	43	81.4	4.7	7.0	2.3	4.7	11.6
肺	C33-C34	1,100	32.9	9.5	10.0	39.2	8.4	19.5
皮膚	C43-C44	258	84.1	1.6	6.6	1.9	5.8	8.1
乳房	C50	695	64.3	16.0	2.3	5.5	11.9	18.3
乳房（女性のみ）	C50	689	64.4	16.0	2.0	5.5	12.0	18.0
子宮	C53-C55	213	51.6	4.2	28.6	8.9	6.6	32.9
子宮頸部	C53	80	27.5	8.8	45.0	12.5	6.3	53.8
子宮体部	C54	129	68.2	1.6	19.4	7.0	3.9	20.9
卵巣	C56	118	38.1	0.0	48.3	5.9	7.6	48.3
前立腺	C61	775	53.3	1.0	22.1	13.0	10.6	23.1
膀胱	C67	186	66.7	1.6	14.5	5.4	11.8	16.1
腎・尿路（膀胱除く）	C64-C66 C68	219	53.4	1.4	21.9	11.9	11.4	23.3
脳・中枢神経系	C70-C72	47	70.2	0.0	14.9	2.1	12.8	14.9
甲状腺	C73	164	39.6	26.8	12.2	6.1	15.2	39.0
悪性リンパ腫	C81-C85 C96	307	30.0	0.3	17.9	45.6	6.2	18.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,309	10.2	43.2	7.7	12.5	17.1	9.3	20.2
食道	C15 D001	263	12.9	31.9	10.3	19.0	17.1	8.7	29.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,657	22.7	36.7	12.7	7.7	14.7	5.5	20.4
結腸 *3	C18 D010	1,083	23.5	38.7	10.7	7.5	14.4	5.2	18.2
直腸 *3	C19-C20 D011-D012	574	21.1	32.9	16.4	8.2	15.3	6.1	24.6
肺	C33-C34 D021-D022	1,113	1.2	32.5	9.4	9.9	38.7	8.3	19.3
皮膚	C43-C44 D030-D049	318	18.2	68.2	1.3	5.3	1.6	5.3	6.6
乳房	C50 D05	780	9.7	57.7	14.4	2.2	4.9	11.2	16.5
乳房 (女性のみ)	C50 D05	773	9.7	57.8	14.4	1.9	4.9	11.3	16.3
子宮	C53-C55 D06	371	42.0	29.6	2.4	16.4	5.1	4.3	18.9
子宮頸部	C53 D06	238	65.5	9.2	2.9	15.1	4.2	2.9	18.1
膀胱	C67 D090	363	47.7	34.2	0.8	7.4	2.8	7.2	8.3

*1 DC0、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,310	1.3	46.1	7.1	11.3	18.6	15.5	18.4
口腔・咽頭	C00-C14	205	2.9	34.6	17.1	28.8	2.4	14.1	45.9
食道	C15	227	4.0	34.4	8.4	23.3	18.1	11.9	31.7
胃	C16	1,221	1.3	55.6	8.3	6.9	13.8	14.2	15.2
大腸（結腸・直腸）	C18-C20	1,277	2.9	38.1	15.5	9.8	18.3	15.4	25.3
結腸	C18	826	3.3	38.9	14.3	9.3	17.8	16.5	23.6
直腸	C19-C20	451	2.2	36.6	17.7	10.6	19.3	13.5	28.4
肝および肝内胆管	C22	401	0.0	62.3	1.7	7.5	9.7	18.7	9.2
胆のう・胆管	C23-C24	180	0.0	13.3	1.7	23.3	23.9	37.8	25.0
膵臓	C25	359	0.0	27.0	3.1	19.8	42.9	7.2	22.8
喉頭	C32	43	0.0	72.1	2.3	9.3	2.3	14.0	11.6
肺	C33-C34	1,100	0.3	33.5	7.7	9.2	38.7	10.5	16.9
皮膚	C43-C44	258	2.7	76.0	0.8	5.4	1.9	13.2	6.2
乳房	C50	695	3.6	64.6	11.2	2.3	5.5	12.8	13.5
乳房（女性のみ）	C50	689	3.6	64.4	11.3	2.2	5.5	12.9	13.5
子宮	C53-C55	213	1.4	53.1	2.3	19.7	8.5	15.0	22.1
子宮頸部	C53	80	3.8	30.0	3.8	40.0	12.5	10.0	43.8
子宮体部	C54	129	0.0	69.0	1.6	7.8	6.2	15.5	9.3
卵巣	C56	118	0.0	22.9	0.8	20.3	5.9	50.0	21.2
前立腺	C61	775	0.0	60.1	1.0	13.4	12.9	12.5	14.5
膀胱	C67	186	0.0	64.5	1.1	12.9	5.4	16.1	14.0
腎・尿路（膀胱除く）	C64-C66 C68	219	1.8	54.8	1.4	11.9	11.4	18.7	13.2
脳・中枢神経系	C70-C72	47	0.0	68.1	0.0	14.9	2.1	14.9	14.9
甲状腺	C73	164	0.0	39.6	14.0	5.5	7.3	33.5	19.5
悪性リンパ腫	C81-C85 C96	307	0.0	29.6	0.3	18.2	45.6	6.2	18.6
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,309	8.6	42.3	6.4	10.1	16.6	16.0	16.5
食道	C15 D001	263	13.3	31.6	7.2	20.2	15.6	12.2	27.4
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,657	14.4	32.2	12.0	7.5	14.1	19.7	19.6
結腸 *3	C18 D010	1,083	15.0	33.0	11.0	7.1	13.6	20.4	18.1
直腸 *3	C19-C20 D011-D012	574	13.2	30.8	13.9	8.4	15.2	18.5	22.3
肺	C33-C34 D021-D022	1,113	0.8	33.6	7.7	9.1	38.3	10.5	16.8
皮膚	C43-C44 D030-D049	318	18.9	61.6	0.6	4.4	1.6	12.9	5.0
乳房	C50 D05	780	12.1	58.7	10.1	2.1	4.9	12.2	12.2
乳房 (女性のみ)	C50 D05	773	12.2	58.5	10.2	1.9	4.9	12.3	12.2
子宮	C53-C55 D06	371	40.7	31.0	1.3	11.3	4.9	10.8	12.7
子宮頸部	C53 D06	238	63.4	10.9	1.3	13.4	4.2	6.7	14.7
膀胱	C67 D090	363	41.3	34.4	0.6	6.6	2.8	14.3	7.2

*1 DC0、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2019年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	5,190	56.4	9.7	11.6	3.5	18.8	21.3
口腔・咽頭	C00-C14	122	53.3	7.4	24.6	0.8	13.9	32.0
食道	C15	115	57.4	8.7	11.3	3.5	19.1	20.0
胃	C16	969	67.2	9.3	7.7	3.2	12.6	17.0
大腸（結腸・直腸）	C18-C20	1,042	53.2	17.7	10.5	8.7	10.0	28.1
結腸	C18	702	55.4	15.5	10.8	9.1	9.1	26.4
直腸	C19-C20	340	48.5	22.1	9.7	7.9	11.8	31.8
肝および肝内胆管	C22	146	56.2	0.0	3.4	0.7	39.7	3.4
胆のう・胆管	C23-C24	93	20.4	2.2	41.9	3.2	32.3	44.1
膵臓	C25	106	23.6	17.0	12.3	2.8	44.3	29.2
喉頭	C32	16	56.3	12.5	0.0	0.0	31.3	12.5
肺	C33-C34	498	57.2	10.4	8.0	2.6	21.7	18.5
皮膚	C43-C44	238	82.8	1.3	5.5	0.8	9.7	6.7
乳房	C50	561	69.7	13.4	1.8	0.0	15.2	15.2
乳房（女性のみ）	C50	555	69.9	13.3	1.4	0.0	15.3	14.8
子宮	C53-C55	163	63.8	3.7	18.4	3.1	11.0	22.1
子宮頸部	C53	37	51.4	10.8	16.2	0.0	21.6	27.0
子宮体部	C54	122	69.7	1.6	19.7	4.1	4.9	21.3
卵巣	C56	105	42.9	0.0	44.8	3.8	8.6	44.8
前立腺	C61	343	41.1	0.3	25.7	0.6	32.4	25.9
膀胱	C67	144	34.0	1.4	3.5	1.4	59.7	4.9
腎・尿路（膀胱除く）	C64-C66 C68	177	54.8	1.7	23.2	3.4	16.9	24.9
脳・中枢神経系	C70-C72	26	61.5	0.0	15.4	0.0	23.1	15.4
甲状腺	C73	148	35.1	28.4	12.2	3.4	20.9	40.5
悪性リンパ腫	C81-C85 C96	29	20.7	0.0	6.9	3.4	69.0	6.9
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,139	14.3	48.2	8.2	9.8	2.9	16.6	18.0
食道	C15 D001	149	20.8	44.3	6.7	8.7	2.7	16.8	15.4
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,420	26.1	39.0	13.0	7.7	6.4	7.9	20.6
結腸 *3	C18 D010	959	26.2	40.6	11.4	7.9	6.7	7.3	19.3
直腸 *3	C19-C20 D011-D012	461	25.8	35.8	16.3	7.2	5.9	9.1	23.4
肺	C33-C34 D021-D022	510	2.4	55.9	10.2	7.8	2.5	21.2	18.0
皮膚	C43-C44 D030-D049	291	16.2	67.7	1.0	4.5	0.7	10.0	5.5
乳房	C50 D05	644	11.3	61.2	11.8	1.7	0.0	14.0	13.5
乳房 (女性のみ)	C50 D05	637	11.3	61.4	11.8	1.4	0.0	14.1	13.2
子宮	C53-C55 D06	307	46.3	33.9	2.0	9.8	1.6	6.5	11.7
子宮頸部	C53 D06	181	78.5	10.5	2.2	3.3	0.0	5.5	5.5
膀胱	C67 D090	310	49.0	15.8	0.6	1.6	0.6	32.3	2.3

*1 DC0、「660:手術なし・術前治療後」、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2019年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	8,492	22.1	23.7	9.8	9.9	29.7	8.3	2.9	22.2
口腔・咽頭	C00-C14	205	49.3	0.0	12.7	33.2	36.6	0.0	0.5	13.7
食道	C15	227	0.9	34.4	23.8	17.2	41.4	0.0	0.0	20.3
胃	C16	1,221	10.1	28.1	35.1	0.4	21.4	0.0	0.8	19.2
大腸（結腸・直腸）	C18-C20	1,277	11.7	57.0	12.5	2.9	29.5	0.1	1.0	15.8
結腸	C18	826	13.8	55.7	13.0	0.0	26.8	0.1	0.5	15.7
直腸	C19-C20	451	8.0	59.4	11.5	8.2	34.6	0.0	2.0	16.0
肝および肝内胆管	C22	401	11.7	11.5	0.0	2.5	24.4	0.0	34.4	33.9
胆のう・胆管	C23-C24	180	31.1	6.7	0.6	1.7	27.8	0.0	2.8	46.7
膵臓	C25	359	18.9	3.9	0.0	1.4	54.3	0.0	1.4	39.0
喉頭	C32	43	20.9	0.0	11.6	60.5	25.6	0.0	0.0	16.3
肺	C33-C34	1,100	4.7	31.8	0.0	15.4	42.7	0.1	0.2	27.8
皮膚	C43-C44	258	86.4	0.0	0.0	2.3	4.3	0.0	1.6	9.7
乳房	C50	695	78.4	0.1	0.0	26.8	25.6	45.9	0.7	14.1
乳房（女性のみ）	C50	689	78.2	0.1	0.0	26.7	25.4	46.0	0.7	14.2
子宮	C53-C55	213	62.4	8.9	0.9	22.5	43.2	0.5	0.0	11.7
子宮頸部	C53	80	35.0	7.5	0.0	56.3	46.3	0.0	0.0	17.5
子宮体部	C54	129	81.4	10.1	1.6	2.3	42.6	0.8	0.0	5.4
卵巣	C56	118	83.1	4.2	0.0	0.0	53.4	0.0	0.8	9.3
前立腺	C61	775	1.0	28.6	1.3	14.3	1.5	46.8	1.3	19.0
膀胱	C67	186	6.5	9.1	74.2	4.3	32.8	0.5	21.5	18.3
腎・尿路（膀胱除く）	C64-C66 C68	219	5.0	63.0	0.9	5.0	12.8	0.5	2.3	21.9
脳・中枢神経系	C70-C72	47	46.8	0.0	0.0	40.4	57.4	0.0	0.0	29.8
甲状腺	C73	164	72.6	0.0	0.0	9.8	1.8	7.9	0.6	27.4
悪性リンパ腫	C81-C85 C96	308	3.6	2.6	0.3	9.4	65.6	1.9	1.3	24.4
多発性骨髄腫	C88-C90	55	0.0	0.0	0.0	7.3	72.7	0.0	1.8	23.6
白血病	C91-C95	129	0.0	0.0	0.0	0.0	58.9	0.0	0.0	41.1

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2019年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	9,491	22.8	22.3	14.5	9.1	27.3	7.8	3.2	20.4
食道	C15 D001	263	0.8	29.7	32.3	14.8	35.7	0.0	0.0	19.4
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,657	9.4	45.9	29.9	2.2	22.8	0.1	0.8	12.6
結腸 *2	C18 D010	1,083	10.9	44.9	30.7	0.0	20.4	0.1	0.4	12.4
直腸 *2	C19-C20 D011-D012	574	6.4	47.9	28.4	6.4	27.4	0.2	1.6	13.1
肺	C33-C34 D021-D022	1,113	4.8	32.4	0.0	15.3	42.3	0.1	0.2	27.5
皮膚	C43-C44 D030-D049	318	84.9	0.0	0.0	1.9	3.5	0.3	1.6	11.3
乳房	C50 D05	780	80.0	0.1	0.0	26.4	23.3	44.6	0.8	13.2
乳房（女性のみ）	C50 D05	773	79.8	0.1	0.0	26.4	23.2	44.8	0.8	13.3
子宮	C53-C55 D06	371	67.4	11.3	1.1	12.9	24.8	0.3	1.6	9.4
子宮頸部	C53 D06	238	60.9	12.2	0.8	18.9	15.5	0.0	2.5	10.1
膀胱	C67 D090	363	4.7	4.7	81.5	2.2	33.6	1.1	24.8	11.0

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

和歌山県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	4,617	87.6	11.4	1.0
口腔・咽頭	C00-C14	126	79.4	20.6	0.0
食道	C15	133	91.7	6.0	2.3
胃	C16	869	93.6	6.0	0.5
大腸（結腸・直腸）	C18-C20	989	89.4	9.8	0.8
結腸	C18	650	90.0	9.1	0.9
直腸	C19-C20	339	88.2	11.2	0.6
肝および肝内胆管	C22	93	90.3	8.6	1.1
胆のう・胆管	C23-C24	66	83.3	13.6	3.0
膵臓	C25	82	90.2	8.5	1.2
喉頭	C32	14	92.9	0.0	7.1
肺	C33-C34	402	91.5	6.7	1.7
皮膚	C43-C44	223	92.4	7.6	0.0
乳房	C50	546	95.4	4.4	0.2
乳房（女性のみ）	C50	540	95.4	4.4	0.2
子宮	C53-C55	151	86.1	12.6	1.3
子宮頸部	C53	33	93.9	6.1	0.0
子宮体部	C54	118	83.9	14.4	1.7
卵巣	C56	103	75.7	22.3	1.9
前立腺	C61	240	72.9	27.1	0.0
膀胱	C67	146	43.2	53.4	3.4
腎・尿路（膀胱除く）	C64-C66 C68	150	93.3	5.3	1.3
脳・中枢神経系	C70-C72	22	18.2	81.8	0.0
甲状腺	C73	119	90.8	9.2	0.0
悪性リンパ腫	C81-C85 C96	20	65.0	30.0	5.0
多発性骨髄腫	C88-C90	0	-	-	-
白血病	C91-C95	0	-	-	-

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

和歌山県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	5,539	88.9	10.1	1.0
食道	C15 D001	164	93.3	4.9	1.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,361	91.6	7.5	0.9
結腸 *2	C18 D010	903	92.4	6.8	0.9
直腸 *2	C19-C20 D011-D012	458	90.2	9.0	0.9
肺	C33-C34 D021-D022	414	91.8	6.5	1.7
皮膚	C43-C44 D030-D049	270	92.6	7.0	0.4
乳房	C50 D05	625	95.4	4.5	0.2
乳房（女性のみ）	C50 D05	618	95.3	4.5	0.2
子宮	C53-C55 D06	293	88.7	9.9	1.4
子宮頸部	C53 D06	175	92.0	6.9	1.1
膀胱	C67 D090	309	69.6	28.5	1.9

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.40	0.36	0.38	2.7	4.2	3.3	1.6	2.5	1.9	87.6	86.1	87.0	85.7	83.9	85.0
口腔・咽頭	C00-C14	0.33	0.25	0.30	2.0	0.0	1.4	1.3	0.0	1.0	97.3	94.7	96.6	94.7	94.7	94.7
食道	C15	0.37	0.64	0.41	1.0	0.0	0.9	0.5	0.0	0.4	98.5	93.9	97.8	98.5	93.9	97.8
胃	C16	0.31	0.39	0.33	1.2	2.9	1.8	0.4	1.7	0.8	96.6	94.2	95.8	96.6	94.2	95.8
大腸（結腸・直腸）	C18-C20	0.35	0.30	0.33	1.9	3.6	2.7	1.1	2.4	1.7	94.4	90.0	92.5	94.4	89.8	92.4
結腸	C18	0.37	0.36	0.36	1.6	4.5	3.0	1.1	3.2	2.1	94.1	88.3	91.4	94.1	88.3	91.4
直腸	C19-C20	0.32	0.17	0.26	2.5	1.7	2.2	1.1	0.6	0.9	94.9	93.9	94.5	94.9	93.3	94.3
肝および肝内胆管	C22	0.62	0.62	0.62	5.0	8.0	6.0	2.9	4.4	3.4	36.0	26.3	32.8	36.0	25.5	32.5
胆のう・胆管	C23-C24	0.73	0.87	0.79	2.8	7.8	4.8	0.9	6.5	3.2	78.0	48.1	65.6	68.8	46.8	59.7
膵臓	C25	0.70	0.89	0.79	3.6	8.5	5.9	3.1	4.5	3.8	66.8	60.5	63.8	63.3	57.1	60.3
喉頭	C32	0.13	0.00	0.12	0.0	0.0	0.0	0.0	0.0	0.0	94.9	100.0	95.3	94.9	100.0	95.3
肺	C33-C34	0.68	0.53	0.63	4.9	6.9	5.5	2.6	5.0	3.4	83.0	79.2	81.7	78.8	75.5	77.7
皮膚	C43-C44	0.06	0.04	0.05	0.8	0.0	0.4	0.0	0.0	0.0	99.2	99.2	99.2	99.2	99.2	99.2
乳房	C50	0.17	0.18	0.18	0.0	1.7	1.7	0.0	0.9	0.9	100.0	95.1	95.1	100.0	94.5	94.6
子宮	C53-C55	-	0.24	0.24	-	2.3	2.3	-	1.4	1.4	-	96.3	96.3	-	94.9	94.9
子宮頸部	C53	-	0.31	0.31	-	1.3	1.3	-	0.0	0.0	-	97.5	97.5	-	95.0	95.0
子宮体部	C54	-	0.12	0.12	-	0.8	0.8	-	0.8	0.8	-	98.5	98.5	-	97.7	97.7
卵巣	C56	-	0.23	0.23	-	4.1	4.1	-	2.5	2.5	-	94.2	94.2	-	92.6	92.6
前立腺	C61	0.14	-	0.14	2.2	-	2.2	1.8	-	1.8	91.8	-	91.8	91.1	-	91.1
膀胱	C67	0.31	0.61	0.37	3.3	7.3	4.1	3.3	4.9	3.6	90.1	80.5	88.1	85.5	70.7	82.4
腎・尿路（膀胱除く）	C64-C66 C68	0.32	0.37	0.33	5.3	5.3	5.3	3.3	3.9	3.5	83.4	80.3	82.4	82.8	80.3	81.9
脳・中枢神経系	C70-C72	0.68	0.45	0.57	0.0	0.0	0.0	0.0	0.0	0.0	88.0	68.2	78.7	84.0	68.2	76.6
甲状腺	C73	0.20	0.08	0.11	0.0	1.7	1.2	0.0	1.7	1.2	95.7	94.2	94.6	89.1	82.5	84.3
悪性リンパ腫	C81-C85 C96	0.47	0.28	0.38	1.8	3.4	2.6	1.2	2.0	1.6	93.9	94.6	94.2	92.7	91.3	92.0
多発性骨髄腫	C88-C90	0.59	0.46	0.53	0.0	7.1	3.6	0.0	0.0	0.0	88.9	85.7	87.3	77.8	85.7	81.8
白血病	C91-C95	0.59	0.48	0.54	1.3	7.4	3.9	0.0	0.0	0.0	96.0	92.6	94.6	76.0	61.1	69.8

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

和歌山県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.36	0.31	0.34	2.4	3.7	3.0	1.4	2.2	1.7	88.7	87.8	88.3	86.9	85.9	86.5
食道	C15 D001	0.34	0.45	0.36	0.9	0.0	0.8	0.5	0.0	0.4	98.6	95.7	98.1	98.6	95.7	98.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.26	0.24	0.25	1.5	2.9	2.1	0.8	1.9	1.3	95.8	91.9	94.2	95.8	91.8	94.1
結腸 *2	C18 D010	0.27	0.29	0.28	1.2	3.6	2.3	0.8	2.6	1.6	95.7	90.6	93.4	95.7	90.6	93.4
直腸 *2	C19-C20 D011-D012	0.24	0.14	0.20	1.9	1.4	1.7	0.8	0.5	0.7	96.1	95.0	95.7	96.1	94.5	95.5
肺	C33-C34 D021-D022	0.67	0.51	0.62	4.9	6.7	5.5	2.6	4.9	3.4	83.1	79.7	81.9	78.9	76.2	78.0
皮膚	C43-C44 D030-D049	0.05	0.03	0.04	0.6	0.0	0.3	0.0	0.0	0.0	99.4	98.8	99.1	99.4	98.8	99.1
乳房	C50 D05	0.14	0.16	0.16	0.0	1.5	1.5	0.0	0.8	0.8	100.0	95.6	95.7	100.0	95.1	95.2
子宮	C53-C55 D06	-	0.14	0.14	-	1.3	1.3	-	0.8	0.8	-	97.9	97.9	-	97.1	97.1
子宮頸部	C53 D06	-	0.11	0.11	-	0.4	0.4	-	0.0	0.0	-	99.2	99.2	-	98.3	98.3
膀胱	C67 D090	0.16	0.33	0.19	1.7	3.9	2.2	1.7	2.6	1.9	94.9	89.5	93.8	91.2	84.2	89.7

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

和歌山県

2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	1,991	1,314	3,305	100.0	100.0	100.0	460.9	270.4	360.0	167.3	80.3	117.8	115.3	56.5	82.1	12.3	5.8	8.9
口腔・咽頭	C00-C14	49	14	63	2.5	1.1	1.9	11.3	2.9	6.9	4.3	0.6	2.3	3.0	0.5	1.6	0.4	0.1	0.2
食道	C15	73	21	94	3.7	1.6	2.8	16.9	4.3	10.2	7.3	1.8	4.3	5.1	1.2	3.0	0.7	0.1	0.4
胃	C16	251	160	411	12.6	12.2	12.4	58.1	32.9	44.8	21.9	9.1	14.7	15.1	6.3	10.2	1.7	0.6	1.1
大腸（結腸・直腸）	C18-C20	250	175	425	12.6	13.3	12.9	57.9	36.0	46.3	21.0	9.6	14.6	14.3	6.7	10.1	1.5	0.7	1.1
結腸	C18	163	145	308	8.2	11.0	9.3	37.7	29.8	33.6	12.7	7.9	9.9	8.5	5.5	6.7	0.8	0.6	0.7
直腸	C19-C20	87	30	117	4.4	2.3	3.5	20.1	6.2	12.7	8.3	1.7	4.7	5.9	1.2	3.4	0.7	0.2	0.4
肝および肝内胆管	C22	171	85	256	8.6	6.5	7.7	39.6	17.5	27.9	13.8	3.4	8.0	9.3	2.1	5.3	1.0	0.2	0.6
胆のう・胆管	C23-C24	80	67	147	4.0	5.1	4.4	18.5	13.8	16.0	6.3	2.9	4.4	4.4	1.9	3.0	0.4	0.2	0.3
膵臓	C25	138	157	295	6.9	11.9	8.9	31.9	32.3	32.1	11.7	8.8	10.1	8.1	6.0	6.9	0.9	0.6	0.8
喉頭	C32	5	0	5	0.3	0.0	0.2	1.2	0.0	0.5	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
肺	C33-C34	514	200	714	25.8	15.2	21.6	119.0	41.2	77.8	43.1	10.5	24.9	29.2	6.9	16.8	3.3	0.7	1.9
皮膚	C43-C44	8	5	13	0.4	0.4	0.4	1.9	1.0	1.4	0.8	0.2	0.5	0.6	0.2	0.4	0.1	0.0	0.0
乳房	C50	1	122	123	0.1	9.3	3.7	0.2	25.1	13.4	0.0	12.0	6.4	0.0	9.1	4.8	0.0	1.0	0.5
子宮	C53-C55	-	52	52	-	4.0	1.6	-	10.7	-	-	5.2	-	-	3.8	-	-	0.4	-
子宮頸部	C53	-	25	25	-	1.9	0.8	-	5.1	-	-	2.5	-	-	1.8	-	-	0.2	-
子宮体部	C54	-	16	16	-	1.2	0.5	-	3.3	-	-	1.8	-	-	1.4	-	-	0.2	-
卵巣	C56	-	28	28	-	2.1	0.8	-	5.8	-	-	3.2	-	-	2.5	-	-	0.3	-
前立腺	C61	112	-	112	5.6	-	3.4	25.9	-	-	7.1	-	-	4.7	-	-	0.4	-	-
膀胱	C67	47	25	72	2.4	1.9	2.2	10.9	5.1	7.8	3.2	0.9	1.9	2.0	0.6	1.2	0.2	0.1	0.1
腎・尿路（膀胱除く）	C64-C66 C68	48	28	76	2.4	2.1	2.3	11.1	5.8	8.3	4.0	1.4	2.5	2.6	0.9	1.7	0.2	0.1	0.2
脳・中枢神経系	C70-C72	17	10	27	0.9	0.8	0.8	3.9	2.1	2.9	2.5	1.0	1.7	2.7	0.9	1.8	0.2	0.1	0.1
甲状腺	C73	9	10	19	0.5	0.8	0.6	2.1	2.1	2.1	0.7	0.5	0.6	0.5	0.4	0.4	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	77	41	118	3.9	3.1	3.6	17.8	8.4	12.9	5.8	2.0	3.6	3.8	1.3	2.4	0.4	0.1	0.3
多発性骨髄腫	C88-C90	16	13	29	0.8	1.0	0.9	3.7	2.7	3.2	1.6	0.5	1.0	1.1	0.4	0.7	0.1	0.0	0.1
白血病	C91-C95	44	26	70	2.2	2.0	2.1	10.2	5.3	7.6	3.7	1.9	2.6	2.4	1.5	1.8	0.2	0.1	0.2

*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	1,991	1	1	0	1	1	3	3	2	8	8	34	52	116	228	315	370	335	315	162	34	2	0
	口腔・咽頭	C00-C14	49	0	0	0	0	0	0	0	0	0	0	2	1	5	5	9	6	11	6	4	0	0	0
	食道	C15	73	0	0	0	0	0	0	0	0	0	0	3	5	6	10	20	12	11	4	2	0	0	0
	胃	C16	251	0	0	0	0	0	0	0	1	1	1	7	8	19	26	42	46	37	40	20	3	0	0
	大腸（結腸・直腸）	C18-C20	250	0	0	0	0	0	0	0	0	1	1	4	9	18	30	30	49	44	31	27	6	0	0
	結腸	C18	163	0	0	0	0	0	0	0	0	1	0	1	6	9	15	18	32	31	23	22	5	0	0
	直腸	C19-C20	87	0	0	0	0	0	0	0	0	0	1	3	3	9	15	12	17	13	8	5	1	0	0
	肝および肝内胆管	C22	171	0	0	0	0	0	0	0	0	0	0	1	4	11	24	25	39	24	26	14	3	0	0
	胆のう・胆管	C23-C24	80	0	0	0	0	0	1	0	0	0	0	0	1	6	7	10	17	12	18	6	2	0	0
	膵臓	C25	138	0	0	0	0	0	0	0	0	1	0	2	3	12	16	25	28	16	27	6	2	0	0
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	2	0	0	0	0
	肺	C33-C34	514	0	0	0	0	0	1	1	0	2	2	8	9	27	69	89	103	90	70	33	9	1	0
	皮膚	C43-C44	8	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	0	1	0	1	1	0	0
	乳房	C50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	前立腺	C61	112	0	0	0	0	0	1	0	0	0	0	0	1	0	3	18	15	22	25	22	4	1	0
	膀胱	C67	47	0	0	0	0	0	0	0	0	0	0	1	1	0	2	7	7	11	11	6	1	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	48	0	0	0	0	0	0	0	0	1	0	1	1	3	3	6	13	7	8	4	1	0	0
	脳・中枢神経系	C70-C72	17	1	1	0	0	1	0	0	0	0	0	2	1	0	3	0	1	1	5	0	1	0	0
	甲状腺	C73	9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	2	0	2	2	0	0	0
	悪性リンパ腫	C81-C85 C96	77	0	0	0	0	0	0	1	0	0	0	0	0	3	9	11	10	22	16	5	0	0	0
	多発性骨髄腫	C88-C90	16	0	0	0	0	0	0	0	0	0	0	1	2	0	4	0	2	3	3	0	1	0	0
	白血病	C91-C95	44	0	0	0	0	0	0	1	0	0	0	0	2	1	5	5	8	11	8	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,314	0	0	2	0	0	1	4	6	7	14	30	39	57	98	146	190	219	248	185	63	5	0
	口腔・咽頭	C00-C14	14	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	1	3	3	1	1	0
	食道	C15	21	0	0	0	0	0	0	0	0	0	1	1	3	1	1	1	5	4	0	3	1	0	0
	胃	C16	160	0	0	0	0	0	0	1	2	1	0	2	2	8	10	17	24	27	28	28	10	0	0
	大腸（結腸・直腸）	C18-C20	175	0	0	0	0	0	0	0	1	0	1	1	4	9	19	16	23	28	31	35	7	0	0
	結腸	C18	145	0	0	0	0	0	0	0	1	0	1	0	3	8	15	12	20	26	24	29	6	0	0
	直腸	C19-C20	30	0	0	0	0	0	0	0	0	0	0	1	1	1	4	4	3	2	7	6	1	0	0
	肝および肝内胆管	C22	85	0	0	0	0	0	0	0	0	0	0	0	0	1	2	10	15	20	25	11	1	0	0
	胆のう・胆管	C23-C24	67	0	0	0	0	0	0	0	0	0	0	0	1	1	6	6	9	11	19	12	2	0	0
	膵臓	C25	157	0	0	0	0	0	0	0	0	0	1	5	3	6	10	19	28	28	33	14	8	2	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	200	0	0	0	0	0	0	0	0	0	1	3	5	4	15	24	36	37	39	24	11	1	0
	皮膚	C43-C44	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	2	0	0
	乳房	C50	122	0	0	0	0	0	1	1	1	3	7	8	8	9	11	14	21	9	16	10	2	1	0
	子宮	C53-C55	52	0	0	0	0	0	0	0	2	1	1	4	4	5	5	6	6	8	4	5	1	0	0
	子宮頸部	C53	25	0	0	0	0	0	0	0	2	0	1	1	1	2	2	3	5	5	2	1	0	0	0
	子宮体部	C54	16	0	0	0	0	0	0	0	0	1	0	1	2	3	3	2	0	1	1	1	1	0	0
	卵巣	C56	28	0	0	0	0	0	0	1	0	1	1	2	4	3	2	5	3	0	4	1	1	0	0
	膀胱	C67	25	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	5	4	6	4	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	28	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4	4	5	5	6	1	0	0
	脳・中枢神経系	C70-C72	10	0	0	1	0	0	0	0	0	0	0	1	0	0	2	1	0	2	1	0	2	0	0
	甲状腺	C73	10	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	2	3	2	0	0	0
	悪性リンパ腫	C81-C85 C96	41	0	0	0	0	0	0	0	0	0	0	0	1	1	3	6	5	7	10	7	1	0	0
	多発性骨髄腫	C88-C90	13	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	2	6	2	0	0	0
	白血病	C91-C95	26	0	0	1	0	0	0	0	0	0	0	0	1	2	2	3	4	8	2	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	3,305	1	1	2	1	1	4	7	8	15	22	64	91	173	326	461	560	554	563	347	97	7	0
	口腔・咽頭	C00-C14	63	0	0	0	0	0	0	0	0	0	0	2	1	6	6	11	7	12	9	7	1	1	0
	食道	C15	94	0	0	0	0	0	0	0	0	0	1	4	8	7	11	21	17	15	4	5	1	0	0
	胃	C16	411	0	0	0	0	0	0	1	3	2	1	9	10	27	36	59	70	64	68	48	13	0	0
	大腸（結腸・直腸）	C18-C20	425	0	0	0	0	0	0	0	1	1	2	5	13	27	49	46	72	72	62	62	13	0	0
	結腸	C18	308	0	0	0	0	0	0	0	1	1	1	1	9	17	30	30	52	57	47	51	11	0	0
	直腸	C19-C20	117	0	0	0	0	0	0	0	0	0	1	4	4	10	19	16	20	15	15	11	2	0	0
	肝および肝内胆管	C22	256	0	0	0	0	0	0	0	0	0	0	1	4	12	26	35	54	44	51	25	4	0	0
	胆のう・胆管	C23-C24	147	0	0	0	0	0	1	0	0	0	0	0	2	7	13	16	26	23	37	18	4	0	0
	膵臓	C25	295	0	0	0	0	0	0	0	0	1	1	7	6	18	26	44	56	44	60	20	10	2	0
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	2	0	0	0	0
	肺	C33-C34	714	0	0	0	0	0	1	1	0	2	3	11	14	31	84	113	139	127	109	57	20	2	0
	皮膚	C43-C44	13	0	0	0	0	0	0	0	0	0	1	0	0	1	2	2	0	2	1	1	3	0	0
	乳房	C50	123	0	0	0	0	0	1	1	1	3	7	8	8	9	11	14	21	9	17	10	2	1	0
	子宮	C53-C55	52	0	0	0	0	0	0	0	2	1	1	4	4	5	5	6	6	8	4	5	1	0	0
	子宮頸部	C53	25	0	0	0	0	0	0	0	2	0	1	1	1	2	2	3	5	5	2	1	0	0	0
	子宮体部	C54	16	0	0	0	0	0	0	0	0	1	0	1	2	3	3	2	0	1	1	1	1	0	0
	卵巣	C56	28	0	0	0	0	0	0	1	0	1	1	2	4	3	2	5	3	0	4	1	1	0	0
	前立腺	C61	112	0	0	0	0	0	1	0	0	0	0	0	1	0	3	18	15	22	25	22	4	1	0
	膀胱	C67	72	0	0	0	0	0	0	0	0	0	0	1	1	0	4	10	8	16	15	12	5	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	76	0	0	0	0	0	0	0	0	1	0	1	2	4	4	10	17	12	13	10	2	0	0
	脳・中枢神経系	C70-C72	27	1	1	1	0	1	0	0	0	0	0	3	1	0	5	1	1	3	6	0	3	0	0
	甲状腺	C73	19	0	0	0	0	0	0	0	0	0	0	0	1	2	0	3	2	2	5	4	0	0	0
	悪性リンパ腫	C81-C85 C96	118	0	0	0	0	0	0	1	0	0	0	0	1	4	12	17	15	29	26	12	1	0	0
	多発性骨髄腫	C88-C90	29	0	0	0	0	0	0	0	0	0	0	1	2	1	4	2	2	5	9	2	1	0	0
	白血病	C91-C95	70	0	0	1	0	0	0	1	0	0	0	0	3	3	7	8	12	19	10	6	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
男	全部位	C00-C97	460.9	5.9	5.6	0.0	4.5	5.3	17.6	14.3	8.7	28.6	24.2	117.2	185.7	400.0	690.9	954.5	1,370.4	1,861.1	1,852.9
	口腔・咽頭	C00-C14	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	3.6	17.2	15.2	27.3	22.2	61.1	35.3
	食道	C15	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	17.9	20.7	30.3	60.6	44.4	61.1	23.5
	胃	C16	58.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	3.0	24.1	28.6	65.5	78.8	127.3	170.4	205.6	235.3
	大腸（結腸・直腸）	C18-C20	57.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.0	13.8	32.1	62.1	90.9	90.9	181.5	244.4	182.4
	結腸	C18	37.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.4	21.4	31.0	45.5	54.5	118.5	172.2	135.3
	直腸	C19-C20	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	10.3	10.7	31.0	45.5	36.4	63.0	72.2	47.1
	肝および肝内胆管	C22	39.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	14.3	37.9	72.7	75.8	144.4	133.3	152.9
	胆のう・胆管	C23-C24	18.5	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	0.0	0.0	3.6	20.7	21.2	30.3	63.0	66.7	105.9
	膵臓	C25	31.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	6.9	10.7	41.4	48.5	75.8	103.7	88.9	158.8
	喉頭	C32	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	5.6	11.8
	肺	C33-C34	119.0	0.0	0.0	0.0	0.0	0.0	5.9	4.8	0.0	7.1	6.1	27.6	32.1	93.1	209.1	269.7	381.5	500.0	411.8
	皮膚	C43-C44	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	6.1	6.1	0.0	5.6	0.0
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9
	前立腺	C61	25.9	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	0.0	0.0	3.6	0.0	9.1	54.5	55.6	122.2	147.1
	膀胱	C67	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.6	0.0	6.1	21.2	25.9	61.1	64.7
	腎・尿路（膀胱除く）	C64-C66 C68	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.4	3.6	10.3	9.1	18.2	48.1	38.9	47.1
	脳・中枢神経系	C70-C72	3.9	5.9	5.6	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	6.9	3.6	0.0	9.1	0.0	3.7	5.6	29.4
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	6.1	7.4	0.0	11.8	
	悪性リンパ腫	C81-C85 C96	17.8	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	10.3	27.3	33.3	37.0	122.2	94.1
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	7.1	0.0	12.1	0.0	7.4	16.7	17.6
	白血病	C91-C95	10.2	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	7.1	3.4	15.2	15.2	29.6	61.1	47.1

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
女	全部位	C00-C97	270.4	0.0	0.0	10.5	0.0	0.0	5.9	19.0	25.0	25.0	41.2	93.8	125.8	183.9	264.9	374.4	542.9	782.1	652.6
	口腔・咽頭	C00-C14	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.7	5.1	2.9	3.6	7.9
	食道	C15	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	3.1	9.7	3.2	2.7	2.6	14.3	14.3	0.0
	胃	C16	32.9	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.3	3.6	0.0	6.3	6.5	25.8	27.0	43.6	68.6	96.4	73.7
	大腸（結腸・直腸）	C18-C20	36.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	2.9	3.1	12.9	29.0	51.4	41.0	65.7	100.0	81.6
	結腸	C18	29.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	2.9	0.0	9.7	25.8	40.5	30.8	57.1	92.9	63.2
	直腸	C19-C20	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.2	3.2	10.8	10.3	8.6	7.1	18.4
	肝および肝内胆管	C22	17.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	5.4	25.6	42.9	71.4	65.8
	胆のう・胆管	C23-C24	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	16.2	15.4	25.7	39.3	50.0
	膵臓	C25	32.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	15.6	9.7	19.4	27.0	48.7	80.0	100.0	86.8
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	肺	C33-C34	41.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	9.4	16.1	12.9	40.5	61.5	102.9	132.1	102.6
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	3.6	2.6
	乳房	C50	25.1	0.0	0.0	0.0	0.0	0.0	5.9	4.8	4.2	10.7	20.6	25.0	25.8	29.0	29.7	35.9	60.0	32.1	42.1
	子宮	C53-C55	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	3.6	2.9	12.5	12.9	16.1	13.5	15.4	17.1	28.6	10.5
	子宮頸部	C53	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	2.9	3.1	3.2	6.5	5.4	7.7	14.3	17.9	5.3
	子宮体部	C54	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.1	6.5	9.7	8.1	5.1	0.0	3.6	2.6
	卵巣	C56	5.8	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	3.6	2.9	6.3	12.9	9.7	5.4	12.8	8.6	0.0	10.5
	膀胱	C67	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	7.7	2.9	17.9	10.5
	腎・尿路（膀胱除く）	C64-C66 C68	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	2.7	10.3	11.4	17.9	13.2
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	5.4	2.6	0.0	7.1	2.6
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.0	2.6	0.0	7.1	7.9
	悪性リンパ腫	C81-C85 C96	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	8.1	15.4	14.3	25.0	26.3
	多発性骨髄腫	C88-C90	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	5.1	0.0	7.1	15.8
	白血病	C91-C95	5.3	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.5	5.4	7.7	11.4	28.6	5.3

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳		
総数 *2	全部位	C00-C97	360.0	3.0	2.8	5.1	2.3	2.7	11.8	16.7	17.0	26.8	32.8	104.9	154.2	288.3	465.7	640.3	903.2	1,204.3	1,023.6	
	口腔・咽頭	C00-C14	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	1.7	10.0	8.6	15.3	11.3	26.1	16.4	
	食道	C15	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.6	13.6	11.7	15.7	29.2	27.4	32.6	7.3	
	胃	C16	44.8	0.0	0.0	0.0	0.0	0.0	0.0	2.4	6.4	3.6	1.5	14.8	16.9	45.0	51.4	81.9	112.9	139.1	123.6	
	大腸（結腸・直腸）	C18-C20	46.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.8	3.0	8.2	22.0	45.0	70.0	63.9	116.1	156.5	112.7	
	結腸	C18	33.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.8	1.5	1.6	15.3	28.3	42.9	41.7	83.9	123.9	85.5	
	直腸	C19-C20	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.6	6.8	16.7	27.1	22.2	32.3	32.6	27.3	
	肝および肝内胆管	C22	27.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.8	20.0	37.1	48.6	87.1	95.7	92.7	
	胆のう・胆管	C23-C24	16.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	3.4	11.7	18.6	22.2	41.9	50.0	67.3	
	膵臓	C25	32.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.5	11.5	10.2	30.0	37.1	61.1	90.3	95.7	109.1	
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.2	3.6	
	肺	C33-C34	77.8	0.0	0.0	0.0	0.0	0.0	2.9	2.4	0.0	3.6	4.5	18.0	23.7	51.7	120.0	156.9	224.2	276.1	198.2	
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	1.7	2.9	2.8	0.0	4.3	1.8	
	乳房	C50	13.4	0.0	0.0	0.0	0.0	0.0	2.9	2.4	2.1	5.4	10.4	13.1	13.6	15.0	15.7	19.4	33.9	19.6	30.9	
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	膀胱	C67	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.7	0.0	5.7	13.9	12.9	34.8	27.3	
	腎・尿路（膀胱除く）	C64-C66 C68	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.6	3.4	6.7	5.7	13.9	27.4	26.1	23.6	
	脳・中枢神経系	C70-C72	2.9	3.0	2.8	2.6	0.0	2.7	0.0	0.0	0.0	0.0	0.0	4.9	1.7	0.0	7.1	1.4	1.6	6.5	10.9	
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.3	0.0	4.2	3.2	4.3	9.1	
	悪性リンパ腫	C81-C85 C96	12.9	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	1.7	6.7	17.1	23.6	24.2	63.0	47.3
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.4	1.7	5.7	2.8	3.2	10.9	16.4	
	白血病	C91-C95	7.6	0.0	0.0	2.6	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	5.1	5.0	10.0	11.1	19.4	41.3	18.2	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	460.9	5.9	5.6	0.0	4.5	5.3	17.6	14.3	8.7	28.6	24.2	117.2	185.7	400.0	690.9	954.5	1,370.4	1,861.1	3,017.6	.
	口腔・咽頭	C00-C14	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	3.6	17.2	15.2	27.3	22.2	61.1	58.8	.
	食道	C15	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	17.9	20.7	30.3	60.6	44.4	61.1	35.3	.
	胃	C16	58.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	3.0	24.1	28.6	65.5	78.8	127.3	170.4	205.6	370.6	.
	大腸（結腸・直腸）	C18-C20	57.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.0	13.8	32.1	62.1	90.9	90.9	181.5	244.4	376.5	.
	結腸	C18	37.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.4	21.4	31.0	45.5	54.5	118.5	172.2	294.1	.
	直腸	C19-C20	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	10.3	10.7	31.0	45.5	36.4	63.0	72.2	82.4	.
	肝および肝内胆管	C22	39.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	14.3	37.9	72.7	75.8	144.4	133.3	252.9	.
	胆のう・胆管	C23-C24	18.5	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	0.0	0.0	3.6	20.7	21.2	30.3	63.0	66.7	152.9	.
	膵臓	C25	31.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	6.9	10.7	41.4	48.5	75.8	103.7	88.9	205.9	.
	喉頭	C32	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	5.6	11.8	.
	肺	C33-C34	119.0	0.0	0.0	0.0	0.0	0.0	5.9	4.8	0.0	7.1	6.1	27.6	32.1	93.1	209.1	269.7	381.5	500.0	664.7	.
	皮膚	C43-C44	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	6.1	6.1	0.0	5.6	11.8	.
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	.
	前立腺	C61	25.9	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	0.0	0.0	3.6	0.0	9.1	54.5	55.6	122.2	305.9	.
	膀胱	C67	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.6	0.0	6.1	21.2	25.9	61.1	105.9	.
	腎・尿路（膀胱除く）	C64-C66 C68	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.4	3.6	10.3	9.1	18.2	48.1	38.9	76.5	.
	脳・中枢神経系	C70-C72	3.9	5.9	5.6	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	6.9	3.6	0.0	9.1	0.0	3.7	5.6	35.3	.
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	6.1	7.4	0.0	23.5	.
	悪性リンパ腫	C81-C85 C96	17.8	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	10.3	27.3	33.3	37.0	122.2	123.5	.
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	7.1	0.0	12.1	0.0	7.4	16.7	23.5	.
	白血病	C91-C95	10.2	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	7.1	3.4	15.2	15.2	29.6	61.1	64.7	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	270.4	0.0	0.0	10.5	0.0	0.0	5.9	19.0	25.0	25.0	41.2	93.8	125.8	183.9	264.9	374.4	542.9	782.1	1,318.4	.
	口腔・咽頭	C00-C14	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.7	5.1	2.9	3.6	21.1	.
	食道	C15	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	3.1	9.7	3.2	2.7	2.6	14.3	14.3	10.5	.
	胃	C16	32.9	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.3	3.6	0.0	6.3	6.5	25.8	27.0	43.6	68.6	96.4	173.7	.
	大腸（結腸・直腸）	C18-C20	36.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	2.9	3.1	12.9	29.0	51.4	41.0	65.7	100.0	192.1	.
	結腸	C18	29.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	2.9	0.0	9.7	25.8	40.5	30.8	57.1	92.9	155.3	.
	直腸	C19-C20	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.2	3.2	10.8	10.3	8.6	7.1	36.8	.
	肝および肝内胆管	C22	17.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	5.4	25.6	42.9	71.4	97.4	.
	胆のう・胆管	C23-C24	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	16.2	15.4	25.7	39.3	86.8	.
	膵臓	C25	32.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	15.6	9.7	19.4	27.0	48.7	80.0	100.0	150.0	.
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.
	肺	C33-C34	41.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	9.4	16.1	12.9	40.5	61.5	102.9	132.1	197.4	.
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	3.6	7.9	.
	乳房	C50	25.1	0.0	0.0	0.0	0.0	0.0	5.9	4.8	4.2	10.7	20.6	25.0	25.8	29.0	29.7	35.9	60.0	32.1	76.3	.
	子宮	C53-C55	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	3.6	2.9	12.5	12.9	16.1	13.5	15.4	17.1	28.6	26.3	.
	子宮頸部	C53	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	2.9	3.1	3.2	6.5	5.4	7.7	14.3	17.9	7.9	.
	子宮体部	C54	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.1	6.5	9.7	8.1	5.1	0.0	3.6	7.9	.
	卵巣	C56	5.8	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	3.6	2.9	6.3	12.9	9.7	5.4	12.8	8.6	0.0	15.8	.
	膀胱	C67	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	7.7	2.9	17.9	36.8	.
	腎・尿路（膀胱除く）	C64-C66 C68	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	2.7	10.3	11.4	17.9	31.6	.
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	5.4	2.6	0.0	7.1	7.9	.
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.0	2.6	0.0	7.1	13.2	.
	悪性リンパ腫	C81-C85 C96	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	8.1	15.4	14.3	25.0	47.4	.
	多発性骨髄腫	C88-C90	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	5.1	0.0	7.1	21.1	.
	白血病	C91-C95	5.3	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.5	5.4	7.7	11.4	28.6	13.2	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	360.0	3.0	2.8	5.1	2.3	2.7	11.8	16.7	17.0	26.8	32.8	104.9	154.2	288.3	465.7	640.3	903.2	1,204.3	1,843.6	.
	口腔・咽頭	C00-C14	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	1.7	10.0	8.6	15.3	11.3	26.1	32.7	.
	食道	C15	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.6	13.6	11.7	15.7	29.2	27.4	32.6	18.2	.
	胃	C16	44.8	0.0	0.0	0.0	0.0	0.0	0.0	2.4	6.4	3.6	1.5	14.8	16.9	45.0	51.4	81.9	112.9	139.1	234.5	.
	大腸（結腸・直腸）	C18-C20	46.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.8	3.0	8.2	22.0	45.0	70.0	63.9	116.1	156.5	249.1	.
	結腸	C18	33.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.8	1.5	1.6	15.3	28.3	42.9	41.7	83.9	123.9	198.2	.
	直腸	C19-C20	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.6	6.8	16.7	27.1	22.2	32.3	32.6	50.9	.
	肝および肝内胆管	C22	27.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.8	20.0	37.1	48.6	87.1	95.7	145.5	.
	胆のう・胆管	C23-C24	16.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	3.4	11.7	18.6	22.2	41.9	50.0	107.3	.
	膵臓	C25	32.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.5	11.5	10.2	30.0	37.1	61.1	90.3	95.7	167.3	.
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.2	3.6	.
	肺	C33-C34	77.8	0.0	0.0	0.0	0.0	0.0	2.9	2.4	0.0	3.6	4.5	18.0	23.7	51.7	120.0	156.9	224.2	276.1	341.8	.
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	1.7	2.9	2.8	0.0	4.3	9.1	.
	乳房	C50	13.4	0.0	0.0	0.0	0.0	0.0	2.9	2.4	2.1	5.4	10.4	13.1	13.6	15.0	15.7	19.4	33.9	19.6	54.5	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.7	0.0	5.7	13.9	12.9	34.8	58.2	.
	腎・尿路（膀胱除く）	C64-C66 C68	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.6	3.4	6.7	5.7	13.9	27.4	26.1	45.5	.
	脳・中枢神経系	C70-C72	2.9	3.0	2.8	2.6	0.0	2.7	0.0	0.0	0.0	0.0	0.0	4.9	1.7	0.0	7.1	1.4	1.6	6.5	16.4	.
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.3	0.0	4.2	3.2	4.3	16.4	.
	悪性リンパ腫	C81-C85 C96	12.9	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	1.7	6.7	17.1	23.6	24.2	63.0	70.9	.
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.4	1.7	5.7	2.8	3.2	10.9	21.8	.
	白血病	C91-C95	7.6	0.0	0.0	2.6	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	5.1	5.0	10.0	11.1	19.4	41.3	29.1	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

和歌山県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率			累積罹患率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口		世界人口		男	女	総数 *1		
											男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	000-C96 D00-D47	5,666	4,373	10,039	100.0	100.0	100.0	1,302.5	892.4	1,085.3	554.8	440.9	485.5	393.3	333.7	356.0	47.1	35.9	41.0
全部位	000-C96	4,998	3,662	8,660	88.2	83.7	86.3	1,149.0	747.3	936.2	482.3	338.3	398.8	340.6	251.6	289.1	40.9	27.9	33.9
口唇	000	0	2	2	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	5	2	7	0.1	0.0	0.1	1.1	0.4	0.8	0.6	0.3	0.5	0.5	0.3	0.4	0.1	0.0	0.0
その他および部位不明の舌	002	30	16	46	0.5	0.4	0.5	6.9	3.3	5.0	4.7	1.6	3.1	3.6	1.2	2.4	0.4	0.1	0.3
歯肉	003	14	11	25	0.2	0.3	0.2	3.2	2.2	2.7	1.2	0.6	0.8	0.8	0.3	0.5	0.1	0.0	0.1
口腔底	004	6	4	10	0.1	0.1	0.1	1.4	0.8	1.1	0.4	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
口蓋	005	8	2	10	0.1	0.0	0.1	1.8	0.4	1.1	0.9	0.1	0.5	0.7	0.1	0.4	0.1	0.0	0.1
その他および部位不明の口腔	006	7	3	10	0.1	0.1	0.1	1.6	0.6	1.1	0.6	0.2	0.4	0.4	0.1	0.3	0.1	0.0	0.0
耳下腺	007	6	4	10	0.1	0.1	0.1	1.4	0.8	1.1	0.7	0.4	0.6	0.5	0.3	0.4	0.1	0.0	0.1
その他および部位不明の大唾液腺	008	3	3	6	0.1	0.1	0.1	0.7	0.6	0.6	0.3	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
扁桃	009	17	3	20	0.3	0.1	0.2	3.9	0.6	2.2	2.3	0.3	1.2	1.7	0.2	0.9	0.2	0.0	0.1
中咽頭	C10	7	0	7	0.1	0.0	0.1	1.6	0.0	0.8	0.7	0.0	0.3	0.5	0.0	0.2	0.0	0.0	0.0
鼻<上>咽頭	C11	5	5	10	0.1	0.1	0.1	1.1	1.0	1.1	1.0	1.2	1.1	0.7	0.9	0.8	0.1	0.1	0.1
梨状陥凹<洞>	C12	23	0	23	0.4	0.0	0.2	5.3	0.0	2.5	2.5	0.0	1.2	1.8	0.0	0.8	0.2	0.0	0.1
下咽頭	C13	18	2	20	0.3	0.0	0.2	4.1	0.4	2.2	1.7	0.1	0.9	1.3	0.1	0.6	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	C15	195	33	228	3.4	0.8	2.3	44.8	6.7	24.6	19.3	2.9	10.3	13.5	2.0	7.3	1.7	0.3	0.9
胃	C16	816	415	1,231	14.4	9.5	12.3	187.6	84.7	133.1	76.8	27.9	49.8	53.1	19.2	34.6	6.6	2.1	4.2
小腸	C17	21	11	32	0.4	0.3	0.3	4.8	2.2	3.5	2.1	1.0	1.5	1.5	0.8	1.1	0.2	0.1	0.1
結腸	C18	442	402	844	7.8	9.2	8.4	101.6	82.0	91.2	41.4	28.5	34.2	28.8	20.1	24.0	3.5	2.5	3.0
直腸S状結腸移行部	C19	61	51	112	1.1	1.2	1.1	14.0	10.4	12.1	6.3	4.7	5.4	4.6	3.4	4.0	0.6	0.4	0.5
直腸	C20	215	128	343	3.8	2.9	3.4	49.4	26.1	37.1	23.3	11.3	16.7	17.0	8.3	12.3	2.1	0.9	1.5
肛門および肛門管	C21	8	7	15	0.1	0.2	0.1	1.8	1.4	1.6	1.3	0.3	0.8	0.9	0.1	0.5	0.1	0.0	0.0
肝および肝内胆管	C22	278	137	415	4.9	3.1	4.1	63.9	28.0	44.9	27.1	7.1	16.2	19.1	4.6	11.3	2.1	0.5	1.2
胆のう	C23	34	28	62	0.6	0.6	0.6	7.8	5.7	6.7	3.4	1.3	2.3	2.5	0.8	1.6	0.3	0.1	0.2
その他および部位不明の胆道	C24	75	49	124	1.3	1.1	1.2	17.2	10.0	13.4	6.0	2.2	3.9	3.9	1.4	2.5	0.4	0.1	0.3
膵臓	C25	196	177	373	3.5	4.0	3.7	45.1	36.1	40.3	19.3	12.6	15.6	13.7	9.0	11.1	1.6	0.9	1.3
その他および部位不明の消化器	C26	8	4	12	0.1	0.1	0.1	1.8	0.8	1.3	1.2	0.3	0.7	0.9	0.2	0.5	0.1	0.0	0.1
鼻腔および中耳	C30	3	3	6	0.1	0.1	0.1	0.7	0.6	0.6	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
副鼻腔	C31	10	3	13	0.2	0.1	0.1	2.3	0.6	1.4	1.3	0.1	0.7	1.1	0.1	0.6	0.1	0.0	0.1
喉頭	C32	39	4	43	0.7	0.1	0.4	9.0	0.8	4.6	4.0	0.4	2.1	2.8	0.3	1.5	0.4	0.1	0.2
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	760	379	1,139	13.4	8.7	11.3	174.7	77.3	123.1	66.3	25.7	43.6	44.5	17.3	29.4	5.3	2.1	3.6
胸腺	C37	13	11	24	0.2	0.3	0.2	3.0	2.2	2.6	1.7	1.3	1.4	1.2	1.0	1.1	0.1	0.1	0.1
心臓、縦隔および胸膜	C38	3	1	4	0.1	0.0	0.0	0.7	0.2	0.4	0.5	0.1	0.3	0.5	0.1	0.3	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	2	2	4	0.0	0.0	0.0	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	4	1	5	0.1	0.0	0.0	0.9	0.2	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	9	17	26	0.2	0.4	0.3	2.1	3.5	2.8	1.3	1.4	1.3	1.1	1.0	1.0	0.1	0.1	0.1
皮膚のその他	C44	122	110	232	2.2	2.5	2.3	28.0	22.4	25.1	11.7	5.1	8.2	8.7	3.4	5.9	1.0	0.3	0.7
中皮腫	C45	15	1	16	0.3	0.0	0.2	3.4	0.2	1.7	1.5	0.1	0.7	1.1	0.1	0.5	0.2	0.0	0.1
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	5	15	20	0.1	0.3	0.2	1.1	3.1	2.2	0.8	1.1	1.0	1.0	0.7	0.9	0.1	0.1	0.1
その他の結合組織および軟部組織	C49	15	15	30	0.3	0.3	0.3	3.4	3.1	3.2	1.9	2.5	2.2	1.6	2.4	2.0	0.2	0.2	0.2
乳房	C50	6	695	701	0.1	15.9	7.0	1.4	141.8	75.8	1.0	86.9	46.2	0.9	66.4	35.3	0.1	7.5	4.0
外陰	C51	-	16	16	-	0.4	0.2	-	3.3	-	-	1.5	-	-	1.2	-	-	0.1	-
陰	C52	-	6	6	-	0.1	0.1	-	1.2	-	-	0.6	-	-	0.4	-	-	0.0	-
子宮頸部	C53	-	80	80	-	1.8	0.8	-	16.3	-	-	11.3	-	-	8.7	-	-	0.9	-
子宮体部	C54	-	130	130	-	3.0	1.3	-	26.5	-	-	20.8	-	-	16.3	-	-	1.8	-
子宮部位不明	C55	-	6	6	-	0.1	0.1	-	1.2	-	-	0.3	-	-	0.2	-	-	0.0	-
卵巣	C56	-	121	121	-	2.8	1.2	-	24.7	-	-	18.7	-	-	15.3	-	-	1.5	-
その他および部位不明の女性性器	C57	-	4	4	-	0.1	0.0	-	0.8	-	-	0.3	-	-	0.2	-	-	0.0	-
胎盤	C58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	C60	4	-	4	0.1	-	0.0	0.9	-	-	0.4	-	-	0.2	-	-	0.0	-	-
前立腺	C61	789	-	789	13.9	-	7.9	181.4	-	-	67.6	-	-	45.4	-	-	6.0	-	-
精巣	C62	12	-	12	0.2	-	0.1	2.8	-	-	3.2	-	-	2.8	-	-	0.2	-	-
その他および部位不明の男性性器	C63	6	-	6	0.1	-	0.1	1.4	-	-	0.6	-	-	0.4	-	-	0.0	-	-
腎盂を除く腎	C64	97	52	149	1.7	1.2	1.5	22.3	10.6	16.1	11.4	4.1	7.4	8.5	3.0	5.5	1.0	0.4	0.7
腎盂	C65	35	12	47	0.6	0.3	0.5	8.0	2.4	5.1	3.1	1.1	2.0	2.1	0.8	1.4	0.3	0.1	0.2
尿管	C66	19	11	30	0.3	0.3	0.3	4.4	2.2	3.2	1.4	0.5	0.9	1.0	0.3	0.6	0.1	0.0	0.0
膀胱	C67	152	41	193	2.7	0.9	1.9	34.9	8.4	20.9	12.9	2.7	7.2	8.7	1.9	4.9	1.1	0.2	0.6
その他および部位不明の泌尿器	C68	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
眼および付属器	C69	3	1	4	0.1	0.0	0.0	0.7	0.2	0.4	0.5	0.1	0.3	0.8	0.0	0.4	0.0	0.0	0.0
髄膜	C70	0	0	0	0.0	0.0													

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

和歌山県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	488	511	999	8.6	11.7	10.0	112.2	104.3	108.0	51.6	81.0	65.5	37.0	65.6	50.8	4.7	6.3	5.5
口腔、食道および胃	D00	33	19	52	0.6	0.4	0.5	7.6	3.9	5.6	3.0	1.7	2.3	2.1	1.3	1.6	0.3	0.2	0.2
食道	D001	22	14	36	0.4	0.3	0.4	5.1	2.9	3.9	2.0	1.3	1.6	1.3	0.9	1.1	0.2	0.1	0.1
その他および部位不明の消化器	D01	268	157	425	4.7	3.6	4.2	61.6	32.0	45.9	31.2	14.9	22.5	22.9	10.8	16.5	3.0	1.3	2.1
結腸	D010	158	99	257	2.8	2.3	2.6	36.3	20.2	27.8	17.8	9.6	13.4	12.9	7.1	9.8	1.7	0.9	1.3
直腸S状結腸移行部	D011	18	9	27	0.3	0.2	0.3	4.1	1.8	2.9	2.5	1.1	1.8	2.0	0.8	1.4	0.3	0.1	0.2
直腸	D012	65	31	96	1.1	0.7	1.0	14.9	6.3	10.4	7.5	2.8	4.9	5.5	2.0	3.6	0.7	0.2	0.4
中耳および呼吸器系	D02	9	11	20	0.2	0.3	0.2	2.1	2.2	2.2	1.4	0.9	1.2	1.0	0.7	0.9	0.1	0.1	0.1
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	2	11	13	0.0	0.3	0.1	0.5	2.2	1.4	0.2	0.9	0.6	0.1	0.7	0.4	0.0	0.1	0.1
上皮内黒色腫	D03	0	4	4	0.0	0.1	0.0	0.0	0.8	0.4	0.0	0.5	0.2	0.0	0.4	0.2	0.0	0.0	0.0
皮膚のその他	D04	23	33	56	0.4	0.8	0.6	5.3	6.7	6.1	1.8	2.1	2.0	1.2	1.4	1.3	0.1	0.2	0.1
乳房	D05	1	84	85	0.0	1.9	0.8	0.2	17.1	9.2	0.1	11.8	6.2	0.1	9.1	4.8	0.0	1.0	0.5
子宮頸部	D06	-	158	158	-	3.6	1.6	-	32.2	-	-	45.5	-	-	39.3	-	-	3.1	-
その他および部位不明の性器	D07	1	7	8	0.0	0.2	0.1	0.2	1.4	0.9	0.1	0.7	0.4	0.1	0.5	0.3	0.0	0.1	0.0
その他および部位不明	D09	153	38	191	2.7	0.9	1.9	35.2	7.8	20.6	13.9	2.9	7.8	9.5	2.0	5.4	1.1	0.3	0.7
膀胱	D090	142	35	177	2.5	0.8	1.8	32.6	7.1	19.1	12.9	2.6	7.1	8.9	1.8	5.0	1.0	0.2	0.6
良性腫瘍	D32-D35	68	101	169	1.2	2.3	1.7	15.6	20.6	18.3	10.4	13.5	12.0	8.2	10.5	9.4	0.8	1.1	1.0
髄膜	D32	30	64	94	0.5	1.5	0.9	6.9	13.1	10.2	3.4	7.5	5.5	2.7	5.7	4.2	0.3	0.7	0.5
脳および中枢神経系	D33	23	19	42	0.4	0.4	0.4	5.3	3.9	4.5	3.8	2.0	2.9	2.9	1.5	2.2	0.3	0.2	0.2
下垂体	D352	15	18	33	0.3	0.4	0.3	3.4	3.7	3.6	3.2	3.9	3.6	2.6	3.4	3.0	0.3	0.3	0.3
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	109	91	200	1.9	2.1	2.0	25.1	18.6	21.6	10.2	6.7	8.2	7.3	4.9	5.9	0.7	0.4	0.6
髄膜	D42	2	9	11	0.0	0.2	0.1	0.5	1.8	1.2	0.2	0.5	0.3	0.1	0.3	0.2	0.0	0.1	0.0
脳および中枢神経系	D43	4	9	13	0.1	0.2	0.1	0.9	1.8	1.4	0.2	0.8	0.5	0.1	0.9	0.5	0.0	0.0	0.0
下垂体	D443	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D46	9	8	17	0.2	0.2	0.2	2.1	1.6	1.8	1.2	1.0	1.1	1.1	0.7	0.9	0.1	0.1	0.1
骨髄異形成症候群	D46	67	51	118	1.2	1.2	1.2	15.4	10.4	12.8	5.7	3.3	4.3	3.9	2.1	2.9	0.3	0.2	0.3
慢性骨髄増殖性疾患	D471	5	2	7	0.1	0.0	0.1	1.1	0.4	0.8	0.4	0.4	0.4	0.2	0.3	0.3	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	19	10	29	0.3	0.2	0.3	4.4	2.0	3.1	2.3	0.5	1.4	1.8	0.4	1.0	0.2	0.0	0.1

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

和歌山県

2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C97 000-D47	2,067	1,371	3,438	100.0	100.0	100.0	478.5	282.1	374.5	172.8	82.8	121.6	119.0	58.0	84.5	12.7	5.9	9.1
全部位	000-C97	1,991	1,314	3,305	96.3	95.8	96.1	460.9	270.4	360.0	167.3	80.3	117.8	115.3	56.5	82.1	12.3	5.8	8.9
口唇	000	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	002	10	4	14	0.5	0.3	0.4	2.3	0.8	1.5	1.0	0.1	0.5	0.7	0.1	0.4	0.1	0.0	0.0
歯肉	003	2	4	6	0.1	0.3	0.2	0.5	0.8	0.7	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
口腔底	004	5	1	6	0.2	0.1	0.2	1.2	0.2	0.7	0.4	0.1	0.2	0.2	0.1	0.2	0.0	0.0	0.0
口蓋	005	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	006	4	4	8	0.2	0.3	0.2	0.9	0.8	0.9	0.2	0.2	0.2	0.1	0.2	0.1	0.0	0.0	0.0
耳下腺	007	2	0	2	0.1	0.0	0.1	0.5	0.0	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
扁桃	009	2	0	2	0.1	0.0	0.1	0.5	0.0	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
中咽頭	010	2	0	2	0.1	0.0	0.1	0.5	0.0	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
鼻<上>咽頭	011	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
梨状陥凹<洞>	012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	013	15	0	15	0.7	0.0	0.4	3.5	0.0	1.6	1.4	0.0	0.6	0.9	0.0	0.4	0.1	0.0	0.0
その他および部位不明の口唇、口腔および咽頭	014	5	0	5	0.2	0.0	0.1	1.2	0.0	0.5	0.3	0.0	0.1	0.3	0.0	0.1	0.0	0.0	0.0
食道	015	73	21	94	3.5	1.5	2.7	16.9	4.3	10.2	7.3	1.8	4.3	5.1	1.2	3.0	0.7	0.1	0.4
胃	016	251	160	411	12.1	11.7	12.0	58.1	32.9	44.8	21.9	9.1	14.7	15.1	6.3	10.2	1.7	0.6	1.1
小腸	017	15	4	19	0.7	0.3	0.6	3.5	0.8	2.1	1.4	0.2	0.8	1.0	0.2	0.6	0.1	0.0	0.0
結腸	018	163	145	308	7.9	10.6	9.0	37.7	29.8	33.6	12.7	7.9	9.9	8.5	5.5	6.7	0.8	0.6	0.7
直腸S状結腸移行部	019	2	2	4	0.1	0.1	0.1	0.5	0.4	0.4	0.2	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
直腸	020	85	28	113	4.1	2.0	3.3	19.7	5.8	12.3	8.1	1.5	4.5	5.7	1.1	3.2	0.7	0.1	0.4
肛門および肛門管	021	0	2	2	0.0	0.1	0.1	0.0	0.4	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
肝および肝内胆管	022	171	85	256	8.3	6.2	7.4	39.6	17.5	27.9	13.8	3.4	8.0	9.3	2.1	5.3	1.0	0.2	0.6
胆のう	023	22	21	43	1.1	1.5	1.3	5.1	4.3	4.7	1.7	1.0	1.3	1.2	0.7	0.9	0.1	0.1	0.1
その他および部位不明の胆道	024	58	46	104	2.8	3.4	3.0	13.4	9.5	11.3	4.6	1.9	3.1	3.2	1.3	2.1	0.3	0.1	0.2
膵臓	025	138	157	295	6.7	11.5	8.6	31.9	32.3	32.1	11.7	8.8	10.1	8.1	6.0	6.9	0.9	0.6	0.8
その他および部位不明の消化器	026	0	2	2	0.0	0.1	0.1	0.0	0.4	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鼻腔および中耳	030	1	1	2	0.0	0.1	0.1	0.2	0.2	0.2	0.3	0.1	0.2	0.3	0.0	0.1	0.0	0.0	0.0
副鼻腔	031	6	2	8	0.3	0.1	0.2	1.4	0.4	0.9	0.5	0.0	0.3	0.4	0.0	0.2	0.1	0.0	0.0
喉頭	032	5	0	5	0.2	0.0	0.1	1.2	0.0	0.5	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
気管	033	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	514	200	714	24.9	14.6	20.8	119.0	41.2	77.8	43.1	10.5	24.9	29.2	6.9	16.8	3.3	0.7	1.9
胸腺	037	2	2	4	0.1	0.1	0.1	0.5	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
心臓、縦隔および胸腺	038	2	0	2	0.1	0.0	0.1	0.5	0.0	0.2	0.5	0.0	0.2	0.4	0.0	0.2	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	1	1	2	0.0	0.1	0.1	0.2	0.2	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	2	0	2	0.1	0.0	0.1	0.5	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
皮膚の悪性黒色腫	043	3	0	3	0.1	0.0	0.1	0.7	0.0	0.3	0.4	0.0	0.2	0.3	0.0	0.2	0.0	0.0	0.0
皮膚のその他	044	5	5	10	0.2	0.4	0.3	1.2	1.0	1.1	0.3	0.2	0.3	0.2	0.2	0.2	0.0	0.0	0.0
中皮腫	045	3	2	5	0.1	0.1	0.1	0.7	0.4	0.5	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
カボジ肉腫	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	048	3	9	12	0.1	0.7	0.3	0.7	1.9	1.3	0.3	0.6	0.5	0.2	0.4	0.3	0.0	0.1	0.0
その他の結合組織および軟部組織	049	4	1	5	0.2	0.1	0.1	0.9	0.2	0.5	0.7	0.1	0.4	0.6	0.1	0.3	0.0	0.0	0.0
乳房	050	1	122	123	0.0	8.9	3.6	0.2	25.1	13.4	0.0	12.0	6.4	0.0	9.1	4.8	0.0	1.0	0.5
外陰	051	-	1	1	-	0.1	0.0	-	0.2	-	-	0.0	-	-	0.0	-	-	0.0	-
陰	052	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
子宮頸部	053	-	25	25	-	1.8	0.7	-	5.1	-	-	2.5	-	-	1.8	-	-	0.2	-
子宮体部	054	-	16	16	-	1.2	0.5	-	3.3	-	-	1.8	-	-	1.4	-	-	0.2	-
子宮部位不明	055	-	11	11	-	0.8	0.3	-	2.3	-	-	0.9	-	-	0.6	-	-	0.1	-
卵巣	056	-	28	28	-	2.0	0.8	-	5.8	-	-	3.2	-	-	2.5	-	-	0.3	-
その他および部位不明の女性性器	057	-	1	1	-	0.1	0.0	-	0.2	-	-	0.2	-	-	0.2	-	-	0.0	-
胎盤	058	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	060	3	-	3	0.1	-	0.1	0.7	-	-	0.2	-	-	0.1	-	-	0.0	-	-
前立腺	061	112	-	112	5.4	-	3.3	25.9	-	-	7.1	-	-	4.7	-	-	0.4	-	-
精巣	062	0	-	0	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
その他および部位不明の男性性器	063	0	-	0	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
腎盂を除く腎	064	22	15	37	1.1	1.1	1.1	5.1	3.1	4.0	1.8	0.7	1.2	1.2	0.5	0.8	0.1	0.1	0.1
腎盂	065	17	3	20	0.8	0.2	0.6	3.9	0.6	2.2	1.4	0.3	0.8	0.9	0.2	0.5	0.1	0.0	0.0
尿管	066	8	10	18	0.4	0.7	0.5	1.9	2.1	2.0	0.7	0.4	0.6	0.5	0.3	0.4	0.0	0.0	0.0
膀胱	067	47	25	72	2.3	1.8	2.1	10.9	5.1	7.8	3.2	0.9	1.9	2.0	0.6	1.2	0.2	0.1	0.1
その他および部位不明の泌尿器	068	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
眼および付属器	069	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	070	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0			

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%): 詳細部位別、性別

和歌山県

2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	2	4	6	0.1	0.3	0.2	0.5	0.8	0.7	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0
髄膜	D32	1	3	4	0.0	0.2	0.1	0.2	0.6	0.4	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
脳および中枢神経系	D33	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D352	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	50	39	89	2.4	2.8	2.6	11.6	8.0	9.7	3.9	1.9	2.8	2.6	1.2	1.8	0.3	0.1	0.2
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	16	14	30	0.8	1.0	0.9	3.7	2.9	3.3	1.3	0.8	1.0	1.0	0.5	0.7	0.1	0.0	0.1
下垂体	D443	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	31	23	54	1.5	1.7	1.6	7.2	4.7	5.9	2.3	1.0	1.6	1.5	0.6	1.0	0.2	0.0	0.1
慢性骨髄増殖性疾患	D471	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2019年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	-その他 *	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96	8,492	27.0	7.8	0.8	2.2	15.3	3.9	0.5	0.9	14.2	0.4	2.7	1.9	22.2
口腔・咽頭	C00-C14	205	26.8	10.7	0.5	4.4	5.9	14.6	0.0	6.8	8.8	0.5	7.3	0.0	13.7
食道	C15	227	10.1	22.9	0.4	4.8	5.7	10.6	0.0	0.0	23.3	0.0	1.8	0.0	20.3
胃	C16	1,221	24.2	32.9	1.7	0.1	8.8	0.3	0.0	0.0	12.0	0.2	0.0	0.7	19.2
大腸（結腸・直腸）	C18-C20	1,277	42.1	8.8	3.1	0.0	5.2	0.9	0.2	0.1	21.2	0.2	1.8	0.6	15.8
結腸	C18	826	44.7	9.4	3.0	0.0	5.2	0.0	0.1	0.0	21.4	0.0	0.0	0.4	15.7
直腸	C19-C20	451	37.3	7.8	3.1	0.0	5.1	2.7	0.4	0.2	20.8	0.4	5.1	1.1	16.0
肝および肝内胆管	C22	401	17.5	0.0	0.0	1.5	9.5	0.5	8.7	0.0	2.7	0.0	0.0	25.7	33.9
胆のう・胆管	C23-C24	180	22.2	0.6	0.0	0.0	13.9	1.1	0.0	0.0	12.2	1.1	0.6	1.7	46.7
膵臓	C25	359	5.3	0.0	0.0	0.6	35.9	0.6	0.3	0.0	17.0	0.0	0.3	1.1	39.0
喉頭	C32	43	11.6	4.7	0.0	32.6	0.0	18.6	0.0	9.3	7.0	0.0	0.0	0.0	16.3
肺	C33-C34	1,100	23.3	0.0	0.0	5.9	21.1	8.5	0.1	0.2	12.3	0.0	0.7	0.1	27.8
皮膚	C43-C44	258	83.3	0.0	0.0	0.4	1.9	0.8	0.0	0.8	1.2	0.8	0.4	0.8	9.7
乳房	C50	695	17.7	0.0	0.0	1.0	5.0	1.3	0.0	3.5	36.0	0.1	20.7	0.6	14.1
乳房（女性のみ）	C50	689	17.6	0.0	0.0	1.0	5.1	1.3	0.0	3.3	36.0	0.1	20.8	0.6	14.2
子宮	C53-C55	213	38.5	0.0	0.5	4.7	1.9	10.8	0.0	0.9	24.9	0.0	6.1	0.0	11.7
子宮頸部	C53	80	22.5	0.0	0.0	12.5	1.3	27.5	0.0	1.3	2.5	0.0	15.0	0.0	17.5
子宮体部	C54	129	49.6	0.0	0.8	0.0	2.3	0.8	0.0	0.8	39.5	0.0	0.8	0.0	5.4
卵巣	C56	118	36.4	0.0	0.0	0.0	2.5	0.0	0.0	0.0	50.8	0.0	0.0	0.8	9.3
前立腺	C61	775	28.5	1.2	0.0	3.6	34.5	10.7	0.4	0.0	1.3	0.0	0.0	0.9	19.0
膀胱	C67	186	2.2	27.4	2.2	0.5	1.6	0.0	0.0	1.6	23.1	13.4	1.6	8.1	18.3
腎・尿路（膀胱除く）	C64-C66 C68	219	61.6	0.5	0.0	0.5	5.5	2.3	0.0	0.9	4.1	0.9	0.5	1.4	21.9
脳・中枢神経系	C70-C72	47	8.5	0.0	0.0	0.0	8.5	14.9	0.0	4.3	12.8	0.0	21.3	0.0	29.8
甲状腺	C73	164	53.7	0.0	0.0	0.0	0.0	0.0	0.0	8.5	8.5	0.6	1.2	0.0	27.4
悪性リンパ腫	C81-C85 C96	308	2.3	0.3	0.0	4.9	59.1	3.9	0.3	0.3	3.2	0.0	0.3	1.0	24.4
多発性骨髄腫	C88-C90	55	0.0	0.0	0.0	3.6	67.3	3.6	1.8	0.0	0.0	0.0	0.0	0.0	23.6
白血病	C91-C95	129	0.0	0.0	0.0	0.0	58.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.1

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが「1:あり」

*3 化学療法、内分泌療法のいずれかが「1:あり」

*4 その他治療が「1:あり」

*5 左記以外の治療組合せ

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2019年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	-その他 *	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96 D00-D09	9,491	27.8	11.6	0.8	2.0	13.7	3.5	0.5	0.9	13.5	0.7	2.6	2.1	20.4
食道	C15 D001	263	8.7	31.6	0.4	4.2	4.9	9.1	0.0	0.0	20.2	0.0	1.5	0.0	19.4
大腸 (結腸・直腸) *4	C18-C20 D010-D012	1,657	34.5	26.9	2.5	0.0	4.0	0.7	0.2	0.1	16.4	0.1	1.4	0.5	12.6
結腸 *4	C18 D010	1,083	36.6	27.8	2.6	0.0	4.0	0.0	0.1	0.0	16.3	0.0	0.0	0.3	12.4
直腸 *4	C19-C20 D011-D012	574	30.7	25.3	2.4	0.0	4.2	2.1	0.3	0.2	16.6	0.3	4.0	0.9	13.1
肺	C33-C34 D021-D022	1,113	24.0	0.0	0.0	5.9	20.8	8.4	0.1	0.2	12.2	0.0	0.7	0.1	27.5
皮膚	C43-C44 D030-D049	318	82.4	0.0	0.0	0.3	1.9	0.6	0.0	0.6	0.9	0.6	0.3	0.9	11.3
乳房	C50 D05	780	20.8	0.0	0.0	0.9	4.6	1.2	0.0	4.1	34.6	0.1	19.9	0.6	13.2
乳房 (女性のみ)	C50 D05	773	20.6	0.0	0.0	0.9	4.7	1.2	0.0	4.0	34.7	0.1	19.9	0.6	13.3
子宮	C53-C55 D06	371	59.8	0.5	0.3	2.7	1.1	6.2	0.0	0.5	14.3	0.0	3.5	1.6	9.4
子宮頸部	C53 D06	238	66.4	0.8	0.0	4.2	0.4	9.2	0.0	0.4	0.8	0.0	5.0	2.5	10.1
膀胱	C67 D090	363	2.5	33.1	1.1	0.3	0.8	0.0	0.3	0.8	24.8	14.0	0.8	10.5	11.0

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが「1:あり」

*3 化学療法、内分泌療法のいずれかが「1:あり」

*4 その他治療が「1:あり」

*5 左記以外の治療組合せ

医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

医療圏/保健所	全部位 C00-C96		胃 C16			大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肝及び肝内胆管 C22			肺 C33-C34			乳房 C50			子宮 C53-C55		子宮頸部 C53		子宮体部 C54		前立腺 C61
	男	女	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	女	女	女	女	男			
	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数			
和歌山県	4,988	3,662	8,660	816	415	1,231	718	581	1,299	442	402	844	276	179	455	278	137	415	760	379	1,139	6	695	701	216	80	130	789		
医療圏不定	2	0	2	0	0	1	0	1	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0		
和歌山	2,250	1,621	3,871	361	221	582	307	258	565	190	174	364	117	84	201	135	65	200	358	165	523	3	310	313	96	37	57	352		
那賀	530	381	911	106	32	138	89	63	152	56	46	102	33	17	50	28	17	45	67	36	103	0	78	78	24	5	18	82		
橋本	464	339	803	74	36	110	65	49	114	44	38	82	21	11	32	28	11	39	71	32	103	2	66	68	20	7	13	90		
有田	332	254	586	45	31	76	46	34	80	28	21	49	18	13	31	17	13	30	56	34	90	0	53	53	12	6	6	48		
御坊	324	224	548	53	23	76	47	33	80	33	24	57	14	9	23	16	5	21	55	28	83	0	35	35	16	5	10	40		
田辺	667	495	1,162	102	40	142	90	83	173	48	53	101	42	30	72	33	11	44	98	53	151	1	95	96	29	12	15	103		
新宮	429	348	777	75	32	107	73	61	134	42	46	88	31	15	46	21	15	36	54	31	85	0	58	58	19	8	11	74		
保健所不定	2	0	2	0	0	1	0	1	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0		
和歌山市	1,908	1,382	3,290	300	183	483	283	220	483	166	153	319	97	67	164	116	54	170	305	139	444	3	274	277	92	36	54	297		
海南	342	239	581	61	38	99	44	38	82	24	21	45	20	17	37	19	11	30	53	26	79	0	36	36	4	1	3	55		
岩出	530	381	911	106	32	138	89	63	152	56	46	102	33	17	50	28	17	45	67	36	103	0	78	78	24	5	18	82		
橋本	464	339	803	74	36	110	65	49	114	44	38	82	21	11	32	28	11	39	71	32	103	2	66	68	20	7	13	90		
湯浅	332	254	586	45	31	76	46	34	80	28	21	49	18	13	31	17	13	30	56	34	90	0	53	53	12	6	6	48		
御坊	324	224	548	53	23	76	47	33	80	33	24	57	14	9	23	16	5	21	55	28	83	0	35	35	16	5	10	40		
田辺	667	495	1,162	102	40	142	90	83	173	48	53	101	42	30	72	33	11	44	98	53	151	1	95	96	29	12	15	103		
新宮	429	348	777	75	32	107	73	61	134	42	46	88	31	15	46	21	15	36	54	31	85	0	58	58	19	8	11	74		

医療圏別、保健所圏別罹患数 : 部位別、性別

B. 上皮内がんを含む

和歌山県 2019年

医療圏／保健所	全部位 C00-C96			大腸(結腸・直腸)*1 C18-C20			結腸*1 C18			直腸*1 C19-C20			肺 C33-C34			乳房 C50			子宮 C53-C55		子宮頸部 C53	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女		
和歌山県	5,486	4,173	9,659	959	720	1,679	600	501	1,101	359	219	578	762	390	1,152	7	779	786	374	238		
医療圏不定	2	0	2	1	0	1	1	0	1	0	0	0	1	0	1	0	0	0	0	0		
和歌山	2,454	1,867	4,321	405	323	728	257	218	475	148	105	253	358	171	529	4	348	352	169	110		
那賀	587	440	1,027	119	83	202	77	61	138	42	22	64	68	37	105	0	87	87	39	20		
橋本	527	390	917	100	70	170	65	55	120	35	15	50	71	33	104	2	76	78	32	19		
有田	358	278	636	55	39	94	34	24	58	21	15	36	56	34	90	0	60	60	14	8		
御坊	355	252	607	58	35	93	43	25	68	15	10	25	55	28	83	0	38	38	32	21		
田辺	730	567	1,297	129	98	227	70	63	133	59	35	94	98	55	153	1	105	106	64	47		
新宮	473	379	852	92	72	164	53	55	108	39	17	56	55	32	87	0	65	65	24	13		
保健所不定	2	0	2	1	0	1	1	0	1	0	0	0	1	0	1	0	0	0	0	0		
和歌山市	2,080	1,595	3,675	345	277	622	220	192	412	125	85	210	305	144	449	4	308	312	158	102		
海南	374	272	646	60	46	106	37	26	63	23	20	43	53	27	80	0	40	40	11	8		
岩出	587	440	1,027	119	83	202	77	61	138	42	22	64	68	37	105	0	87	87	39	20		
橋本	527	390	917	100	70	170	65	55	120	35	15	50	71	33	104	2	76	78	32	19		
湯浅	358	278	636	55	39	94	34	24	58	21	15	36	56	34	90	0	60	60	14	8		
御坊	355	252	607	58	35	93	43	25	68	15	10	25	55	28	83	0	38	38	32	21		
田辺	730	567	1,297	129	98	227	70	63	133	59	35	94	98	55	153	1	105	106	64	47		
新宮	473	379	852	92	72	164	53	55	108	39	17	56	55	32	87	0	65	65	24	13		

市区町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

和歌山県

2019年

市区町村	全部位 C00-C96			胃 C16		大腸(結腸・直腸) C18-C20			結腸 C18		直腸 C19-C20			肝及び肝内胆管 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53		子宮体部 C54		前立腺 C61	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	男	女	男			
和歌山	4,998	3,862	8,660	816	415	1,231	718	581	1,299	442	402	844	276	179	455	278	137	415	760	379	1,139	6	695	701	216	80	130	789	
和歌山県内市区町村不定	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	
和歌山市	1,908	1,382	3,290	300	183	483	283	220	483	166	153	319	97	67	164	116	54	170	305	139	444	3	274	277	92	36	54	297	
海南市	302	212	514	55	34	89	36	33	69	20	18	38	16	15	31	17	10	27	49	26	75	0	30	30	3	0	3	47	
橋本市	304	224	528	51	23	74	45	35	80	29	26	55	16	9	25	13	6	19	43	19	62	2	43	45	14	5	9	55	
有田市	140	103	243	20	10	30	21	16	37	10	10	20	11	6	17	8	5	13	23	7	30	0	22	22	6	3	3	15	
御坊市	133	76	209	25	4	29	18	12	30	15	9	24	3	3	6	6	2	8	24	8	32	0	16	16	7	2	5	10	
田辺市	396	260	656	67	23	90	55	41	96	31	31	62	24	10	34	23	7	30	55	32	87	1	46	47	15	6	9	58	
新宮市	145	138	283	19	14	33	20	23	43	12	19	31	8	4	12	8	9	17	13	13	26	0	23	23	6	5	1	33	
紀の川市	343	231	574	73	19	92	53	41	94	33	31	64	20	10	30	19	9	28	44	19	63	0	46	46	16	3	12	48	
岩出市	187	150	337	33	13	46	36	22	58	23	15	38	13	7	20	9	8	17	23	17	40	0	32	32	8	2	6	34	
紀美野町	40	27	67	6	4	10	8	5	13	4	3	7	4	2	6	2	1	3	4	0	4	0	6	6	1	1	0	8	
かつらぎ町	112	74	186	11	8	19	14	9	23	10	7	17	4	2	6	11	3	14	22	10	32	0	13	13	4	2	2	27	
九度山町	27	25	52	7	3	10	3	4	7	2	4	6	1	0	1	1	1	2	4	2	6	0	4	4	0	0	0	6	
高野町	21	16	37	5	2	7	3	1	4	3	1	4	0	0	0	3	1	4	2	1	3	0	6	6	2	0	2	2	
湯浅町	59	53	112	7	7	14	8	8	16	3	7	10	5	1	6	3	5	8	11	10	21	0	8	8	2	0	2	9	
広川町	28	24	52	4	6	10	3	3	6	3	1	4	0	2	2	1	0	1	9	8	17	0	2	2	1	1	0	5	
有田町	105	74	179	14	8	22	14	7	21	12	3	15	2	4	6	5	3	8	13	9	22	0	21	21	3	2	1	19	
美浜町	41	30	71	6	3	9	5	4	9	3	3	6	2	1	3	4	0	4	8	1	9	0	8	8	3	1	2	4	
日高町	44	31	75	5	5	10	12	4	16	7	2	9	5	2	7	1	1	2	8	6	14	0	3	3	2	1	1	2	
由良町	31	18	49	6	1	7	2	4	6	1	4	5	1	0	1	1	0	1	4	4	8	0	3	3	0	0	0	7	
印南町	36	29	65	5	5	10	2	4	6	0	4	4	2	0	2	2	1	3	7	6	13	0	2	2	1	1	0	10	
みなべ町	49	41	90	6	5	11	9	10	19	5	3	8	4	7	11	1	2	3	6	1	7	0	12	12	2	1	1	5	
日高川町	39	40	79	6	5	11	8	5	13	7	2	9	1	3	4	2	1	3	4	3	7	0	3	3	3	0	2	7	
白浜町	130	117	247	18	8	26	19	23	42	8	12	20	11	11	22	7	2	9	21	12	33	0	22	22	7	2	3	24	
上富田町	67	49	116	9	3	12	5	3	8	2	3	5	3	0	3	1	0	1	9	5	14	0	12	12	1	1	0	11	
すさみ町	25	28	53	2	1	3	2	6	8	2	4	6	0	2	2	1	0	1	7	3	10	0	3	3	4	2	2	5	
那智勝浦町	99	77	176	16	4	20	19	15	34	10	9	19	9	6	15	4	0	4	12	9	21	0	9	9	5	1	4	19	
太地町	31	20	51	10	4	14	4	2	6	4	0	4	0	2	2	2	2	4	6	1	7	0	0	0	0	0	0	2	
古座川町	20	12	32	3	2	5	0	2	2	0	2	2	0	0	0	1	0	1	4	0	4	0	6	6	1	1	0	4	
北山村	4	2	6	0	1	1	1	0	1	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
串本町	130	99	229	27	7	34	29	19	48	15	16	31	14	3	17	6	4	10	18	8	26	0	20	20	7	1	6	15	

市区町村別罹患数 : 部位別、性別

A. 上皮内がんを含む

和歌山県

2019年

市区町村	全部位 C00-C96			大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肺 C33-C34			乳房 C50			子宮 G53-G55	子宮頸部 G53
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女
和歌山	5,486	4,173	9,659	959	720	1,679	600	501	1,101	359	219	578	762	390	1,152	7	779	786	374	238
和歌山県内市区町村不定	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
和歌山市	2,080	1,595	3,675	345	277	622	220	192	412	125	85	210	305	144	449	4	308	312	158	102
海南市	327	240	567	48	39	87	30	22	52	18	17	35	49	27	76	0	33	33	10	7
橋本市	349	270	619	72	55	127	45	42	87	27	13	40	43	20	63	2	52	54	24	15
有田市	147	113	260	22	18	40	11	11	22	11	7	18	23	7	30	0	24	24	7	4
御坊市	144	91	235	23	14	37	19	10	29	4	4	8	24	8	32	0	17	17	16	11
田辺市	438	307	745	80	49	129	46	36	82	34	13	47	55	34	89	1	53	54	40	31
新宮市	165	150	315	26	28	54	15	23	38	11	5	16	13	13	26	0	26	26	7	6
紀の川市	379	268	647	71	55	126	46	40	86	25	15	40	45	20	65	0	49	49	27	14
岩出市	208	172	380	48	28	76	31	21	52	17	7	24	23	17	40	0	38	38	12	6
紀美野町	47	32	79	12	7	19	7	4	11	5	3	8	4	0	4	0	7	7	1	1
かつらぎ町	120	78	198	18	10	28	13	8	21	5	2	7	22	10	32	0	13	13	6	4
九度山町	30	26	56	4	4	8	3	4	7	1	0	1	4	2	6	0	5	5	0	0
高野町	28	16	44	6	1	7	4	1	5	2	0	2	2	1	3	0	6	6	2	0
湯浅町	64	55	119	11	8	19	6	7	13	5	1	6	11	10	21	0	9	9	3	1
広川町	34	29	63	5	5	10	4	2	6	1	3	4	9	8	17	0	3	3	1	1
有田川町	113	81	194	17	8	25	13	4	17	4	4	8	13	9	22	0	24	24	3	2
美浜町	49	34	83	8	4	12	6	3	9	2	1	3	8	1	9	0	8	8	7	5
日高町	45	35	80	12	4	16	7	2	9	5	2	7	8	6	14	0	4	4	4	3
由良町	34	22	56	3	4	7	2	4	6	1	0	1	4	4	8	0	3	3	1	1
印南町	40	30	70	3	4	7	1	4	5	2	0	2	7	6	13	0	3	3	1	1
みなべ町	54	42	96	12	10	22	7	3	10	5	7	12	6	1	7	0	12	12	3	2
日高川町	43	40	83	9	5	14	8	2	10	1	3	4	4	3	7	0	3	3	3	0
白浜町	143	133	276	28	27	55	13	15	28	15	12	27	21	12	33	0	25	25	12	7
上富田町	68	57	125	6	6	12	2	5	7	4	1	5	9	5	14	0	12	12	5	5
すさみ町	27	28	55	3	6	9	2	4	6	1	2	3	7	3	10	0	3	3	4	2
那智勝浦町	107	86	193	24	17	41	15	11	26	9	6	15	12	10	22	0	10	10	7	3
太地町	34	20	54	6	2	8	5	0	5	1	2	3	6	1	7	0	0	0	0	0
古座川町	22	13	35	2	2	4	1	2	3	1	0	1	4	0	4	0	7	7	1	1
北山村	4	2	6	1	0	1	1	0	1	0	0	0	1	0	1	0	0	0	0	0
串本町	141	108	249	33	23	56	16	19	35	17	4	21	19	8	27	0	22	22	9	3