

標準集計表

※表 8-A、A'、表 8-B、B'の相違点は A、B 各表には罹患／死亡比（IM比）の項目があり、A' B'にはない点である。

表1.罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)及び累積罹患率(人口100対)；部位別、性別
 A. 上皮内がんを除く

2012年

部位	ICD-10	罹患数		罹患割合(%)				粗罹患率				年齢調整罹患率				世界人口				累積罹患率(0-74歳)				
		男	女	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
		4,892	3,264	100.0	100.0	100.0	1,056.8	624.6	827.6	495.4	298.3	382.1	350.1	222.3	277.2	41.0	24.3	32.0	1.1	0.3	0.7	1.1	0.3	0.7
全部位	C00-C96	4,892	3,264	100.0	100.0	100.0	1,056.8	624.6	827.6	495.4	298.3	382.1	350.1	222.3	277.2	41.0	24.3	32.0	1.1	0.3	0.7	1.1	0.3	0.7
口腔・咽頭	C00-C14	112	46	2.3	1.4	1.9	24.2	8.8	16.0	12.3	4.6	8.1	9.1	3.3	5.9	1.1	0.3	0.7	1.1	0.3	0.7	1.1	0.3	0.7
食道	C15	155	29	3.2	0.9	2.3	33.5	5.5	18.7	16.3	1.9	8.5	11.8	1.3	6.1	1.6	0.2	0.8	1.6	0.2	0.8	1.6	0.2	0.8
胃	C16	892	409	18.2	12.5	16.0	192.7	78.3	132.0	91.2	31.9	58.4	64.3	22.8	41.5	8.0	2.5	5.1	8.0	2.5	5.1	8.0	2.5	5.1
大腸(結腸・直腸)	C18-C20	728	547	14.9	16.8	15.6	157.3	104.7	129.4	77.7	44.0	59.2	56.0	31.3	42.5	6.7	3.7	5.1	6.7	3.7	5.1	6.7	3.7	5.1
結腸	C18	442	402	9.0	12.3	10.3	95.5	76.9	85.6	44.9	31.7	37.5	31.9	22.5	26.7	3.8	2.6	3.2	3.8	2.6	3.2	3.8	2.6	3.2
直腸	C19-C20	286	145	5.8	4.4	5.3	61.8	27.7	43.7	32.8	12.3	21.7	24.1	8.8	15.9	2.8	1.1	1.9	2.8	1.1	1.9	2.8	1.1	1.9
肝および肝内胆管	C22	358	192	7.3	5.9	6.7	77.3	36.7	55.8	34.6	13.0	22.5	23.4	9.2	15.6	2.7	0.9	1.7	2.7	0.9	1.7	2.7	0.9	1.7
胆のう・胆管	C23-C24	93	91	1.9	2.8	2.3	20.1	17.4	18.7	8.5	5.2	6.6	5.7	3.6	4.5	0.6	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.5
膵臓	C25	194	143	4.0	4.4	4.1	41.9	27.4	34.2	20.6	10.6	15.0	14.8	7.7	10.9	1.7	0.9	1.3	1.7	0.9	1.3	1.7	0.9	1.3
喉頭	C32	53	6	1.1	0.2	0.7	11.4	1.1	6.0	5.0	0.7	2.6	3.4	0.5	1.8	0.4	0.1	0.2	0.4	0.1	0.2	0.4	0.1	0.2
肺	C33-C34	831	388	17.0	11.9	14.9	179.5	74.2	123.7	78.5	27.9	49.8	53.5	19.5	34.4	6.1	2.3	4.1	6.1	2.3	4.1	6.1	2.3	4.1
皮膚	C43-C44	72	79	1.5	2.4	1.9	15.6	15.1	15.3	6.7	5.7	6.1	4.3	4.3	4.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
乳房	C50	4	550	0.1	16.9	6.8	0.9	105.2	56.2	0.3	68.2	36.3	0.2	52.6	27.9	0.0	5.7	3.0	0.0	5.7	3.0	0.0	5.7	3.0
子宮	C53-C55	-	176	-	5.4	2.2	-	33.7	-	-	26.9	-	-	21.3	-	-	2.1	-	-	2.1	-	-	2.1	-
子宮頸部	C53	-	83	-	2.5	1.0	-	15.9	-	-	13.4	-	-	10.8	-	-	1.0	-	-	1.0	-	-	1.0	-
子宮体部	C54	-	86	-	2.6	1.1	-	16.5	-	-	13.1	-	-	10.2	-	-	1.1	-	-	1.1	-	-	1.1	-
卵巣	C56	-	82	-	2.5	1.0	-	15.7	-	-	10.3	-	-	8.1	-	-	0.9	-	-	0.9	-	-	0.9	-
前立腺	C61	699	-	14.3	-	8.6	151.0	-	-	63.1	-	-	41.9	-	-	5.3	-	-	5.3	-	-	5.3	-	-
膀胱	C67	175	47	3.6	1.4	2.7	37.8	9.0	22.5	16.2	2.3	8.4	11.1	1.5	5.8	1.3	0.2	0.7	1.3	0.2	0.7	1.3	0.2	0.7
腎・尿路(膀胱除く)	C64-C66 C68	123	72	2.5	2.2	2.4	26.6	13.8	19.8	14.4	5.9	9.8	11.0	4.2	7.4	1.2	0.5	0.8	1.2	0.5	0.8	1.2	0.5	0.8
脳・中枢神経系	C70-C72	26	24	0.5	0.7	0.6	5.6	4.6	5.1	3.7	2.5	3.0	3.0	2.1	2.5	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2
甲状腺	C73	34	89	0.7	2.7	1.5	7.3	17.0	12.5	4.1	11.0	7.7	3.1	8.8	6.1	0.4	0.9	0.6	0.4	0.9	0.6	0.4	0.9	0.6
悪性リンパ腫	C81-C85 C96	120	113	2.5	3.5	2.9	25.9	21.6	23.6	13.5	9.4	11.2	9.9	6.8	8.2	1.0	0.8	0.9	1.0	0.8	0.9	1.0	0.8	0.9
多発性骨髄腫	C88-C90	31	22	0.6	0.7	0.6	6.7	4.2	5.4	3.1	1.7	2.3	2.2	1.2	1.6	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2
白血病	C91-C95	60	48	1.2	1.5	1.3	13.0	9.2	11.0	8.1	4.4	6.1	7.3	3.8	5.5	0.6	0.3	0.4	0.6	0.3	0.4	0.6	0.3	0.4

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)及び累積罹患率(人口100対)；部位別、性別
 B. 上皮内がんを含む

2012年

部位	ICD-10	罹患数												罹患割合(%)						粗罹患率						年齢調整罹患率						世界人口						累積罹患率(0-74歳)					
		男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計							
		男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女								
全部位	C00-C96 D00-D09	5,213	3,601	8,814	100.0	100.0	100.0	1,126.1	689.0	894.3	530.5	355.3	427.7	375.3	268.7	312.8	44.3	28.6	35.9	180	36	216	3.5	1.0	2.5	38.9	6.9	21.9	19.0	2.6	10.1	13.7	1.8	7.3	1.9	0.3	1.0						
食道	C15 D001	872	620	1,492	16.7	17.2	16.9	188.4	118.6	151.4	94.2	52.1	71.1	68.1	37.3	51.3	8.3	4.4	6.2	872	620	1,492	16.7	17.2	16.9	188.4	118.6	151.4	94.2	52.1	71.1	68.1	37.3	51.3	8.3	4.4	6.2						
大腸(結腸・直腸)*1	C18-C20 D010-D012	548	452	1,000	10.5	12.6	11.3	118.4	86.5	101.5	56.8	37.0	45.8	40.5	26.3	32.7	5.0	3.1	4.0	548	452	1,000	10.5	12.6	11.3	118.4	86.5	101.5	56.8	37.0	45.8	40.5	26.3	32.7	5.0	3.1	4.0						
結腸*1	C18 D010	324	168	492	6.2	4.7	5.6	70.0	32.1	49.9	37.5	15.1	25.3	27.6	10.9	18.6	3.2	1.4	2.3	324	168	492	6.2	4.7	5.6	70.0	32.1	49.9	37.5	15.1	25.3	27.6	10.9	18.6	3.2	1.4	2.3						
直腸*1	C19-C20 D011-D012	833	391	1,224	16.0	10.9	13.9	179.9	74.8	124.2	78.8	28.3	50.2	53.7	19.8	34.7	6.2	2.3	4.1	833	391	1,224	16.0	10.9	13.9	179.9	74.8	124.2	78.8	28.3	50.2	53.7	19.8	34.7	6.2	2.3	4.1						
肺	C33-C34 D021-D022	84	96	180	1.6	2.7	2.0	18.1	18.4	18.3	8.0	6.5	7.1	5.2	4.8	4.9	0.5	0.5	0.5	84	96	180	1.6	2.7	2.0	18.1	18.4	18.3	8.0	6.5	7.1	5.2	4.8	4.9	0.5	0.5	0.5						
皮膚	C43-C44 D030-D049	4	598	602	0.1	16.6	6.8	0.9	114.4	61.1	0.3	75.1	39.9	0.2	58.0	30.7	0.0	6.3	3.3	4	598	602	0.1	16.6	6.8	0.9	114.4	61.1	0.3	75.1	39.9	0.2	58.0	30.7	0.0	6.3	3.3						
乳房	C50 D05	-	328	328	-	9.1	3.7	-	62.8	-	-	64.3	-	-	53.0	-	-	4.7	-	-	-	328	328	-	9.1	3.7	-	62.8	-	64.3	-	53.0	-	4.7	-	-							
子宮	C53-C55 D06	-	235	235	-	6.5	2.7	-	45.0	-	-	50.8	-	-	42.5	-	-	3.6	-	-	-	235	235	-	6.5	2.7	-	45.0	-	50.8	-	42.5	-	3.6	-	-							
子宮頸部	C53 D06	292	68	360	5.6	1.9	4.1	63.1	13.0	36.5	28.4	3.8	14.7	19.7	2.6	10.2	2.3	0.3	1.2	292	68	360	5.6	1.9	4.1	63.1	13.0	36.5	28.4	3.8	14.7	19.7	2.6	10.2	2.3	0.3	1.2						
膀胱	C67 D090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別
B. 上皮内がんを含む

2012年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位		32.2	14.8	12.6	13.2	20.0	13.3	65.3	76.1	121.0	191.5	490.6	841.7	1,642.0	2,158.8	3,171.7	3,902.6	4,550.6	4,775.3	
	食道	C00-C96 D00-D09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.1	0.0	17.0	35.1	89.7	83.5	146.2	118.3	90.4	82.5
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	4.2	0.0	5.0	0.0	8.2	12.7	21.7	38.3	139.7	191.3	351.7	389.7	489.5	603.5	559.6	684.5	
	結腸 *1	C18 D010	0.0	0.0	4.2	0.0	0.0	4.1	4.1	9.5	12.4	13.9	61.3	95.6	211.0	250.5	340.0	391.5	390.1	445.4	
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	5.0	0.0	0.0	3.2	9.3	24.4	78.4	95.6	140.7	139.2	149.6	212.1	169.6	239.2	
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.1	34.8	44.3	121.2	249.8	303.1	475.9	672.9	876.2	899.0
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	6.4	9.7	27.8	47.6	118.3	73.5	66.0
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	3.4	4.1	0.0	8.2
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	6.2	13.9	17.0	41.4	89.7	117.5	173.4	179.4	327.9	313.4	
	全部位		16.8	10.4	17.5	18.5	35.2	126.9	173.8	280.9	307.7	534.5	485.0	670.2	792.9	1,021.6	1,233.2	1,556.2	1,649.3	1,953.1	
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	13.6	10.9	22.8	20.9	14.4	18.7	
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	15.8	6.2	29.3	49.7	78.2	123.2	128.8	171.6	281.9	304.7	334.9	337.5	
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	7.9	6.2	17.6	34.2	46.9	111.2	88.1	117.1	185.1	224.0	244.9	278.1	
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	15.5	31.3	12.0	40.7	54.5	96.8	80.6	90.0	59.4	
肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	0.0	14.7	15.5	18.8	42.1	70.0	152.6	142.4	221.0	223.3	268.7	
皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	13.1	0.0	3.1	0.0	3.1	3.1	9.0	6.8	13.6	51.3	26.9	75.6	96.9	
乳房	C50 D05	0.0	0.0	0.0	0.0	5.0	0.0	4.4	15.8	62.4	96.7	205.1	137.7	180.3	201.0	190.7	168.0	164.3	147.6	171.9	
子宮	C53-C55 D06	0.0	0.0	0.0	4.6	25.1	91.9	106.6	143.6	126.0	149.2	72.0	72.0	54.2	43.6	48.4	44.8	36.0	25.0		
子宮頸部	C53 D06	0.0	0.0	0.0	4.6	25.1	87.5	102.7	134.2	105.5	108.8	40.7	33.1	22.6	35.4	17.1	14.9	10.8	25.0		
膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	3.0	4.5	16.3	28.5	23.9	46.8	81.2		
男女計 全部位		24.7	12.7	15.0	15.8	27.6	70.6	120.4	179.3	217.0	372.8	487.7	753.4	1,202.3	1,554.1	2,116.9	2,548.2	2,778.3	2,728.6		
食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.5	0.0	0.0	8.2	18.6	50.3	44.9	79.0	62.1	44.0	36.3	
大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	2.1	0.0	2.5	0.0	12.0	9.4	25.6	44.3	107.6	156.3	236.3	273.8	376.6	431.0	422.3	432.9		
結腸 *1	C18 D010	0.0	0.0	2.1	0.0	0.0	0.0	6.0	7.9	15.1	24.6	53.8	103.7	147.4	179.6	255.7	294.8	301.4	324.1		
直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	2.5	0.0	6.0	1.6	10.5	19.7	53.8	52.6	88.9	94.1	120.9	136.2	121.0	108.8		
肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	4.0	1.6	9.0	24.6	31.0	80.4	156.7	223.1	294.4	412.1	477.3	441.9		
皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	1.6	1.6	8.2	7.7	8.2	20.3	49.6	65.5	74.8	88.4		
乳房	C50 D05	0.0	0.0	0.0	0.0	2.5	2.2	8.0	31.5	49.7	108.4	71.8	92.8	105.3	101.4	93.0	96.6	90.2	126.9		
膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.0	6.6	11.4	21.7	45.6	63.7	94.5	89.7	156.2	145.0		

*1 粘膜がんを含む

表4. 発見経緯 (%) ; 部位別
A. 上皮内がんを除く

国内D00を除く届出患者、男女計 2012年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	7,555	5.1	5.1	30.0	0.0	59.8
口腔・咽頭	C00-C14	151	0.0	0.7	14.6	0.0	84.8
食道	C15	174	4.0	6.3	21.8	0.0	67.8
胃	C16	1,207	7.7	7.7	32.5	0.0	52.1
大腸 (結腸・直腸)	C18-C20	1,199	6.3	6.5	25.0	0.0	62.1
結腸	C18	786	7.1	6.7	27.2	0.0	58.9
直腸	C19-C20	413	4.8	6.1	20.8	0.0	68.3
肝および肝内胆管	C22	463	0.6	2.2	62.0	0.0	35.2
胆のう・胆管	C23-C24	166	1.2	2.4	27.1	0.0	69.3
膵臓	C25	308	0.0	2.9	26.6	0.0	70.5
喉頭	C32	58	0.0	0.0	6.9	0.0	93.1
肺	C33-C34	1,101	2.8	8.4	39.5	0.0	49.3
皮膚	C43-C44	148	0.7	0.0	14.2	0.0	85.1
乳房	C50	525	21.0	1.5	13.3	0.0	64.2
乳房 (女性のみ)	C50	521	21.1	1.5	13.1	0.0	64.3
子宮	C53-C55	169	13.6	0.6	10.7	0.0	75.1
子宮頸部	C53	81	18.5	1.2	4.9	0.0	75.3
子宮体部	C54	86	9.3	0.0	16.3	0.0	74.4
卵巣	C56	77	2.6	2.6	22.1	0.0	72.7
前立腺	C61	666	5.6	6.6	36.5	0.0	51.4
膀胱	C67	207	0.5	2.4	18.8	0.0	78.3
腎・尿路 (膀胱除く)	C64-C66 C68	182	0.0	3.3	43.4	0.0	53.3
脳・中枢神経系	C70-C72	48	0.0	0.0	14.6	0.0	85.4
甲状腺	C73	120	0.0	6.7	35.8	0.0	57.5
悪性リンパ腫	C81-C85 C96	220	0.9	3.2	18.6	0.0	77.3
多発性骨髄腫	C88-C90	48	0.0	2.1	43.8	0.0	54.2
白血病	C91-C95	100	0.0	2.0	24.0	0.0	74.0

表4. 発見経緯 (%) ; 部位別

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計 2012年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96 D00-D09	8,213	6.2	5.2	30.1	0.0	58.5
食道	C15 D001	206	3.9	6.8	26.7	0.0	62.6
大腸 (結腸・直腸) *1	C18-C20 D010-D012	1,416	7.3	7.3	27.3	0.0	58.1
結腸 *1	C18 D010	942	8.3	7.5	29.5	0.0	54.7
直腸 *1	C19-C20 D011-D012	474	5.3	7.0	23.0	0.0	64.8
肺	C33-C34 D021-D022	1,106	2.8	8.5	39.6	0.0	49.1
皮膚	C43-C44 D030-D049	177	0.6	0.0	14.7	0.0	84.7
乳房	C50 D05	573	21.6	1.6	14.7	0.0	62.1
乳房 (女性のみ)	C50 D05	569	21.8	1.6	14.4	0.0	62.2
子宮	C53-C55 D06	321	31.8	0.9	17.1	0.0	50.2
子宮頸部	C53 D06	233	40.3	1.3	17.6	0.0	40.8
膀胱	C67 D090	345	0.6	2.9	20.0	0.0	76.5

*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2012年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	7,555	43.5	9.4	14.8	19.1	13.2
口腔・咽頭	C00-C14	151	29.1	16.6	35.8	5.3	13.2
食道	C15	174	37.4	5.7	39.1	12.6	5.2
胃	C16	1,207	52.0	12.0	10.0	16.4	9.5
大腸(結腸・直腸)	C18-C20	1,199	44.8	15.6	10.6	18.6	10.4
結腸	C18	786	44.5	13.2	11.7	19.7	10.8
直腸	C19-C20	413	45.3	20.1	8.5	16.5	9.7
肝および肝内胆管	C22	463	62.2	1.9	10.8	6.3	18.8
胆のう・胆管	C23-C24	166	12.7	2.4	37.3	26.5	21.1
膵臓	C25	308	6.2	1.6	39.6	37.3	15.3
喉頭	C32	58	75.9	3.4	12.1	0.0	8.6
肺	C33-C34	1,101	28.6	12.0	9.1	37.5	12.8
皮膚	C43-C44	148	81.1	1.4	8.8	1.4	7.4
乳房	C50	525	54.1	22.1	3.8	7.4	12.6
乳房(女性のみ)	C50	521	54.1	22.1	3.8	7.3	12.7
子宮	C53-C55	169	60.4	1.8	26.6	5.9	5.3
子宮頸部	C53	81	50.6	1.2	34.6	7.4	6.2
子宮体部	C54	86	70.9	2.3	19.8	4.7	2.3
卵巣	C56	77	23.4	1.3	46.8	16.9	11.7
前立腺	C61	666	55.3	1.2	24.0	12.2	7.4
膀胱	C67	207	70.0	1.9	13.5	6.8	7.7
腎・尿路(膀胱除く)	C64-C66 C68	182	57.1	2.2	17.6	14.3	8.8
脳・中枢神経系	C70-C72	48	81.3	2.1	4.2	4.2	8.3
甲状腺	C73	120	33.3	38.3	9.2	7.5	11.7
悪性リンパ腫	C81-C85 C96	220	19.1	0.0	8.6	29.5	42.7
多発性骨髄腫	C88-C90	48	0.0	0.0	0.0	41.7	58.3
白血病	C91-C95	100	1.0	0.0	1.0	63.0	35.0

表5. 臨床進行度分布 (%) ; 部位別

B. 上皮内がんを含む

国内D00を除く届出患者、男女計 2012年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96 D00-D09	8,213	8.0	40.0	8.7	13.6	17.6	12.2
食道	C15 D001	206	15.5	31.6	4.9	33.0	10.7	4.4
大腸 (結腸・直腸) *1	C18-C20 D010-D012	1,416	15.3	37.9	13.2	9.0	15.7	8.8
結腸 *1	C18 D010	942	16.6	37.2	11.0	9.8	16.5	9.0
直腸 *1	C19-C20 D011-D012	474	12.9	39.5	17.5	7.4	14.3	8.4
肺	C33-C34 D021-D022	1,106	0.5	28.5	11.9	9.0	37.3	12.7
皮膚	C43-C44 D030-D049	177	16.4	67.8	1.1	7.3	1.1	6.2
乳房	C50 D05	573	8.0	49.6	20.2	3.5	6.8	11.9
乳房 (女性のみ)	C50 D05	569	8.1	49.6	20.2	3.5	6.7	12.0
子宮	C53-C55 D06	321	47.0	31.8	0.9	14.0	3.1	3.1
子宮頸部	C53 D06	233	64.8	17.6	0.4	12.0	2.6	2.6
膀胱	C67 D090	345	39.7	42.0	1.2	8.1	4.1	4.9

*1 粘膜がんを含む

表6. 受療割合 (%) ; 部位別 *1

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計 2012年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96	7,555	55.4	10.2	39.8	20.9
口腔・咽頭	C00-C14	151	49.7	30.5	55.6	19.9
食道	C15	174	46.0	31.6	50.6	16.7
胃	C16	1,207	72.7	0.4	23.6	17.7
大腸(結腸・直腸)	C18-C20	1,199	83.2	2.3	29.4	14.3
結腸	C18	786	83.6	0.5	28.0	13.9
直腸	C19-C20	413	82.3	5.6	32.2	15.3
肝および肝内胆管	C22	463	19.2	2.2	28.9	31.7
胆のう・胆管	C23-C24	166	57.2	0.6	31.3	24.7
膵臓	C25	308	34.4	3.2	49.7	34.4
喉頭	C32	58	32.8	72.4	56.9	8.6
肺	C33-C34	1,101	35.1	16.2	45.1	31.5
皮膚	C43-C44	148	86.5	2.0	8.1	12.8
乳房	C50	525	75.6	28.2	69.5	14.7
乳房(女性のみ)	C50	521	75.6	28.2	69.3	14.8
子宮	C53-C55	169	75.1	20.7	36.7	10.1
子宮頸部	C53	81	59.3	39.5	42.0	11.1
子宮体部	C54	86	91.9	3.5	32.6	7.0
卵巣	C56	77	74.0	0.0	74.0	13.0
前立腺	C61	666	31.1	18.0	56.2	12.0
膀胱	C67	207	84.1	4.3	47.8	10.6
腎・尿路(膀胱除く)	C64-C66 C68	182	74.7	1.6	18.1	18.1
脳・中枢神経系	C70-C72	48	68.8	52.1	60.4	22.9
甲状腺	C73	120	75.8	2.5	15.0	21.7
悪性リンパ腫	C81-C85 C96	220	5.9	10.5	60.0	30.0
多発性骨髄腫	C88-C90	48	0.0	8.3	66.7	31.3
白血病	C91-C95	100	0.0	2.0	58.0	40.0

*1 重複を含むため合計は100%にならない

表6. 受療割合 (%) ; 部位別 *1

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計 2012年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96 D00-D09	8,213	58.4	9.7	37.7	19.6
食道	C15 D001	206	50.0	27.2	42.7	18.0
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,416	85.6	1.9	25.1	12.3
結腸 *2	C18 D010	942	86.1	0.4	23.7	11.8
直腸 *2	C19-C20 D011-D012	474	84.6	4.9	28.1	13.3
肺	C33-C34 D021-D022	1,106	35.4	16.1	44.8	31.4
皮膚	C43-C44 D030-D049	177	87.0	1.7	6.8	11.9
乳房	C50 D05	573	77.0	29.3	67.7	13.8
乳房 (女性のみ)	C50 D05	569	77.0	29.3	67.5	13.9
子宮	C53-C55 D06	321	81.9	10.9	19.3	9.0
子宮頸部	C53 D06	233	79.0	13.7	14.6	9.0
膀胱	C67 D090	345	87.8	2.6	46.1	7.2

*1 重複を含むため合計は100%にならない

*2 粘膜炎を含む

表7. 切除内容(%) ; 部位別

A. 上皮内がんを除く

国内D00を除く届出患者、男女計

2012年

部位	ICD-10	外科・体腔鏡 内視鏡治療数		完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除		不明
		4, 187	83.1				8.6	3.3	
全部位	C00-C96	4, 187	83.1	8.6	3.3	4.2	0.9		
口腔・咽頭	C00-C14	75	66.7	24.0	8.0	1.3	0.0		
食道	C15	80	85.0	5.0	2.5	6.3	1.3		
胃	C16	878	89.1	5.0	1.7	3.4	0.8		
大腸(結腸・直腸)	C18-C20	997	84.4	8.2	3.3	3.8	0.3		
結腸	C18	657	84.2	8.4	3.5	3.5	0.5		
直腸	C19-C20	340	84.7	7.9	2.9	4.4	0.0		
肝および肝内胆管	C22	89	84.3	6.7	1.1	4.5	3.4		
胆のう・胆管	C23-C24	95	53.7	8.4	3.2	31.6	3.2		
膵臓	C25	106	61.3	7.5	1.9	27.4	1.9		
喉頭	C32	19	84.2	5.3	5.3	5.3	0.0		
肺	C33-C34	386	87.8	2.8	3.4	5.2	0.8		
皮膚	C43-C44	128	93.0	6.3	0.8	0.0	0.0		
乳房	C50	397	91.4	4.8	2.5	0.3	1.0		
乳房(女性のみ)	C50	394	91.4	4.8	2.5	0.3	1.0		
子宮	C53-C55	127	82.7	13.4	3.1	0.8	0.0		
子宮頸部	C53	48	83.3	14.6	0.0	2.1	0.0		
子宮体部	C54	79	82.3	12.7	5.1	0.0	0.0		
卵巣	C56	57	59.6	26.3	12.3	1.8	0.0		
前立腺	C61	207	73.9	18.8	4.8	1.9	0.5		
膀胱	C67	174	80.5	9.8	6.9	0.6	2.3		
腎・尿路(膀胱除く)	C64-C66 C68	136	89.7	6.6	1.5	0.7	1.5		
脳・中枢神経系	C70-C72	33	45.5	33.3	12.1	3.0	6.1		
甲状腺	C73	91	72.5	23.1	3.3	1.1	0.0		
悪性リンパ腫	C81-C85 C96	13	69.2	15.4	7.7	7.7	0.0		
多発性骨髄腫	C88-C90	0		
白血病	C91-C95	0		

表7. 切除内容 (%) ; 部位別
B. 上皮内がんを含む

国内DC0を除く届出患者、男女計 2012年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96 D00-D09	4,796	84.6	7.8	3.1	3.7	0.8
食道	C15 D001	103	88.3	3.9	1.9	4.9	1.0
大腸 (結腸・直腸) *1	C18-C20 D010-D012	1,212	86.8	6.9	2.9	3.1	0.2
結腸 *1	C18 D010	811	86.7	7.0	3.1	2.8	0.4
直腸 *1	C19-C20 D011-D012	401	87.0	6.7	2.5	3.7	0.0
肺	C33-C34 D021-D022	391	88.0	2.8	3.3	5.1	0.8
皮膚	C43-C44 D030-D049	154	92.9	6.5	0.6	0.0	0.0
乳房	C50 D05	441	92.1	4.5	2.3	0.2	0.9
乳房 (女性のみ)	C50 D05	438	92.0	4.6	2.3	0.2	0.9
子宮	C53-C55 D06	263	85.9	9.1	4.6	0.4	0.0
子宮頸部	C53 D06	184	87.5	7.6	4.3	0.5	0.0
膀胱	C67 D090	303	87.1	6.3	4.3	0.3	2.0

*1 粘膜がんを含む

表8. 精度指標； 部位別、性別
A. 上皮内がんを除く

2012年

部位	罹患/死亡比 (IM比)		死亡情報で初めて把握された症例 DCN (%)		死亡情報のみの症例 DCO (%)		国際 DCO (%)		病学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)								
	男	女	男	女	男	女	男	女	男	女	男	女							
ICD-10																			
全部位	2.42	2.38	2.40	17.7	21.3	19.1	7.0	7.9	7.4	6.5	7.3	6.8	81.3	78.3	80.1	77.8	74.7	76.6	
C00-C96	2.00	2.30	2.08	7.1	17.4	10.1	4.5	4.3	4.4	4.5	4.3	4.4	92.0	91.3	91.8	87.5	82.6	86.1	
口腔・咽頭	2.25	1.71	2.14	13.5	37.9	17.4	5.8	3.4	5.4	5.8	3.4	5.4	89.7	79.3	88.0	89.7	79.3	88.0	
C15	3.01	2.34	2.76	14.0	20.5	16.1	6.1	9.8	7.2	5.7	9.3	6.8	90.5	85.8	89.0	89.8	85.6	88.5	
胃	3.17	3.02	3.10	16.3	19.0	17.5	5.6	6.4	6.0	5.6	6.0	5.8	90.5	85.4	88.3	90.4	84.8	88.0	
C18-C20	3.05	2.87	2.96	17.4	20.1	18.7	6.3	7.5	6.9	6.3	7.0	6.6	89.4	84.1	86.8	89.1	83.3	86.4	
大腸 (結腸・直腸)	3.36	3.54	3.42	14.7	15.9	15.1	4.5	3.4	4.2	4.5	3.4	4.2	92.3	89.0	91.2	92.3	89.0	91.2	
C18	1.55	1.47	1.52	32.7	43.2	36.4	14.2	18.8	15.8	14.2	17.7	15.5	22.3	22.9	22.5	21.8	21.9	21.8	
C19-C20	1.33	1.36	1.34	25.8	27.5	26.6	8.6	11.0	9.8	8.6	11.0	9.8	60.2	47.3	53.8	54.8	38.5	46.7	
結腸	1.17	1.02	1.10	24.2	30.1	26.7	9.8	7.0	8.6	9.3	7.0	8.3	56.2	41.3	49.9	52.6	35.0	45.1	
直腸	5.30	6.00	5.36	7.5	0.0	6.8	1.9	0.0	1.7	1.9	0.0	1.7	98.1	100.0	98.3	98.1	100.0	98.3	
肝および肝内胆管	1.70	1.64	1.68	23.7	30.9	26.0	8.9	11.3	9.7	7.9	10.3	8.7	79.3	72.9	77.3	66.4	61.3	64.8	
C22	14.40	9.88	11.62	2.8	5.1	4.0	1.4	2.5	2.0	1.4	1.3	1.3	98.6	96.2	97.4	98.6	96.2	97.4	
C23-C24	...	5.29	5.33	0.0	14.4	14.3	0.0	5.3	5.2	0.0	5.3	5.2	100.0	89.3	89.4	100.0	88.7	88.8	
胆のう・胆管	-	4.29	4.29	-	10.2	10.2	-	4.0	4.0	-	4.0	4.0	-	93.2	93.2	-	-	91.5	91.5
C25	-	3.77	3.77	-	9.6	9.6	-	2.4	2.4	-	2.4	2.4	-	96.4	96.4	-	-	92.8	92.8
膵臓	-	14.33	14.33	-	3.5	3.5	-	0.0	0.0	-	0.0	0.0	-	97.7	97.7	-	-	97.7	97.7
C32	-	2.28	2.28	-	19.5	19.5	-	6.1	6.1	-	6.1	6.1	-	86.6	86.6	-	-	80.5	80.5
喉頭	6.99	-	6.99	11.2	-	11.2	4.7	-	4.7	4.6	-	4.6	89.4	-	89.4	89.0	-	89.0	
C33-C34	3.37	2.04	2.96	14.9	21.3	16.2	6.3	8.5	6.8	6.3	8.5	6.8	89.7	83.0	88.3	87.4	72.3	84.2	
肺	2.73	3.60	3.00	16.3	13.9	15.4	6.5	6.9	6.7	5.7	2.8	4.6	87.0	80.6	84.6	82.9	75.0	80.0	
C43-C44	2.00	6.00	2.94	23.1	4.2	14.0	7.7	0.0	4.0	0.0	0.0	0.0	80.8	83.3	82.0	76.9	83.3	80.0	
皮膚	5.67	5.56	5.59	0.0	12.4	8.9	0.0	3.4	2.4	0.0	3.4	2.4	97.1	89.9	91.9	91.2	83.1	85.4	
乳房	1.94	2.31	2.10	20.8	15.0	18.0	5.8	5.3	5.6	5.8	4.4	5.2	85.8	86.7	86.3	80.8	85.8	83.3	
C50	1.55	2.44	1.83	25.8	31.8	28.3	9.7	9.1	9.4	9.7	9.1	9.4	80.6	72.7	77.4	77.4	59.1	69.8	
子宮	1.54	1.71	1.61	13.3	27.1	19.4	5.0	10.4	7.4	3.3	0.0	1.9	96.7	95.8	96.3	76.7	72.9	75.0	
C53-C55																			
子宮頸部																			
C53																			
子宮体部																			
C54																			
卵巣																			
C56																			
前立腺																			
C61																			
膀胱																			
C67																			
腎・尿路 (膀胱除く)																			
C64-C66 C68																			
脳・中枢神経系																			
C70-C72																			
甲状腺																			
C73																			
悪性リンパ腫																			
C81-C85 C96																			
多発性骨髄腫																			
C88-C90																			
白血病																			
C91-C95																			

表8. 精度指標； 部位別、性別
A'. 上皮内がんを除く

2012年

部位	ICD-10						死亡情報での初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DC0 (%)			国際 DC0 (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)					
	男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計	
全部位	17.7	21.3	19.1	7.0	7.9	7.4	6.5	7.3	6.8	81.3	78.3	80.1	77.8	74.7	76.6									
C00-C96	7.1	17.4	10.1	4.5	4.3	4.4	4.5	4.3	4.4	92.0	91.3	91.8	87.5	82.6	86.1									
口腔・咽頭	13.5	37.9	17.4	5.8	3.4	5.4	5.8	3.4	5.4	89.7	79.3	88.0	89.7	79.3	88.0									
食道	14.0	20.5	16.1	6.1	9.8	7.2	5.7	9.3	6.8	90.5	85.8	89.0	89.8	85.6	88.5									
胃	16.3	19.0	17.5	5.6	6.4	6.0	5.6	6.0	5.8	90.5	85.4	88.3	90.4	84.8	88.0									
大腸 (結腸・直腸)	17.4	20.1	18.7	6.3	7.5	6.9	6.3	7.0	6.6	89.4	84.1	86.8	89.1	83.3	86.4									
結腸	14.7	15.9	15.1	4.5	3.4	4.2	4.5	3.4	4.2	92.3	89.0	91.2	92.3	89.0	91.2									
直腸	32.7	43.2	36.4	14.2	18.8	15.8	14.2	17.7	15.5	22.3	22.9	22.5	21.8	21.9	21.8									
肝および肝内胆管	25.8	27.5	26.6	8.6	11.0	9.8	8.6	11.0	9.8	60.2	47.3	53.8	54.8	38.5	46.7									
胆のう・胆管	24.2	30.1	26.7	9.8	7.0	8.6	9.3	7.0	8.3	56.2	41.3	49.9	52.6	35.0	45.1									
膵臓	7.5	0.0	6.8	1.9	0.0	1.7	1.9	0.0	1.7	98.1	100.0	98.3	98.1	100.0	98.3									
喉頭	23.7	30.9	26.0	8.9	11.3	9.7	7.9	10.3	8.7	79.3	72.9	77.3	66.4	61.3	64.8									
肺	2.8	5.1	4.0	1.4	2.5	2.0	1.4	1.3	1.3	98.6	96.2	97.4	98.6	96.2	97.4									
皮膚	0.0	14.4	14.3	0.0	5.3	5.2	0.0	5.3	5.2	100.0	89.3	89.4	100.0	88.7	88.8									
乳房	-	10.2	10.2	-	4.0	4.0	-	4.0	4.0	-	93.2	93.2	-	91.5	91.5									
子宮	-	9.6	9.6	-	2.4	2.4	-	2.4	2.4	-	96.4	96.4	-	92.8	92.8									
子宮頸部	-	3.5	3.5	-	0.0	0.0	-	0.0	0.0	-	97.7	97.7	-	97.7	97.7									
子宮体部	-	19.5	19.5	-	6.1	6.1	-	6.1	6.1	-	86.6	86.6	-	80.5	80.5									
卵巣	11.2	-	11.2	4.7	-	4.7	4.6	-	4.6	89.4	-	89.4	89.0	-	89.0									
前立腺	14.9	21.3	16.2	6.3	8.5	6.8	6.3	8.5	6.8	89.7	83.0	88.3	87.4	72.3	84.2									
膀胱	16.3	13.9	15.4	6.5	6.9	6.7	5.7	2.8	4.6	87.0	80.6	84.6	82.9	75.0	80.0									
腎・尿路 (膀胱除く)	23.1	4.2	14.0	7.7	0.0	4.0	0.0	0.0	0.0	80.8	83.3	82.0	76.9	83.3	80.0									
脳・中枢神経系	0.0	12.4	8.9	0.0	3.4	2.4	0.0	3.4	2.4	97.1	89.9	91.9	91.2	83.1	85.4									
甲状腺	20.8	15.0	18.0	5.8	5.3	5.6	5.8	4.4	5.2	85.8	86.7	86.3	80.8	85.8	83.3									
悪性リンパ腫	25.8	31.8	28.3	9.7	9.1	9.4	9.7	9.1	9.4	80.6	72.7	77.4	77.4	59.1	69.8									
多発性骨髄腫	13.3	27.1	19.4	5.0	10.4	7.4	3.3	0.0	1.9	96.7	95.8	96.3	76.7	72.9	75.0									
白血病																								

表8. 精度指標； 部位別、性別
B. 上皮内がんを含む

2012年

部位	罹患/死亡比 (1M比)		死亡情報で初めて把握された症例 DCN (%)		死亡情報のみの症例 DCO (%)		国際 DCO (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 MV (%)								
	男	女	男	女	男	女	男	女	男	女	男	女							
	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計							
ICD-10																			
全部位	2.58	2.63	2.60	16.6	19.3	17.7	6.6	7.2	6.8	6.1	6.6	6.3	82.5	80.3	81.6	79.1	76.9	78.2	
C00-C96 D00-D09																			
食道	2.61	2.12	2.51	11.7	30.6	14.8	5.0	2.8	4.6	5.0	2.8	4.6	91.1	83.3	89.8	91.1	83.3	89.8	
大腸 (結腸・直腸) *1	3.79	3.43	3.63	13.8	16.8	15.0	4.7	5.6	5.1	4.7	5.3	5.0	92.1	87.1	90.0	92.0	86.5	89.7	
結腸 *1	3.78	3.23	3.51	14.2	17.9	15.9	5.1	6.6	5.8	5.1	6.2	5.6	91.4	85.8	88.9	91.2	85.2	88.5	
直腸 *1	3.81	4.10	3.90	13.0	13.7	13.2	4.0	3.0	3.7	4.0	3.0	3.7	93.2	90.5	92.3	93.2	89.9	92.1	
肺	1.70	1.66	1.69	23.6	30.7	25.9	8.9	11.3	9.6	7.9	10.2	8.7	79.4	73.1	77.4	66.5	61.6	65.0	
皮膚	16.80	12.00	13.85	2.4	4.2	3.3	1.2	2.1	1.7	1.2	1.0	1.1	98.8	96.9	97.8	98.8	96.9	97.8	
乳房	...	5.75	5.79	0.0	13.2	13.1	0.0	4.8	4.8	0.0	4.8	4.8	100.0	90.1	90.2	100.0	89.6	89.7	
子宮	-	8.00	8.00	-	5.5	5.5	-	2.1	2.1	-	2.1	2.1	-	96.3	96.3	-	-	95.4	95.4
子宮頸部	-	10.68	10.68	-	3.4	3.4	-	0.9	0.9	-	0.9	0.9	-	98.7	98.7	-	-	97.4	97.4
膀胱	5.62	2.96	4.80	9.2	14.7	10.3	3.8	5.9	4.2	3.8	5.9	4.2	93.8	88.2	92.8	91.1	79.4	88.9	

*1 粘膜がんを含む

表8. 精度指標； 部位別、性別
B'. 上皮内がんを含む

2012年

部位	ICD-10			死亡情報で初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DC0 (%)			国際 DC0 (%)			病理学的裏付けの ある症例 HV (%)			組織学的裏付けの ある症例 HV (%)		
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	16.6	19.3	17.7	6.6	7.2	6.8	6.1	6.6	6.3	82.5	80.3	81.6	79.1	76.9	78.2			
食道	11.7	30.6	14.8	5.0	2.8	4.6	5.0	2.8	4.6	91.1	83.3	89.8	91.1	83.3	89.8			
大腸 (結腸・直腸) *1	13.8	16.8	15.0	4.7	5.6	5.1	4.7	5.3	5.0	92.1	87.1	90.0	92.0	86.5	89.7			
結腸 *1	14.2	17.9	15.9	5.1	6.6	5.8	5.1	6.2	5.6	91.4	85.8	88.9	91.2	85.2	88.5			
直腸 *1	13.0	13.7	13.2	4.0	3.0	3.7	4.0	3.0	3.7	93.2	90.5	92.3	93.2	89.9	92.1			
肺	23.6	30.7	25.9	8.9	11.3	9.6	7.9	10.2	8.7	79.4	73.1	77.4	66.5	61.6	65.0			
皮膚	2.4	4.2	3.3	1.2	2.1	1.7	1.2	1.0	1.1	98.8	96.9	97.8	98.8	96.9	97.8			
乳房	0.0	13.2	13.1	0.0	4.8	4.8	0.0	4.8	4.8	100.0	90.1	90.2	100.0	89.6	89.7			
子宮	-	5.5	5.5	-	2.1	2.1	-	2.1	2.1	-	96.3	96.3	-	95.4	95.4			
子宮頸部	-	3.4	3.4	-	0.9	0.9	-	0.9	0.9	-	98.7	98.7	-	97.4	97.4			
膀胱	9.2	14.7	10.3	3.8	5.9	4.2	3.8	5.9	4.2	93.8	88.2	92.8	91.1	79.4	88.9			

*1 粘膜がんを含む

表9. 死亡数、死亡割合(%)、粗死亡率、年齢調整死亡率(人口10万対)及び累積死亡率(人口100対)；部位別、性別 2012年

部位	死亡数		死亡割合(%)						粗死亡率						年齢調整死亡率						累積死亡率(0-74歳)						
	ICD-10		男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
全部位	2,023	1,371	3,394	100.0	100.0	100.0	100.0	437.0	262.3	344.4	188.7	90.5	132.5	129.7	63.7	92.2	13.7	6.8	10.0								
口腔・咽頭	56	20	76	2.8	1.5	2.2	12.1	3.8	7.7	5.6	1.3	3.2	4.0	1.0	2.3	0.5	0.1	0.3									
食道	69	17	86	3.4	1.2	2.5	14.9	3.3	8.7	6.9	1.2	3.8	4.9	0.9	2.7	0.7	0.1	0.4									
胃	296	175	471	14.6	12.8	13.9	63.9	33.5	47.8	28.5	11.1	18.7	19.9	7.7	13.0	2.2	0.8	1.5									
大腸(結腸・直腸)	230	181	411	11.4	13.2	12.1	49.7	34.6	41.7	22.5	11.2	16.2	15.8	7.7	11.3	1.7	0.8	1.2									
結腸	145	140	285	7.2	10.2	8.4	31.3	26.8	28.9	14.2	7.9	10.7	9.9	5.4	7.4	1.0	0.5	0.7									
直腸	85	41	126	4.2	3.0	3.7	18.4	7.8	12.8	8.3	3.3	5.5	5.9	2.3	3.9	0.7	0.3	0.5									
肝および肝内胆管	231	131	362	11.4	9.6	10.7	49.9	25.1	36.7	20.9	8.1	13.7	13.9	5.6	9.2	1.6	0.6	1.0									
胆のう・胆管	70	67	137	3.5	4.9	4.0	15.1	12.8	13.9	6.2	3.2	4.5	4.1	2.1	3.0	0.4	0.2	0.3									
膵臓	166	140	306	8.2	10.2	9.0	35.9	26.8	31.0	16.7	8.7	12.3	11.7	6.0	8.6	1.3	0.7	1.0									
喉頭	10	1	11	0.5	0.1	0.3	2.2	0.2	1.1	1.0	0.2	0.5	0.7	0.1	0.4	0.1	0.0	0.0									
肺	490	236	726	24.2	17.2	21.4	105.8	45.2	73.7	43.9	13.9	26.8	29.5	9.4	18.1	3.1	1.0	2.0									
皮膚	5	8	13	0.2	0.6	0.4	1.1	1.5	1.3	0.7	0.6	0.7	0.5	0.6	0.5	0.0	0.0	0.0									
乳房	0	104	104	0.0	7.6	3.1	0.0	19.9	10.6	0.0	11.1	6.0	0.0	8.3	4.4	0.0	0.9	0.5									
子宮	-	41	41	-	3.0	1.2	-	7.8	-	-	4.0	-	-	-	-	-	-	0.3									
子宮頸部	-	22	22	-	1.6	0.6	-	4.2	-	-	2.5	-	-	-	-	-	-	0.2									
子宮体部	-	6	6	-	0.4	0.2	-	1.1	-	-	0.7	-	-	-	-	-	-	0.1									
卵巣	-	36	36	-	2.6	1.1	-	6.9	-	-	3.6	-	-	-	-	-	-	0.3									
前立腺	100	-	100	4.9	-	2.9	21.6	-	-	7.4	-	-	-	4.8	-	-	0.4										
膀胱	52	23	75	2.6	1.7	2.2	11.2	4.4	7.6	4.4	1.3	2.6	2.8	0.9	1.7	0.2	0.1	0.2									
腎・尿路(膀胱除く)	45	20	65	2.2	1.5	1.9	9.7	3.8	6.6	4.6	1.2	2.7	3.6	0.9	2.1	0.3	0.1	0.2									
脳・中枢神経系	13	4	17	0.6	0.3	0.5	2.8	0.8	1.7	2.0	0.6	1.2	1.8	0.4	1.1	0.2	0.0	0.1									
甲状腺	6	16	22	0.3	1.2	0.6	1.3	3.1	2.2	0.7	0.6	0.7	0.6	0.3	0.5	0.1	0.0	0.0									
悪性リンパ腫	62	49	111	3.1	3.6	3.3	13.4	9.4	11.3	5.5	2.6	3.9	3.7	1.7	2.5	0.4	0.2	0.3									
多発性骨髄腫	20	9	29	1.0	0.7	0.9	4.3	1.7	2.9	1.8	0.4	1.0	1.2	0.2	0.7	0.1	0.0	0.1									
白血病	39	28	67	1.9	2.0	2.0	8.4	5.4	6.8	3.7	1.9	2.7	2.6	1.8	2.1	0.3	0.1	0.2									

表10. 年齢階級別死亡数、死亡割合(%)； 部位別、性別

2012年

Main data table with columns for age groups (0-4 to 85+) and rows for anatomical parts and gender.

付表1. がん罹患数及び罹患率； 詳細部位別、性別

2012年

部位	国際疾病 分類 ICD-10	罹患数									年齢調整罹患率						累積罹患率(0-74歳)		
		罹患数			割合(%)			粗罹患率			日本人人口			世界人口			累積罹患率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
上気道がん																			
全部位	D00-D09	321	337	658	5.6	10.3	8.1	69.3	64.5	66.8	35.1	57.0	45.6	25.1	46.5	35.6	3.3	4.3	3.8
口腔、食道および胃	D00	31	9	40	0.6	0.3	0.5	6.7	1.7	4.1	3.3	0.8	2.0	2.4	0.6	1.4	0.4	0.1	0.2
食道	D001	25	7	32	0.5	0.2	0.4	5.4	1.3	3.2	2.6	0.7	1.6	1.9	0.5	1.1	0.3	0.1	0.2
その他および部位不明の消化器	D01	150	77	227	3.1	2.4	2.8	32.4	14.7	23.0	17.1	8.4	12.4	12.4	6.2	9.1	1.7	0.8	1.2
結腸	D010	106	50	156	2.2	1.5	1.9	22.9	9.6	15.8	11.9	5.3	8.3	8.6	3.9	6.1	1.2	0.5	0.8
直腸・状結腸移行部	D011	6	8	14	0.1	0.2	0.2	1.3	1.5	1.4	0.8	0.9	0.8	0.6	0.7	0.6	0.1	0.1	0.1
直腸	D012	32	15	47	0.7	0.5	0.6	6.9	2.9	4.8	3.9	1.8	2.8	2.9	1.4	2.1	0.4	0.1	0.2
中耳および呼吸器系	D02	4	3	7	0.1	0.1	0.1	0.9	0.6	0.7	0.5	0.4	0.4	0.4	0.3	0.4	0.1	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	2	3	5	0.0	0.1	0.1	0.4	0.6	0.5	0.3	0.4	0.4	0.2	0.3	0.3	0.0	0.0	0.0
上皮下内黒色腫	D03	3	0	3	0.1	0.0	0.0	0.6	0.0	0.3	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
皮膚のその他	D04	9	17	26	0.2	0.5	0.3	1.9	3.3	2.6	0.9	0.8	0.9	0.6	0.5	0.6	0.1	0.1	0.1
乳房	D05	0	48	48	0.0	1.5	0.6	0.0	9.2	4.9	0.0	6.8	3.6	0.0	5.4	2.8	0.0	0.6	0.3
子宮頸部	D06	-	152	152	-	4.7	1.9	-	29.1	15.4	-	37.4	19.1	-	31.7	16.2	-	2.6	1.3
その他および部位不明の性器	D07	0	2	2	0.0	0.1	0.0	0.0	0.4	0.2	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
その他および部位不明	D09	124	29	153	2.5	0.9	1.9	26.8	5.5	15.5	12.9	2.2	7.0	9.0	1.5	4.9	1.1	0.2	0.6
膀胱	D090	117	21	138	2.4	0.6	1.7	25.3	4.0	14.0	12.2	1.5	6.3	8.6	1.0	4.5	1.1	0.1	0.6
良性腫瘍																			
脳膜	D32	14	55	69	0.3	1.7	0.8	3.0	10.5	7.0	1.6	7.0	4.4	1.2	5.4	3.4	0.1	0.6	0.4
脳および中枢神経系	D33	4	5	9	0.1	0.2	0.1	0.9	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.8	0.1	0.1	0.1
下垂体、視交叉、視神経、松果体	D352-D354	10	5	15	0.2	0.2	0.2	2.2	1.0	1.5	2.1	0.9	1.5	1.8	0.7	1.2	0.1	0.1	0.1
性状不詳または不明の腫瘍																			
髄膜	D42	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	13	9	22	0.3	0.3	0.3	2.8	1.7	2.2	2.0	0.9	1.4	1.5	0.8	1.1	0.1	0.1	0.1
下垂体、視交叉、視神経、松果体	D443-D445	5	1	6	0.1	0.0	0.1	1.1	0.2	0.6	0.8	0.3	0.6	1.0	0.4	0.7	0.0	0.0	0.0
真正赤血球増多症	D45	3	3	6	0.1	0.1	0.1	0.6	0.6	0.6	0.2	0.2	0.2	0.1	0.2	0.1	0.0	0.0	0.0
骨髄異形成症候群	D46	41	25	66	0.8	0.8	0.8	8.9	4.8	6.7	4.3	2.0	2.9	3.1	1.5	2.2	0.2	0.1	0.2
慢性骨増殖性疾患他 *1	D47	3	5	8	0.1	0.2	0.1	0.6	1.0	0.8	0.3	0.4	0.4	0.2	0.3	0.2	0.0	0.0	0.0

*1 ICD-0-3により性状3に分類される形態

付表2. がん死亡数及び死亡率； 詳細部位別、性別

2012年

部位	国際疾病 分類 ICD-10	死亡数									年齢調整死亡率						累積死亡率(0-74歳)		
		死亡数			割合(%)			粗死亡率			日本人人口			世界人口			累積死亡率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
良性腫瘍																			
腫瘍	D32	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の内分泌腺	D35	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳または不明の腫瘍																			
悪性腫瘍																			
腫瘍	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
内分泌腺	D44	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
リンパ組織、造血組織および関連組織	D47	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

付表3. 受療割合詳細 (%) ; 部位別
A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2012年

部位	10D-10	集計対象数	単独療法										併用療法 *1					
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+放射線	薬物+放射線	薬物+放射線	薬物+放射線+薬物	その他*3	不明		
全部位	C00-C96	7,555	16.5	8.6	6.7	1.7	9.2	0.0	3.5	0.6	16.2	4.3	0.3	3.2	8.3	20.9		
口腔・咽頭	C00-C14	151	17.2	0.0	0.0	4.0	9.3	0.0	0.0	2.0	21.9	15.2	0.0	8.6	2.0	19.9		
食道	C15	174	8.0	4.0	13.8	2.9	9.2	0.0	0.0	1.1	12.1	21.8	0.0	5.2	5.2	16.7		
胃	C16	1,207	21.0	8.3	25.1	0.1	7.8	0.0	0.0	0.0	14.6	0.2	0.0	0.0	5.1	17.7		
大腸(結腸・直腸)	C18-C20	1,199	19.5	22.4	7.8	0.0	1.5	0.0	0.0	0.2	23.8	0.3	0.0	1.5	8.6	14.3		
結腸	C18	786	20.2	24.3	6.6	0.0	1.7	0.0	0.0	0.3	24.2	0.1	0.0	0.0	8.8	13.9		
直腸	C19-C20	413	18.2	18.9	10.2	0.0	1.2	0.0	0.0	0.0	23.0	0.7	0.0	4.4	8.2	15.3		
肝および肝内胆管	C22	463	10.6	0.4	0.0	0.6	5.4	0.0	0.0	0.0	4.5	0.4	0.0	0.2	46.0	31.7		
胆のう・胆管	C23-C24	166	18.7	4.2	9.6	0.0	7.2	0.0	0.0	0.0	16.9	0.6	0.0	0.0	18.1	24.7		
膀胱	C25	308	7.5	0.0	1.9	0.0	21.4	0.0	0.0	0.0	20.1	0.6	0.3	1.0	12.7	34.4		
喉頭	C32	58	6.9	0.0	0.0	20.7	0.0	0.0	0.0	5.2	10.3	36.2	0.0	6.9	5.2	8.6		
肺	C33-C34	1,101	3.5	12.2	0.0	4.2	16.9	0.1	0.0	0.2	13.8	9.4	0.0	1.8	6.4	31.5		
皮膚	C43-C44	148	77.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6.8	0.7	0.0	0.7	1.4	12.8		
乳房	C50	525	13.5	0.0	0.0	0.2	2.7	0.0	4.6	1.3	34.3	1.0	1.0	25.7	1.1	14.7		
乳房(女性のみ)	C50	521	13.6	0.0	0.0	0.2	2.7	0.0	4.4	1.3	34.2	1.0	1.0	25.7	1.2	14.8		
子宮	C53-C55	169	41.4	1.2	0.6	3.6	0.6	0.0	0.0	3.0	21.9	9.5	0.0	4.1	4.1	10.1		
子宮頸部	C53	81	30.9	0.0	1.2	7.4	0.0	0.0	0.0	3.7	13.6	19.8	0.0	7.4	4.9	11.1		
子宮体部	C54	86	52.3	2.3	0.0	0.0	1.2	0.0	0.0	2.3	30.2	0.0	0.0	1.2	3.5	7.0		
卵巣	C56	77	11.7	0.0	0.0	0.0	9.1	0.0	0.0	0.0	57.1	0.0	1.3	0.0	7.8	13.0		
前立腺	C61	666	15.5	8.9	0.8	4.8	0.0	0.0	36.2	0.5	4.4	12.3	2.0	0.2	2.7	12.0		
膀胱	C67	207	11.1	0.0	20.8	0.0	3.9	0.0	0.5	1.4	36.7	0.0	0.0	2.9	12.1	10.6		
腎・尿路(膀胱除く)	C64-C66 C68	182	25.3	34.1	2.2	0.0	6.0	0.0	0.0	0.0	9.9	1.1	0.0	0.5	2.7	18.1		
脳・中枢神経系	C70-C72	48	8.3	0.0	0.0	4.2	0.0	0.0	0.0	2.1	10.4	4.2	0.0	41.7	6.3	22.9		
甲状腺	C73	120	58.3	0.0	0.0	0.8	0.8	0.0	0.0	0.8	13.3	0.0	0.0	0.0	4.2	21.7		
悪性リンパ腫	C81-C85 C96	220	2.3	0.0	0.5	4.1	49.5	0.5	0.9	1.4	1.4	4.5	0.0	0.5	4.5	30.0		
多発性骨髄腫	C88-C90	48	0.0	0.0	0.0	0.0	58.3	0.0	0.0	0.0	0.0	8.3	0.0	0.0	2.1	31.3		
白血病	C91-C95	100	0.0	0.0	0.0	0.0	53.0	0.0	0.0	0.0	0.0	1.0	2.0	0.0	4.0	40.0		

*1 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫・内分泌療法を指す。

*2 化学、免疫、内分泌療法のいずれかの併用

*3 単独療法及び併用療法のいずれかの項目にも含まれないものを指す (1)その他の治療(TAE、PEITなど)の実施 (2)外科、体腔鏡、内視鏡的療法のいずれかの併用

付表3. 受療割合詳細 (%) ; 部位別
B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2012年

部位	ICD-10	単独療法 *2											併用療法 *2	不明		
		集計対象数	外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	薬物	切除+放射線+薬物			その他*4	
全部位	C00-C96 D00-D09	8,213	17.8	8.2	9.4	1.6	8.5	0.1	3.3	0.6	15.6	4.0	0.3	3.1	7.8	19.6
食道	C15 D001	206	7.3	3.9	21.8	2.9	7.8	0.0	0.0	1.0	10.2	18.4	0.0	4.4	4.4	18.0
大腸 (結腸・直腸) *1	C18-C20 D010-D012	1,416	17.5	20.2	19.0	0.0	1.3	0.0	0.0	0.1	20.3	0.3	0.0	1.3	7.7	12.3
結腸 *1	C18 D010	942	18.2	21.9	18.3	0.0	1.4	0.0	0.0	0.2	20.5	0.1	0.0	0.0	7.7	11.8
直腸 *1	C19-C20 D011-D012	474	16.2	16.9	20.5	0.0	1.1	0.0	0.0	0.0	20.0	0.6	0.0	3.8	7.6	13.3
肺	C33-C34 D021-D022	1,106	3.5	12.5	0.0	4.2	16.8	0.1	0.0	0.2	13.7	9.4	0.0	1.8	6.4	31.4
皮膚	C43-C44 D030-D049	177	79.1	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5.6	0.6	0.0	0.6	1.7	11.9
乳房	C50 D05	573	15.4	0.0	0.0	0.2	2.4	0.0	4.5	2.3	32.6	0.9	0.9	26.0	1.0	13.8
乳房 (女性のみ)	C50 D05	569	15.5	0.0	0.0	0.2	2.5	0.0	4.4	2.3	32.5	0.9	0.9	26.0	1.1	13.9
子宮	C53-C55 D06	321	63.9	0.6	0.3	1.9	0.3	0.0	0.0	1.6	11.5	5.0	0.0	2.2	3.7	9.0
子宮頸部	C53 D06	233	68.7	0.0	0.4	2.6	0.0	0.0	0.0	1.3	4.7	6.9	0.0	2.6	3.9	9.0
膀胱	C67 D090	345	6.7	0.3	33.3	0.0	2.6	1.4	0.3	0.9	37.4	0.0	0.0	1.7	8.1	7.2

*1 粘膜がんを含む

*2 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫療法・内分泌療法・内視鏡療法を指す。

*3 化学、免疫、内分泌療法のいずれかの併用

*4 単独療法及び併用療法のいずれかの項目にも含まれないものを指す (1) その他の治療 (TAE、PEITなど) の実施 (2) 外科、体腔鏡、内視鏡的療法のいずれかの併用

付表4. 医療圏別、保健所別罹患数； 部位別、性別

2012年

A. 上皮内がんを除く

医療圏/保健所	全部位 C00-C96		胃 C16		大腸(直腸・横膈) C18-C20		結腸 C18		直腸 C19-C20		肝臓 C22		肺 C33-C34		乳房 C50		子宮 C53-C55		子宮頸部 C53		子宮体部 C54		前立腺 C61		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
和歌山県	4,892	3,284	812	499	1,301	728	547	442	268	145	411	358	192	550	631	388	1,219	4	550	554	178	83	86	699	
和歌山	2,189	1,517	3,888	404	182	588	313	258	118	65	183	109	92	281	372	197	589	2	258	258	79	36	40	308	
奈良	562	330	832	88	38	128	85	43	37	11	48	37	28	65	69	48	117	0	62	62	22	9	12	58	
熊本	413	273	688	72	40	112	54	38	16	16	34	23	15	38	76	25	101	1	35	36	24	13	11	79	
有田	392	253	645	76	38	114	62	43	24	12	36	26	8	34	77	25	102	1	35	36	7	3	4	60	
御坊	350	217	567	73	25	98	50	33	25	8	34	17	10	27	54	33	87	0	47	47	5	1	4	48	
田辺	708	410	1,118	116	54	170	96	70	40	18	58	45	22	67	121	45	166	0	64	64	19	12	7	118	
新宮	380	284	624	83	32	95	68	56	23	15	38	41	17	58	62	25	87	0	51	51	20	9	8	28	
県内医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
岩出保健所	592	330	832	88	38	128	85	43	37	11	48	37	28	65	69	48	117	0	62	62	22	9	12	58	
熊本保健所	413	273	688	72	40	112	54	38	16	16	34	23	15	38	76	25	101	1	35	36	24	13	11	79	
海南保健所	290	215	505	72	28	100	44	39	16	9	25	16	12	28	49	23	72	0	35	35	13	7	5	33	
湯浅保健所	392	253	645	76	38	114	62	43	24	12	36	26	8	34	77	25	102	1	35	36	7	3	4	60	
御坊保健所	350	217	567	73	25	98	50	33	25	8	34	17	10	27	54	33	87	0	47	47	5	1	4	48	
田辺保健所	706	410	1,118	116	54	170	96	70	40	18	58	45	22	67	121	45	166	0	64	64	19	12	7	118	
新宮保健所	253	179	432	46	22	88	48	38	17	13	30	25	11	38	49	13	62	0	41	41	14	8	4	15	
新宮保健所単支所	107	85	192	17	10	27	20	18	30	6	2	8	16	6	22	13	25	0	10	10	6	1	4	13	
和歌山県保健所	1,879	1,302	3,181	332	154	486	299	219	102	56	158	153	80	233	323	164	487	2	221	223	66	29	35	275	
県内保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

付表4. 医療圏別、保健所別罹患数； 部位別、性別

B. 上皮内がんを含む

2012年

医療圏/保健所	全部位		大腸(結腸・直腸)				結腸				直腸				肺				乳房		子宮		子宮頸部	
	C00-C96 D01-D09		C18-C20 D010-D012 *1		C18 D010 *1		C19-C20 D011-D012 *1		C33-C34 D021-D022		C50 D05		C53-C55 D06		C53 D06		C53-C55 D06		C53 D06		C53 D06			
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
和歌山県	5,213	3,601	8,814	872	620	1,492	548	452	1,000	324	168	492	833	391	1,224	4	598	602	328	235				
和歌山	2,324	1,698	4,022	370	289	659	238	214	452	132	75	207	373	190	563	2	283	285	163	120				
那賀	546	366	912	113	50	163	68	36	104	45	14	59	70	48	118	0	68	68	43	30				
橋本	444	293	737	66	54	120	47	36	83	19	18	37	76	25	101	1	36	37	30	19				
有田	410	271	681	71	46	117	44	33	77	27	13	40	77	25	102	1	35	36	17	13				
御坊	365	228	593	53	33	86	25	25	50	28	8	36	54	33	87	0	49	49	5	1				
田辺	748	473	1,221	121	89	210	73	66	139	48	23	71	121	45	166	0	75	75	46	39				
新宮	376	272	648	78	59	137	53	42	95	25	17	42	62	25	87	0	52	52	24	13				
県内医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
岩出保健所	546	366	912	113	50	163	68	36	104	45	14	59	70	48	118	0	68	68	43	30				
橋本保健所	444	293	737	66	54	120	47	36	83	19	18	37	76	25	101	1	36	37	30	19				
海南保健所	316	239	555	51	42	93	33	31	64	18	11	29	49	23	72	0	36	36	23	17				
湯浅保健所	410	271	681	71	46	117	44	33	77	27	13	40	77	25	102	1	35	36	17	13				
御坊保健所	365	228	593	53	33	86	25	25	50	28	8	36	54	33	87	0	49	49	5	1				
田辺保健所	748	473	1,221	121	89	210	73	66	139	48	23	71	121	45	166	0	75	75	46	39				
新宮保健所	264	184	448	55	39	94	37	25	62	18	14	32	49	13	62	0	42	42	17	11				
新宮保健所串本支所	112	88	200	23	20	43	16	17	33	7	3	10	13	12	25	0	10	10	7	2				
和歌山市保健所	2,008	1,459	3,467	319	247	566	205	183	388	114	64	178	324	167	491	2	247	249	140	103				
県内保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			

*1 粘膜がんを含む

付表5. 市区町村別罹患数； 部位別、性別

A. 上皮内がんを除く

2012年

市区町村	全部位 C00-C96		胃 C16		大腸(直腸・横膈) C18-C20		結腸 C18		膵臓 C19-C20		肝臓 C22		肺 C33-C34		乳房 C50		子宮 C53-C55		子宮体部 C54		前立腺 C61																					
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女																				
和歌山県	4,192	3,264	8,156	892	409	1,301	728	547	1,275	442	402	163	320	102	56	158	145	431	358	192	550	831	386	1,219	467	2	221	223	176	66	83	29	66	35	86	89						
和歌山市	1,379	1,302	3,181	332	154	486	609	219	488	167	163	320	102	56	158	145	431	358	192	550	831	386	1,219	467	2	221	223	176	66	83	29	66	35	86	89							
海南市	249	186	435	64	24	88	42	36	78	25	27	53	16	9	25	12	12	24	40	19	59	0	28	28	0	0	0	10	10	0	6	6	0	4	4	0	27	27				
橿本市	270	182	452	46	24	70	41	28	69	31	20	51	10	8	18	15	9	24	45	14	58	0	27	27	0	0	0	20	20	0	12	12	0	8	8	0	57	57				
有田市	169	104	264	34	14	48	27	17	44	16	11	27	11	6	17	6	5	11	39	11	50	0	11	11	0	0	0	2	2	0	1	1	0	1	1	0	22	22				
御坊市	138	70	206	30	7	37	19	10	29	11	9	20	8	1	9	8	2	10	23	10	33	0	19	19	0	0	0	1	1	0	1	1	0	1	1	0	15	15				
田辺市	394	241	635	60	31	91	63	43	106	35	30	65	28	13	41	31	12	43	53	20	73	0	40	40	0	0	0	15	15	0	9	9	0	6	6	0	67	67				
新宮市	147	102	249	26	8	34	21	55	20	13	33	14	8	22	15	8	23	25	8	33	0	22	22	0	0	0	11	11	0	6	6	0	4	4	0	6	6	0	8	8		
紀の川市	330	190	520	53	22	75	55	28	83	29	20	49	26	8	34	23	13	36	54	26	80	0	39	39	0	0	0	15	15	0	7	7	0	15	15	0	7	7	0	38	38	
岩出市	172	140	312	35	16	51	30	15	45	19	12	31	11	3	14	14	15	29	15	22	37	0	23	23	0	0	0	7	7	0	2	2	0	5	5	0	20	20				
紀美野町	41	29	70	8	4	12	2	3	5	2	3	5	0	0	0	4	0	4	9	4	13	0	7	7	0	0	0	3	3	0	1	1	0	1	1	0	6	6	0	6	6	
伊都郡かつらぎ町	103	61	164	17	12	29	8	10	18	3	5	8	5	5	10	6	3	9	26	8	34	1	4	4	0	0	0	4	4	0	1	1	0	3	3	0	3	3	0	14	14	
伊都郡九度山町	21	12	33	5	2	7	3	6	1	3	4	2	0	2	1	0	1	2	3	0	2	2	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	5	
伊都郡高野町	19	18	37	4	2	6	2	3	5	1	0	1	1	3	4	1	3	4	4	1	5	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	
有田郡清浅町	80	42	122	18	7	25	14	10	24	8	9	17	6	1	7	6	1	7	13	4	17	0	7	7	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	9	9	
有田郡広川町	30	27	57	6	2	8	5	5	10	4	3	7	1	2	3	1	0	1	6	3	9	1	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	5
有田郡有田川町	122	80	202	18	15	33	16	11	27	10	8	18	6	3	9	13	2	15	19	7	26	0	15	15	0	0	0	4	4	0	2	2	0	2	2	0	24	24				
白鷹郡美浜町	53	27	80	13	3	16	7	6	13	2	5	7	5	1	6	5	1	6	5	5	10	0	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	6	
白鷹郡日高町	33	36	69	8	3	11	5	4	9	3	3	6	2	1	3	1	1	2	4	5	9	0	7	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	7	
白鷹郡由良町	31	16	49	4	0	4	6	5	11	2	4	6	4	1	5	0	3	3	0	1	1	0	2	2	0	0	0	2	2	0	2	2	0	2	2	0	10	10				
白鷹郡印南町	49	23	72	8	6	14	6	3	9	3	2	5	3	1	4	1	3	4	10	1	11	0	4	4	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	8	8	
白鷹郡みなべ町	50	29	79	6	2	8	6	6	12	4	5	9	2	1	3	4	0	4	14	6	20	0	4	4	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	7	7	
白鷹郡日高川町	48	43	91	10	6	16	7	5	12	3	2	5	4	3	7	2	0	2	12	11	23	0	7	7	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2	2		
西牟婁郡白浜町	158	75	233	36	15	51	16	14	30	10	12	22	6	2	8	7	15	29	10	39	0	8	8	0	0	0	2	2	0	2	2	0	2	2	0	0	0	28	28			
西牟婁郡上富田町	62	47	109	9	3	12	9	4	13	5	3	8	4	1	5	2	2	4	14	9	23	0	8	8	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	5	5	
西牟婁郡すさみ町	42	18	60	5	3	8	2	3	5	2	2	4	0	1	1	0	1	1	11	0	11	0	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	11	
東牟婁郡智浜町	84	59	143	15	9	24	12	13	25	9	8	17	3	5	8	8	3	11	20	4	24	0	15	15	0	0	0	3	3	0	2	2	0	2	2	0	7	7				
東牟婁郡太地町	22	17	39	5	5	10	2	4	6	2	4	6	0	0	0	2	0	2	4	1	5	0	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	
東牟婁郡古座川町	19	18	37	6	4	10	4	2	6	1	2	3	3	0	3	2	2	4	1	2	3	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
東牟婁郡北山村	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
東牟婁郡本町	88	67	155	11	6	17	16	16	32	13	14	27	3	2	5	14	4	18	12	10	22	0	9	9	0	0	0	6	6	0	1	1	0	4	4	0	0	0	13	13		
県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

付表5. 市区町村別罹患数； 部位別、性別

B. 上皮内がんを含む

2012年

市区町村	全部位		大腸(結腸・直腸)				結腸				直腸				肺				乳房		子宮		子宮頸部		
	男	女	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女
	C00-C96 D01-D09	C18-C20 D010-D012 *1	C18 D010 *1	C19-C20 D011-D012 *1	C33-C34 D021-D022	C50 D05	C53-C55 D06																		
和歌山県	5,213	3,601	8,814	872	620	1,492	548	452	1,000	324	168	492	833	391	1,224	4	598	602	328	235					
和歌山市	2,008	1,459	3,467	319	247	566	205	183	388	114	64	178	324	167	491	2	247	249	140	103					
海南市	270	210	480	49	39	88	31	28	59	18	11	29	40	19	59	0	29	29	20	16					
橋本市	286	196	482	49	35	84	38	26	64	11	9	20	45	14	59	0	28	28	24	16					
有田市	166	110	276	31	18	49	18	11	29	13	7	20	39	11	50	0	11	11	6	5					
御坊市	140	74	214	20	10	30	11	9	20	9	1	10	23	10	33	0	20	20	1	0					
田辺市	419	280	699	79	59	138	45	42	87	34	17	51	53	20	73	0	43	43	32	26					
新宮市	152	105	257	36	22	58	21	13	34	15	9	24	25	8	33	0	22	22	13	8					
紀の川市	360	210	570	73	35	108	43	24	67	30	11	41	55	26	81	0	42	42	23	15					
岩出市	186	156	342	40	15	55	25	12	37	15	3	18	15	22	37	0	26	26	20	15					
紀美野町	46	29	75	2	3	5	2	3	5	0	0	0	9	4	13	0	7	7	3	1					
伊都郡かつらぎ町	114	65	179	11	13	24	6	7	13	5	6	11	26	8	34	1	4	5	5	2					
伊都郡九度山町	25	13	38	4	3	7	2	3	5	2	0	2	1	2	3	0	2	2	0	0					
伊都郡高野町	19	19	38	2	3	5	1	0	1	1	3	4	4	1	5	0	2	2	1	1					
有田郡湯浅町	83	43	126	15	10	25	9	9	18	6	1	7	13	4	17	0	7	7	2	1					
有田郡広川町	32	33	65	7	5	12	6	3	9	1	2	3	6	3	9	1	2	3	4	4					
有田郡有田川町	129	85	214	18	13	31	11	10	21	7	3	10	19	7	26	0	15	15	5	3					
日高郡美浜町	55	27	82	8	6	14	3	5	8	5	1	6	5	5	10	0	8	8	0	0					
日高郡日高町	36	37	73	6	4	10	3	3	6	3	1	4	4	5	9	0	7	7	0	0					
日高郡由良町	34	19	53	6	5	11	2	4	6	4	1	5	0	1	1	0	2	2	2	0					
日高郡印南町	51	24	75	6	3	9	3	2	5	3	1	4	10	1	11	0	4	4	1	1					
日高郡みなべ町	53	31	84	7	6	13	4	5	9	3	1	4	14	6	20	0	4	4	3	3					
西牟婁郡白浜町	49	47	96	7	5	12	3	2	5	4	3	7	12	11	23	0	8	8	1	0					
西牟婁郡上富田町	171	84	255	24	15	39	17	12	29	7	3	10	29	10	39	0	11	11	5	5					
西牟婁郡すさみ町	63	57	120	9	6	15	5	5	10	4	1	5	14	9	23	0	13	13	4	3					
東牟婁郡智勝浦町	42	21	63	2	3	5	2	2	4	0	1	1	11	0	11	0	4	4	2	2					
東牟婁郡太地町	89	60	149	17	13	30	14	8	22	3	5	8	20	4	24	0	15	15	4	3					
東牟婁郡古座川町	23	18	41	2	4	6	2	4	6	0	0	0	4	1	5	0	4	4	0	0					
東牟婁郡北山村	20	18	38	5	2	7	2	2	4	3	0	3	1	2	3	0	1	1	0	0					
東牟婁郡串本町	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
県内市区町村不定	92	70	162	18	18	36	14	15	29	4	3	7	12	10	22	0	9	9	7	2					
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					

*1 粘膜がんを含む